

Moxa IA5250A-T

MOXA NPort IA5250A-T Industrial Automation Device Server User Manual

Model: IA5250A-T

1. INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of the MOXA NPort IA5250A-T Industrial Automation Device Server. This device is designed to connect serial devices to an Ethernet network, enabling remote access and management in industrial environments. It features robust surge protection for serial, LAN, and power connections, ensuring reliable operation in demanding conditions.

2. PRODUCT OVERVIEW

The MOXA NPort IA5250A-T is a 2-port industrial device server that converts serial signals (RS-232/422/485) to Ethernet. It is equipped with two 10/100BaseT(X) Ethernet ports, allowing for network redundancy or daisy-chaining. Its design emphasizes durability and reliability, making it suitable for a wide range of industrial automation applications.



Figure 1: Front view of the MOXA NPort IA5250A-T device server, showing the two Ethernet ports and two serial (DB9) ports, along with LED indicators and the MOXA branding. A green terminal block for power input is visible at the top.

3. FEATURES

- **2 Serial Ports:** Supports RS-232, RS-422, and RS-485 communication standards.
- **Dual Ethernet Ports:** Two 10/100BaseT(X) Ethernet ports for network connectivity, supporting single IP mode.
- **Industrial Grade Protection:** Built-in serial, LAN, and power surge protection.
- **Wide Operating Temperature:** Designed for operation in extreme temperatures ranging from -40°C to 75°C.

- **Industrial Certifications:** Suitable for harsh industrial environments.
- **Easy Configuration:** Web-based console for straightforward setup and management.

4. PACKAGE CONTENTS

Verify that your package contains the following items:

- MOXA NPort IA5250A-T Device Server
- Power Adapter (if included with specific model variant)
- Quick Installation Guide
- Documentation CD/DVD (or link to online resources)
- DIN-rail mounting kit

If any of these items are missing or damaged, please contact your sales representative for assistance.

5. SETUP

5.1 Physical Installation

The NPort IA5250A-T can be mounted on a DIN-rail or wall-mounted.

- **DIN-Rail Mounting:** Attach the DIN-rail mounting kit to the back of the device. Securely clip the device onto a standard DIN-rail.
- **Wall Mounting:** Use the provided wall-mounting plates (if applicable) to secure the device to a flat surface using screws.

5.2 Power Connection

Connect a compatible DC power source (typically 12-48 VDC) to the terminal block located at the top of the device. Ensure correct polarity. The device features power input redundancy for enhanced reliability.

5.3 Network Connection

Connect one or both 10/100BaseT(X) Ethernet ports to your network switch or router using standard Ethernet cables. The device supports auto MDI/MDI-X, so straight-through or crossover cables can be used.

5.4 Serial Device Connection

Connect your serial devices (e.g., PLCs, sensors, meters) to the DB9 serial ports on the NPort IA5250A-T. Ensure the correct pin assignments for RS-232, RS-422, or RS-485 are used. Refer to the device's pinout diagram in the detailed product documentation for specific wiring instructions.

5.5 Initial Configuration

After physical installation and power-up, the device can be configured via a web browser or MOXA's NPort Windows utility.

- **Web Console:** Open a web browser and enter the device's default IP address (refer to the Quick Installation Guide or product documentation for the default IP). Log in with the default username and password.
- **NPort Windows Utility:** Install the NPort Windows utility on a PC connected to the same network. The utility can discover the device and allow for configuration.

Configure network settings (IP address, subnet mask, gateway), serial port parameters (baud rate, data bits, parity, stop bits), and operation modes (e.g., Real COM, TCP Server, TCP Client, UDP).

6. OPERATING INSTRUCTIONS

6.1 LED Indicators

The NPort IA5250A-T features several LED indicators to display its status:

- **PWR1/PWR2:** Indicates power status for redundant power inputs. Lit when power is supplied.
- **Ready:** Lit when the device is powered on and operating normally.
- **LAN Link/Act:** Indicates Ethernet link status and activity.
- **Serial Tx/Rx:** Flashes to indicate data transmission (Tx) or reception (Rx) on the respective serial port.

6.2 Network Communication

Once configured, the NPort IA5250A-T facilitates communication between your serial devices and network applications. Depending on the configured operation mode, serial data can be transmitted over TCP/IP or UDP/IP.

6.3 Serial Port Modes

The device supports various serial port operating modes, including:

- **Real COM Mode:** Allows Windows/Linux hosts to access serial devices over Ethernet as if they were directly connected to a local COM port.
- **TCP Server/Client Mode:** Establishes TCP connections for data exchange.
- **UDP Mode:** Uses UDP for connectionless data transmission.
- **Pair Connection Mode:** Creates a transparent serial-to-serial connection over Ethernet between two NPort devices.

7. MAINTENANCE

7.1 Cleaning

Periodically clean the exterior of the device with a soft, dry cloth. Do not use liquid or aerosol cleaners. Ensure the device is powered off before cleaning.

7.2 Firmware Updates

Check the MOXA website regularly for firmware updates. Firmware updates can provide new features, performance improvements, and security enhancements. Follow the instructions provided with the firmware package for safe updating.

7.3 Environmental Considerations

Ensure the device operates within its specified temperature and humidity ranges. Avoid exposing the device to excessive dust, moisture, or direct sunlight.

8. TROUBLESHOOTING

If you encounter issues with your NPort IA5250A-T, refer to the following common troubleshooting steps:

- **No Power:** Check the power connections and ensure the power supply is functioning. Verify PWR1/PWR2 LEDs are lit.
- **No Network Connectivity:** Check Ethernet cable connections. Verify LAN Link/Act LEDs. Ensure network settings (IP address, subnet mask) are correct.
- **Serial Communication Errors:** Verify serial cable connections and pinouts. Check serial port parameters

(baud rate, data bits, parity, stop bits) match the connected device. Ensure the correct serial operating mode is configured.

- **Device Unresponsive:** Try power cycling the device. If the issue persists, consider performing a factory reset (refer to the detailed product manual for reset procedures).

For more advanced troubleshooting or persistent issues, consult the full product manual available on the MOXA website or contact MOXA technical support.

9. SPECIFICATIONS


Parameter	Value
Model	NPort IA5250A-T
Serial Ports	2 x DB9 (RS-232/422/485)
Ethernet Ports	2 x 10/100BaseT(X) (RJ45)
Operating Temperature	-40 to 75°C (-40 to 167°F)
Surge Protection	Serial, LAN, and Power
Input Voltage	12-48 VDC (Redundant)
Mounting	DIN-rail, Wall-mount

10. WARRANTY AND SUPPORT

MOXA products typically come with a standard manufacturer's warranty. For specific warranty terms and conditions, please refer to the warranty information provided with your product or visit the official MOXA website.

For technical support, product documentation, drivers, and firmware updates, please visit the MOXA official website or contact their customer support team.

- **MOXA Official Website:** www.moxa.com
- **Support Contact:** Refer to the website for regional support contact information.



[\[pdf\]](#) Guide Catalog

Enabling Connectivity for Industrial Transformation Communications and networking within the industrial automation world have become increasingly sophisticated complex This product selection guide moxa ru files catalogs |||

2020 Product Selection Guide Enabling Connectivity for Industrial Transformation Network Infrastructure Edge Connectivity Industrial Computing About Moxa Your Trusted Partner in Automation Transforming your ideas into tomorrow s innovations with robust connectivity technologies Moxa is a leader in...

lang:en score:25 filesize: 23.39 M page_count: 148 document date: 2020-03-17



[\[pdf\]](#) User Manual

Apr 09 2019 NPport IA5000A Series icomtechinc moxa 1 2 and 4 port serial device servers for industrial automation Features Benefits Enhanced surge protection LAN power kV isolation signals models Screw type terminal blocks secure connections C1D2 ATEX IECEx certified harsh environments WK 36 02 images product manual |||

NPport IA5000A Series 1, 2, and 4-port serial device servers for industrial automation Features and B ... D2, IECEx 5 www.moxa.com Model Name NPport IA5150AI-IE X NPport IA5150AI-T-IE X NPport IA5250A NPport **IA5250A-T** NPport IA5250AI NPport IA5250AI-T NPport IA5250A-IE X NPport **IA5250A-T-IE X** NPport IA5250AI-IE X N...

lang:en score:24 filesize: 3.51 M page_count: 7 document date: 2020-02-06




[\[pdf\]](#) Guide

2016 Product Selection Guide sphinxcomputer de produktdb katalog |||

Enabling Connectivity for the Industrial Internet of Things Edge Connectivity Industrial Computing ... MTBF Warranty NPport IA5150A NPport IA5150A-T NPport IA5150AI NPport IA5150AI-T NPport IA5250A NPport **IA5250A-T** NPport IA5250AI NPport IA5250AI-T NPport IA5450A NPport IA5450A-T NPport IA5450AI NPport IA54...

lang:en score:24 filesize: 24.39 M page_count: 105 document date: 2016-03-01




[\[pdf\]](#) Dimension Guide Guide Warranty Accessories

Industrial Networking Computing and Automation Solutions RoHS CRoHS WEEE Reliability Warranty 5 WK
30 32 36 02 46 Accessories Image Dimensions 40 x 1 mm 2012 Moxa Product Selection Guide support
elmark pl moxa katalogi |||

Product Selection Guide Industrial Networking, Computing and Automation Solutions
Industrial Ether ... MTBF Warranty NPort IA5150A NPort IA5150A-T NPort IA5150AI
NPort IA5150AI-T NPort IA5250A NPort **IA5250A-T** NPort IA5250AI NPort IA5250AI-T
NPort IA5450A NPort IA5450A-T NPort IA5450AI NPort IA54...

lang:en **score:24** filesize: 13.71 M page_count: 106 document date: 2012-02-23




[\[pdf\]](#) Release Notes

ia5250a series firmware v1 4 rom Software Release History moxa Moxa media PDIM S100000214

Firmware for NPort IA5000A Series NPort IA5150A/IA5250A Series Release Notes
Version: v1.4 Build ... IA5150AI, NPort IA5150AI-T, NPort IA5150A-T, NPort IA5250A,
NPort IA5250AI, NPort IA5250AI-T, NPort **IA5250A-T**, NPort IA5150A-IE, NPort
IA5150AI-IE, NPort IA5150AI-T-IE, NPort IA5150A-T-IE, NPort I...

lang:en **score:24** filesize: 48.66 K page_count: 3 document date: 2021-03-04




[\[pdf\]](#) Guide

Automation Transforming your ideas into tomorrow s innovations with robust connectivity technologies Moxa
is a leader in industrial networking and communications enabling for the automated world of Product
Selection Guide 2020 omniray ch data Downloads 10 Netzwerk Computing 01 Netzwerktechnik MOXA
Kataloge |||

Product Selection Guide 2019 - 2020 Enabling Connectivity for Industrial Transformation
Network Infrastructure Edge Connectivity Industrial Computing About Moxa Your Trusted
Partner in Automation Transforming your ideas into tomorrow s innovations with robust
connectivity technologies Moxa is a le...

lang:en **score:24** filesize: 21.41 M page_count: 148 document date: 2019-06-13




[\[pdf\]](#) User Manual Declaration of Conformity Warranty

NPort IA5150A 5250A Series Users Manual v1 moxa 80 doc man

NPort IA5150A/IA5250A Series User s Manual First Edition, May 2010

www.moxa.com/product 2010 Moxa I ... 250A Series are: NPort IA5150A NPort IA5150A-T NPort IA5150AI NPort IA5150AI-T NPort IA5250A NPort **IA5250A-T** NPort IA5250AI NPort IA5250AI-T 1-port RS-232/422/485 industrial automation device server... lang:en score:23 filesize: 3.84 M page_count: 108 document date: 2012-11-21



[\[pdf\]](#) Release Notes


NPort IA5000A

MOXA 2021 3 2 IA5000A Series moxa nport ia5000a series firmware v1 5

rom Software Release History cdn cms azureedge net Moxa media PDIM S100000214 |||

Firmware for NPort IA5000A Series NPort IA5150A/IA5250A Series Release Notes Version: v1.5 Build ... IA5150AI, NPort IA5150AI-T, NPort IA5150A-T, NPort IA5250A, NPort IA5250AI, NPort IA5250AI-T, NPort **IA5250A-T**, NPort IA5150A-IEX, NPort IA5150AI-IEX, NPort IA5150AI-T-IEX, NPort IA5150A-T-IEX, NPort I...

lang:en score:23 filesize: 51.25 K page_count: 4 document date: 2021-03-04



[\[pdf\]](#) User Manual


NPort IA5250A IEX 2 port RS 232 422 485 serial device server 10 100MBaseT X 1KV surge IECEx

Certification Approval DIN Rail Mount Device Servers iComTech icomtechinc images product manual |||

NPort IA5000A Series 1, 2, and 4-port serial device servers for industrial automation


Features and B ... D2, IECEx 5 www.moxa.com Model Name NPort IA5150AI-IEX NPort IA5150AI-T-IEX NPort IA5250A NPort **IA5250A-T** NPort IA5250AI NPort IA5250AI-T NPort IA5250A-IEX NPort **IA5250A-T-IEX** NPort IA5250AI-IEX N...

lang:en score:23 filesize: 3.51 M page_count: 7 document date: 2021-06-09




[\[pdf\]](#) User Manual Warranty

NPort IA5150A IA5250A Series tim stemple Moxa Logic Control Introduction 1 2 Overview These advanced IA device servers are more rugged than ever before from the design casing connectors 5250A Users Manual v1 cdn logic control docs moxa User Manuals Serial Device Servers NPort IA5150A/IA5250A Series User s Manual First Edition, May 2010 www.moxa.com/product 2010 Moxa I ... 250A Series are: NPort IA5150A NPort IA5150A-T NPort IA5150AI NPort IA5150AI-T NPort IA5250A NPort **IA5250A-T** NPort IA5250AI NPort IA5250AI-T 1-port RS-232/422/485 industrial automation device server... lang:en **score:22** filesize: 3.01 M page_count: 108 document date: 2010-06-30



[\[pdf\]](#) Guide

Enabling Connectivity for Industrial Transformation Communications and networking within the industrial automation world have become increasingly sophisticated complex This Moxa develops reliable connectivity solutions that enable devices 802 3af only MiiNePort E3 H Series 50 bps to 921 6 kbps Product Selection Guide 2020 cdn logic control docs moxa ||| 2020 Product Selection Guide Enabling Connectivity for Industrial Transformation Network Infrastructure Edge Connectivity Industrial Computing About Moxa Your Trusted Partner in Automation Transforming your ideas into tomorrow s innovations with robust connectivity technologies Moxa is a leader in... lang:en **score:22** filesize: 23.39 M page_count: 148 document date: 2020-07-16



[\[pdf\]](#) Datasheet

Jul 11 2019 moxa nport ia5000a series datasheet v1 2 Moxa media PDIM S100000214 NPort IA5000A Series 1, 2, and 4-port serial device servers for industrial automation Features and B ... D2, IECEx 5 www.moxa.com Model Name NPort IA5150AI-IEX NPort IA5150AI-T-IEX NPort IA5250A NPort **IA5250A-T** NPort IA5250AI NPort IA5250AI-T NPort IA5250A-IEX NPort **IA5250A-T-IEX** NPort IA5250AI-IEX N... lang:en **score:21** filesize: 3.51 M page_count: 7 document date: 2019-07-11

NPort IA5000A Series

1, 2- and 4-port serial device servers for industrial automation

- Features and Benefits
 - Extensive range of products for serial, LAN, and power
 - 2 V isolation for serial inputs (optional module)
 - Basic Power terminal blocks for secure power/ground connections
 - CE, UL, ENEC, and FCC certified for high industrial environments
 - Robust Ethernet ports for easy wiring
 - Redundant DC power inputs
 - Ringing and static by using robust and steel
 - -40 °C to operating temperature range 1 (model)
- Certifications

Introduction

The Moxa Industrial series are designed for controlling industrial automation devices, such as PLCs, sensors, relays, valves, actuators, motors, and control devices. The series are designed for high industrial environments, with rugged design, high operating reliability. The series are also designed for high industrial environments, with rugged design, high operating reliability. The Moxa Industrial series are not only easy to wire, simple to use, and made for industrial solutions, it also

Cascading Ethernet Ports Make Wiring Easy

The Moxa Industrial series have two Ethernet ports, one for connecting to the network and the other for port-to-port connection. This allows you to connect the Moxa Industrial series to the network and the other port to the network. This allows you to connect the Moxa Industrial series to the network and the other port to the network. This allows you to connect the Moxa Industrial series to the network and the other port to the network.



Server

Serial Port

Ethernet Port

Power Port

Ground Port

Serial-to-Ethernet Cable

Network Switch

Ethernet Port

Redundant Power Inputs

The Moxa Industrial series have two power inputs, one for connecting to the power source and the other for connecting to the power source. This allows you to connect the Moxa Industrial series to the power source and the other port to the power source. This allows you to connect the Moxa Industrial series to the power source and the other port to the power source. This allows you to connect the Moxa Industrial series to the power source and the other port to the power source.



Dual Power Switch

Power Port

Power Port

Ground Port

Moxa

www.moxa.com

[\[pdf\]](#) Datasheet

Apr 09 2019 moxa nport ia5000a series datasheet v1 0 Moxa media PDIM S100000214

NPort IA5000A Series 1, 2, and 4-port serial device servers for industrial automation

Features and B ... D2, IECEx 5 www.moxa.com Model Name NPort IA5150AI-IEX NPort

IA5150AI-T-IEX NPort IA5250A NPort **IA5250A-T** NPort IA5250AI NPort IA5250AI-TNPort IA5250A-IEX NPort **IA5250A-T-IEX** NPort IA5250AI-IEX N...

lang:en score:21 filesize: 3.51 M page_count: 7 document date: 2019-04-09

[illegible]

[\[pdf\]](#) Datasheet

2019	11	8	NPort IA5150AI T IEX	IA5000A	MOXA	moxa nport ia5000a series datasheet v1
------	----	---	----------------------	---------	------	--

3 chs 3C cn getmedia 9cfefbca 89c6 4f24 b8aa a76b811bd885 |||

NPort IA5000A 12 4 2 IP IP / 2 kV -40 75C -T NPort IA5000A PLC NPort IA50 ...

www.moxa.com.cn NPort IA5150A-T-IEX NPort IA5150AI-IEX NPort IA5150AI-T-IEX

NPort IA5250A NPort **IA5250A-T** NPort IA5250AI NPort IA5250AI-T NPort IA5250A-IEX

NPort **IA5250A-T**-IEX NPort IA5250AI-IEX N...

lang:nl score:21 filesize: 5.87 M page_count: 7 document date: 2024-01-30

[\[pdf\]](#) Guide Catalog

Enabling Connectivity for Industrial Transformation RG2i Voir le catalogue MiiNePort W1 ST 0 to 55°C 32

131°F T 40 75°C Single mode G 652 Typical Distance 1600 45MR 1601 NOS PARTENAIRES MOXA

Product Selection Guide rg2i 2020 11 |||

2020 Product Selection Guide Enabling Connectivity for Industrial Transformation

Network Infrastructure Edge Connectivity Industrial Computing About Moxa Your Trusted

Partner in Automation Transforming your ideas into tomorrow's innovations with robust

connectivity technologies Moxa is a leader in...

lang:en score:21 filesize: 23.5 M page_count: 148 document date: 2020-11-04

NPort IA5000A Series
1, 2, and 4-port serial device servers for industrial automation



Features and Benefits

- > 2 Ethernet ports with the same IP or dual IP addresses for network redundancy
- > IEC61000-4 and IEC61000-3 certified for harsh industrial environments
- > Consolidating Ethernet ports for easy wiring
- > Enhanced surge protection for serial, LAN, and power
- > Surge-type terminal blocks for secure power/wired connections
- > Redundant DC power inputs
- > Watchdog and alarm by relay output and email
- > 2 kV isolation for serial signals (optional model)
- > -40 to 75°C operating temperature range (T model)

Certifications



Introduction

The NPort IA5000A device servers are designed for connecting industrial automation devices, such as PLCs, sensors, meters, modems, I/O modules, and other serial devices. The NPort IA5000A device servers are inherently user-friendly, making simple and reliable serial-to-Ethernet solutions possible.

Consolidating Ethernet Ports Make Wiring Easy

The NPort IA5000A device servers have two Ethernet ports that can be used as Ethernet switch ports. One port connects directly to the network or server, and the other port can be connected to either another NPort IA5000A device or another Ethernet device. The dual Ethernet ports help reduce wiring complexity by eliminating the need to connect each device to a separate Ethernet switch.



Redundant Power Inputs

The NPort IA5000A device servers have two power inputs. They can be connected independently to two power sources, or one power source feeds the other serial data over automatically. Redundant power helps keep remote unmanned operation of your device server.



Dual Power Inputs



MOXA www.moxa.com

[\[pdf\]](#) Datasheet

Apr 22 2022 Download datasheet NPort IA5000A Series Industrial Device Servers MOXA moxa nport ia5000a series v1 5 cdn cms azureedge net getmedia 6c821360 e2cd 44b4 be80 39abaea60fef |||

NPort IA5000A Series 1, 2, and 4-port serial device servers for industrial automation

Features and B ... D2, IECEx 5 www.moxa.com Model Name NPort IA5150AI-IEX NPort

IA5150AI-T-IEX NPort IA5250A NPort **IA5250A-T** NPort IA5250AI NPort IA5250AI-T

NPort IA5250A-IEX NPort **IA5250A-T-IEX** NPort IA5250AI-IEX N...

lang:en score:21 filesize: 3.51 M page_count: 7 document date: 2022-04-22

NPort IA5000Aシリーズ
産業用オートメーション向け1、2、4ポートシリアルデバイスサーバ



機能とメリット

- ・ネットワーク冗長性のために同一IPまたは2つのIPアドレスを指定可能なイーサネットポート2ポート搭載
- ・過酷な産業環境に対応するIEC61000-4、ATEX、IEC61000-3規格
- ・接続を簡単にする2つのイーサネットポートのカスタード、シールド、LAN、電話に使用する独立したケーブル仕様
- ・安全な電圧シリアル接続用の2kV隔離オプションモデル搭載
- ・冗長電源入力
- ・リレー出力とメールによる警告とアラート
- ・シリアル信号間の2kV隔離（隔離モデル）
- ・-40℃～75℃動作温度範囲（Tモデル）

製品紹介

NPort IA5000Aシリーズは、PLC、センサ、メータ、モジュール、I/Oモジュール、モデム、データ収集カード、シリアルディスプレイなどの産業用オートメーションシステムに接続するために設計されています。NPort IA5000Aシリーズは、ユーザーフレンドリーで、簡単に使用できる、信頼性の高いシリアル-to-Ethernetソリューションを提供します。

イーサネットポートのカスタードにより接続を簡単に

NPort IA5000Aシリーズは、2つのイーサネットポートを搭載しています。これらは、同一IPアドレスまたは2つのIPアドレスを指定するために使用できます。また、2つのポートは、シールド、LAN、電話に使用する独立したケーブル仕様を備えています。また、NPort IA5000A-Tシリーズは、シールド、LAN、電話に使用する独立したケーブル仕様を備えています。



冗長電源入力

NPort IA5000Aシリーズのデバイスサーバには、2つの電源入力があります。これらは、同一電源または2つの電源に接続するために使用できます。また、1つの電源は、他のシリアルデータを自動的に伝送するために使用できます。冗長電源は、リモート無人操作の装置を稼働させるのに役立ちます。



MOXA www.moxa.com

[\[pdf\]](#) Datasheet

2019 11 8 NPort IA5000A MOXA moxa nport ia5000a series datasheet v1 3 jpn cdn cms

azureedge net getmedia 16ba121e 9368 432d a8bc 36178ec7d2de |||

NPort IA5000A 124 IP2IP 2 C1D2ATEXIECEX LAN / DC 2 kV -4075-T NPort

IA5000APLC NPort ... IECEx 5 www.moxa.com/jp Model Name NPort IA5150AI-IEX

NPort IA5150AI-T-IEX NPort IA5250A NPort **IA5250A-T** NPort IA5250AI NPort

IA5250AI-T NPort IA5250A-IEX NPort **IA5250A-T-IEX** NPort IA5250AI-IEX N...

lang:en score:20 filesize: 6.03 M page_count: 7 document date: 2020-10-19

Serial-to-Ethernet Device Servers

NPort® IA5000A Series
1, 2, and 4-port serial device servers for industrial automation



Overview

The NPort IA5000A device servers are designed for connecting industrial automation devices, such as PLCs, sensors, meters, modems, I/O modules, and other serial devices. The NPort IA5000A device servers are inherently user-friendly, making simple and reliable serial-to-Ethernet solutions possible.


Consolidating Ethernet Ports Make Wiring Easy (10/100BaseT models only)

The NPort IA5000A device servers have two Ethernet ports that can be used as Ethernet switch ports. One port connects directly to the network or server, and the other port can be connected to either another NPort IA5000A device or another Ethernet device. The dual Ethernet ports help reduce wiring complexity by eliminating the need to connect each device to a separate Ethernet switch.



Redundant Power Inputs

The NPort IA5000A device servers have two power inputs. They can be connected independently to two power sources, or one power source feeds the other serial data over automatically. Redundant power helps keep remote unmanned operation of your device server.



MOXA www.moxa.com

[\[pdf\]](#) Datasheet

nport ia5000a series2 moxa ru 80 files datasheets

Serial-to-Ethernet Device Servers NPort IA5000A Series 1, 2, and 4-port serial device

servers for in ... , two 10/100BaseT X ports with single IP, 2 kV isolation, -40 to 75C

operating temperature NPort **IA5250A-T**: 2-port RS-232/422/485 industrial automation

device server with serial/LAN/power surge pro...

lang:en score:20 filesize: 1.5 M page_count: 4 document date: 2014-05-23

NPort IA5000A Series

1, 2, and 4-port serial device servers for industrial automation



Features and Benefits

- 2 Ethernet ports with the same IP or dual IP addresses for network redundancy
- COTS, ATX, and EDCs certified for harsh industrial environments
- Cascading Ethernet ports for easy wiring
- Enhanced surge protection for serial, LAN, and power
- Surge-type terminal blocks for secure power/serial connections
- Redundant DC power inputs
- Warning and alerts by relay output and email
- 2 kV isolation for serial signals (optional models)
- -40 to 75°C operating temperature range (1 model)

Certifications

UL, CE, RoHS, FCC, PSE

Introduction

The NPort IA5000A Series device servers are designed for connecting industrial automation serial devices, such as PLCs, sensors, meters, modems, drives, barcode readers, and operator displays. The device servers are widely built, come in a standard housing and with surge protection, and provide full surge protection. The NPort IA5000A Series servers are commonly used for easy wiring, making simple and reliable serial-to-Ethernet solutions possible.

Cascading Ethernet Ports Make Wiring Easy

The NPort IA5000A Series device servers each have two Ethernet ports that can be used as Ethernet switch ports. One port connects directly to the network or server, and the other port can be connected to other similar NPort IA5000A Series or another Ethernet device. The dual Ethernet ports help reduce wiring costs by eliminating the need to connect each device to a separate Ethernet switch.



Redundant Power Inputs

The NPort IA5000A Series of device servers have two power inputs that can be connected independently to two DC power sources. If one power source fails, the other source takes over automatically. Redundant power inputs help ensure uninterrupted operation of your device server.



[pdf] Datasheet

Aug 14 2025 Datasheet1 Port RS232 422 485 Serial to Ethernet Converter Moxa Nport IA5150A TNS Asia Pacific Pte Ltdmoxa nport ia5000a series datasheet v1 6cdn shopify s files 1 0877 1787 1937 moxa 6 v 1755596807 |||

NPort IA5000A Series 1, 2, and 4-port serial device servers for industrial automation
Features and B ... T NPort IA5150A-IEX NPort IA5150A-T-IEX NPort IA5150AI-IEX
NPort IA5150AI-T-IEX NPort IA5250A NPort **IA5250A-T** NPort IA5250AI NPort
IA5250AI-T NPort IA5250A-IEX NPort **IA5250A-T-IEX** NPort IA5250AI-IEX N...
lang:en score:20 filesize: 198.62 K page_count: 7 document date: 2025-08-19

[pdf] Datasheet

Datasheet 2 MOXA NPort IA5000A Series controllerservice images products moxa |||
Serial-to-Ethernet Device Servers NPort IA5000A Series 1, 2, and 4-port serial device
servers for in ... on, two 10/100BaseT X ports with single IP, 2 kV isolation, -40 to 75C
operating temperature NPort **IA5250A-T**: 2-port RS-232/422/485 industrial automation
device server with serial/LAN/power surge pro...
lang:en score:20 filesize: 2.07 M page_count: 6 document date: 2018-12-04

Serial-to-Ethernet Device Servers

NPort® IA5000A Series

1, 2, and 4-port serial device servers for industrial automation



Features and Benefits

- Enhanced surge protection for LAN/serial/power
- 2 Ethernet ports with the same IP or dual IP addresses for network redundancy
- Surge-type terminal blocks for secure power/serial connections
- COTS, ATX, and EDCs certified for harsh industrial environments
- Cascading Ethernet ports for easy wiring
- Redundant DC power inputs
- Warning and alerts by relay output and email
- -40 to 75°C operating temperature range (1 model)

Certifications

UL, CE, RoHS, FCC, PSE

Introduction

The NPort IA5000A Series of device servers are designed for connecting industrial automation serial devices, such as PLCs, sensors, meters, modems, drives, barcode readers, and operator displays. The device servers are widely built, come in a standard housing and with surge protection, and provide full surge protection. The NPort IA5000A Series servers are commonly used for easy wiring, making simple and reliable serial-to-Ethernet solutions possible.


Cascading Ethernet Ports Make Wiring Easy (10/100BaseTX models only)

The NPort IA5000A Series of device servers each have two Ethernet ports that can be used as Ethernet switch ports. One port connects directly to the network or server, and the other port can be connected to other similar NPort IA5000A Series or another Ethernet device. The dual Ethernet ports help reduce wiring costs by eliminating the need to connect each device to a separate Ethernet switch.



Redundant Power Inputs

The NPort IA5000A Series of device servers have two power inputs that can be connected independently to two DC power sources. If one power source fails, the other source takes over automatically. Redundant power inputs help ensure uninterrupted operation of your device server.



[pdf] Datasheet

Jan 09 2019 NPort IA5000A Series nport ia5000a series datasheet v1 0 moxa ru files datasheets |||
NPort IA5000A Series 1, 2, and 4-port serial device servers for industrial automation
Features and B ... T NPort IA5150A-IEX NPort IA5150A-T-IEX NPort IA5150AI-IEX
NPort IA5150AI-T-IEX NPort IA5250A NPort **IA5250A-T** NPort IA5250AI NPort
IA5250AI-T NPort IA5250A-IEX NPort **IA5250A-T-IEX** NPort IA5250AI-IEX N...
lang:en score:20 filesize: 3.51 M page_count: 7 document date: 2019-01-09

NPort IA5000A Series

1, 2, and 4-port serial device servers for industrial automation



Features and Benefits

- Enhanced surge protection for serial, LAN, and power
- 2 kV isolation for serial signals (optional models)
- Surge-type terminal blocks for secure power/serial connections
- COTS, ATX, and EDCs certified for harsh industrial environments
- Cascading Ethernet ports for easy wiring
- Redundant DC power inputs
- Warning and alerts by relay output and email
- -40 to 75°C operating temperature range (1 model)

Certifications

UL, CE, RoHS, FCC, PSE

Introduction

The NPort IA5000A Series device servers are designed for connecting industrial automation serial devices, such as PLCs, sensors, meters, modems, drives, barcode readers, and operator displays. The device servers are widely built, come in a standard housing and with surge protection, and provide full surge protection. The NPort IA5000A Series servers are commonly used for easy wiring, making simple and reliable serial-to-Ethernet solutions possible.


Cascading Ethernet Ports Make Wiring Easy

The NPort IA5000A Series device servers each have two Ethernet ports that can be used as Ethernet switch ports. One port connects directly to the network or server, and the other port can be connected to other similar NPort IA5000A Series or another Ethernet device. The dual Ethernet ports help reduce wiring costs by eliminating the need to connect each device to a separate Ethernet switch.



Redundant Power Inputs

The NPort IA5000A Series of device servers have two power inputs that can be connected independently to two DC power sources. If one power source fails, the other source takes over automatically. Redundant power inputs help ensure uninterrupted operation of your device server.



NPort IA5000A Series
1, 2, and 4-port serial device servers for industrial automation



Features and Benefits

- 2 Ethernet ports with the same IP or dual IP addresses for network redundancy
- CUL8, ATEX, and BCDs certified for harsh industrial environments
- Consolidating Ethernet ports for easy wiring
- Enhanced surge protection for serial, LAN, and power
- Screen-type terminal blocks for secure power/wire connections
- Redundant DC power inputs
- Warnings and alerts by relay output and email
- 2 kV isolation for serial signals (standard models)
- -40 to 75°C operating temperature range (1 model)

Certifications



Introduction

The NPort IA5000A device servers are designed for connecting industrial automation serial devices, such as PLCs, sensors, meters, modems, RTUs, barcode readers, and operator displays. The device servers are robust, built with a metal housing and with surge protection, and provide full surge protection. The NPort IA5000A device servers are extremely user-friendly, making simple and reliable serial-to-Ethernet solutions possible.

Consolidating Ethernet Ports Make Wiring Easy

The NPort IA5000A device servers each have two Ethernet ports that can be used as Ethernet switch ports. One port connects directly to the network or server, and the other port can be connected to other serial ports to share serial or multiple Ethernet devices. The dual Ethernet ports help reduce wiring costs by eliminating the need to connect each device to a separate Ethernet switch.



Redundant Power Inputs

The NPort IA5000A device servers have two power inputs that can be connected independently to two DC power sources. If one power source fails, the other source takes over automatically. Redundant power inputs help ensure uninterrupted operation of your device server.



MOXA
www.moxa.com

[\[pdf\]](#) Datasheet

Nov 08 2019 moxa nport ia5000a series datasheet v1 3 getmedia bd51f9b1 d3e7 48c8 9676 28b8229d8762

NPort IA5000A Series 1, 2, and 4-port serial device servers for industrial automation

Features and B ... D2, IECEx 5 www.moxa.com Model Name NPort IA5150AI-IEX NPort

IA5150AI-T-IEX NPort IA5250A NPort **IA5250A-T** NPort IA5250AI NPort IA5250AI-T

NPort IA5250A-IEX NPort **IA5250A-T-IEX** NPort IA5250AI-IEX N...

lang:en score:20 filesize: 3.51 M page_count: 7 document date: 2019-11-08

NPort IA5000A Series
1, 2, and 4-port serial device servers for industrial automation



Features and Benefits

- 2 Ethernet ports with the same IP or dual IP addresses for network redundancy
- CUL8, ATEX, and BCDs certified for harsh industrial environments
- Consolidating Ethernet ports for easy wiring
- Enhanced surge protection for serial, LAN, and power
- Screen-type terminal blocks for secure power/wire connections
- Redundant DC power inputs
- Warnings and alerts by relay output and email
- 2 kV isolation for serial signals (standard models)
- -40 to 75°C operating temperature range (1 model)

Certifications



Introduction

The NPort IA5000A device servers are designed for connecting industrial automation serial devices, such as PLCs, sensors, meters, modems, RTUs, barcode readers, and operator displays. The device servers are robust, built with a metal housing and with surge protection, and provide full surge protection. The NPort IA5000A device servers are extremely user-friendly, making simple and reliable serial-to-Ethernet solutions possible.


Consolidating Ethernet Ports Make Wiring Easy

The NPort IA5000A device servers each have two Ethernet ports that can be used as Ethernet switch ports. One port connects directly to the network or server, and the other port can be connected to other serial ports to share serial or multiple Ethernet devices. The dual Ethernet ports help reduce wiring costs by eliminating the need to connect each device to a separate Ethernet switch.



Redundant Power Inputs

The NPort IA5000A device servers have two power inputs that can be connected independently to two DC power sources. If one power source fails, the other source takes over automatically. Redundant power inputs help ensure uninterrupted operation of your device server.



MOXA
www.moxa.com

[\[pdf\]](#) Datasheet

Aug 14 2025 moxa nport ia5000a series datasheet v1 6moxa getmedia 1057df14 b23a 4955 9fb3

3c973ddfd404 6 |||

NPort IA5000A Series 1, 2, and 4-port serial device servers for industrial automation

Features and B ... T NPort IA5150A-IEX NPort IA5150A-T-IEX NPort IA5150AI-IEX

NPort IA5150AI-T-IEX NPort IA5250A NPort **IA5250A-T** NPort IA5250AI NPort

IA5250AI-T NPort IA5250A-IEX NPort **IA5250A-T-IEX** NPort IA5250AI-IEX N...

lang:en score:20 filesize: 3.51 M page_count: 7 document date: 2025-08-14

Serial-to-Ethernet Device Servers

NPort® IA5000A Series
1, 2, and 4-port serial device servers for industrial automation



Features and Benefits

- Enhanced surge protection for LAN/Ethernet
- 2 kV isolation for serial signals
- Screen-type terminal blocks for secure power/wire connections
- CUL8, ATEX, and BCDs certified for harsh industrial environments
- Consolidating Ethernet ports for easy wiring
- Redundant DC power inputs
- Warnings and alerts by relay output and email
- -40 to 75°C operating temperature range (1 model)

Certifications



Overview

The NPort IA5000A device servers are designed for connecting industrial automation serial devices, such as PLCs, sensors, meters, modems, RTUs, barcode readers, and operator displays. The device servers are robust, built with a metal housing, surge protection, and surge protection. The NPort IA5000A device servers are extremely user-friendly, making simple and reliable serial-to-Ethernet solutions possible.

Consolidating Ethernet Ports Make Wiring Easy (10/100BaseTX models only)

The NPort IA5000A device servers each have two Ethernet ports that can be used as Ethernet switch ports. One port connects directly to the network or server, and the other port can be connected to other serial ports to share serial or multiple Ethernet devices. The dual Ethernet ports help reduce wiring costs by eliminating the need to connect each device to a separate Ethernet switch.



MOXA
www.moxa.com info@moxa.com

[\[pdf\]](#) Specifications Declaration of Conformity

NPort IA5000A Series moxa 80 doc specs


Serial-to-Ethernet Device Servers NPort IA5000A Series 1, 2, and 4-port serial device

servers for in ... , two 10/100BaseT X ports with single IP, 2 kV isolation, -40 to 75C

operating temperature NPort **IA5250A-T**: 2-port RS-232/422/485 industrial automation

device server with serial/LAN/power surge pro...

lang:en score:20 filesize: 1.65 M page_count: 5 document date: 2013-07-26




[pdf] Datasheet

Jul 11 2019 NPport IA5000A Series moxa nport ia5000a series datasheet v1 2 1 cdn madison tech 09103419

|||

NPport IA5000A Series 1, 2, and 4-port serial device servers for industrial automation
Features and B ... D2, IECEx 5 www.moxa.com Model Name NPport IA5150AI-IE X NPport
IA5150AI-T-IE X NPport IA5250A NPport **IA5250A-T** NPport IA5250AI NPport IA5250AI-T
NPport IA5250A-IE X NPport **IA5250A-T**-IE X NPport IA5250AI-IE X N...

lang:en score:20 filesize: 204.47 K page_count: 7 document date: 2019-11-21




[pdf] Datasheet

Apr 22 2022 Data sheet MOXA NPORT IA5150A SERIAL TO ETHERNET DEVICE SERVER Datasheet

ManuAuto v 1698846119 cdn shopify s files 1 0076 7705 0916 |||

NPport IA5000A Series 1, 2, and 4-port serial device servers for industrial automation
Features and B ... D2, IECEx 5 www.moxa.com Model Name NPport IA5150AI-IE X NPport
IA5150AI-T-IE X NPport IA5250A NPport **IA5250A-T** NPport IA5250AI NPport IA5250AI-T
NPport IA5250A-IE X NPport **IA5250A-T**-IE X NPport IA5250AI-IE X N...

lang:en score:19 filesize: 242.5 K page_count: 7 document date: 2023-11-01




[pdf] Datasheet

Apr 22 2022 Datasheet Device Server NPport IA5250A Singapore Authorised Distributor TNS Asia Pacific Pte

Ltd moxa nport ia5000a series datasheet v1 5 v 1718740875 cdn shopify s files 1 0877 1787 1937 |||

NPport IA5000A Series 1, 2, and 4-port serial device servers for industrial automation
Features and B ... D2, IECEx 5 www.moxa.com Model Name NPport IA5150AI-IE X NPport
IA5150AI-T-IE X NPport IA5250A NPport **IA5250A-T** NPport IA5250AI NPport IA5250AI-T
NPport IA5250A-IE X NPport **IA5250A-T**-IE X NPport IA5250AI-IE X N...

lang:en score:19 filesize: 200.2 K page_count: 7 document date: 2022-06-15



[pdf] Datasheet

nport ia5000a series datasheet 2 cdn logic control docs datasheets moxa

Serial-to-Ethernet Device Servers NPort IA5000A Series 1, 2, and 4-port serial device servers for in ... , two 10/100BaseT X ports with single IP, 2 kV isolation, -40 to 75C operating temperature NPort **IA5250A-T**: 2-port RS-232/422/485 industrial automation device server with serial/LAN/power surge pro...

lang:en score:19 filesize: 1.95 M page_count: 6 document date: 2018-01-11




[pdf]

d52fef9c5548a352c57f8c7601138696b781398e4f4de572d NPort® IA5000A Series NPort support elmark pl moxa products Serwery portow szeregowych |||

Serial-to-Ethernet Device Servers NPort IA5000A Series 1, 2, and 4-port serial device servers for in ... r surge protection, two 10/100BaseT X ports with single IP, 0 to 60C operating temperature NPort **IA5250A-T**: 2-port RS-232/422/485 Industrial automation device server with serial/LAN/power surge pro...

lang:en score:19 filesize: 1.25 M page_count: 5 document date: 2010-07-09




[pdf] Datasheet

Feb 08 2022 NPort IA5000A Series DTR DSR RS 232 only XON XOFF IA5150AI IA5250AI IA5450AI Models 2 kV I models ADDC® automatic data direction control 1 kilo ohm 150 ohms 120 View moxa nport ia5000a series datasheet v1 4 getmedia 424bd3c3 0326 45fb b051 783358516dc2 |||

NPort IA5000A Series 1, 2, and 4-port serial device servers for industrial automation Features and B ... D2, IECEx 5 www.moxa.com Model Name NPort IA5150AI-IEX NPort IA5150AI-T-IEX NPort IA5250A NPort **IA5250A-T** NPort IA5250AI NPort IA5250AI-T NPort IA5250A-IEX NPort **IA5250A-T-IEX** NPort IA5250AI-IEX N...

lang:en score:18 filesize: 3.51 M page_count: 7 document date: 2022-02-08




[pdf]

NPort® IA5000A Series NPort controllerservice images products moxa |||

Serial-to-Ethernet Device Servers NPort IA5000A Series 1, 2, and 4-port serial device servers for in ... , two 10/100BaseT X ports with single IP, 2 KV isolation, -40 to 75C operating temperature NPort **IA5250A-T**: 2-port RS-232/422/485 industrial automation device server with serial/LAN/power surge pro...

lang:en score:18 filesize: 1.78 M page_count: 4 document date: 2011-03-14



[pdf]

NPort IA5000A Series cdn logic control docs moxa Serial Device Servers

Serial-to-Ethernet Device Servers NPort IA5000A Series 1, 2, and 4-port serial device servers for in ... , two 10/100BaseT X ports with single IP, 2 KV isolation, -40 to 75C operating temperature NPort **IA5250A-T**: 2-port RS-232/422/485 industrial automation device server with serial/LAN/power surge pro...

lang:en score:18 filesize: 1.65 M page_count: 4 document date: 2012-02-20



[pdf]

Moxa NPort IA5250A 1KV serial sur ge Industry Electronics 923325 industry electronics disclaimer url |||

Serial-to-Ethernet Device Servers NPort IA5000A Series 1, 2, and 4-port serial device servers for in ... , two 10/100BaseT X ports with single IP, 2 KV isolation, -40 to 75C operating temperature NPort **IA5250A-T**: 2-port RS-232/422/485 industrial automation device server with serial/LAN/power surge pro...

lang:en score:18 filesize: 561.36 K page_count: 4 document date: 2013-03-28



[pdf]

Moxa NPort IA5450A 1KV serial surge Industry Electronics 612786 industry electronics disclaimer url |||
Serial-to-Ethernet Device Servers NPort IA5000A Series 1, 2, and 4-port serial device servers for in ... , two 10/100BaseT X ports with single IP, 2 KV isolation, -40 to 75C operating temperature NPort **IA5250A-T**: 2-port RS-232/422/485 industrial automation device server with serial/LAN/power surge pro...

lang:en score:18 filesize: 561.36 K page_count: 4 document date: 2013-03-28



[pdf]

Moxa NPort IA5250AI 2 KV isolatio 1KV serial surge Industry Electronics 694472 industry electronics disclaimer url |||
Serial-to-Ethernet Device Servers NPort IA5000A Series 1, 2, and 4-port serial device servers for in ... , two 10/100BaseT X ports with single IP, 2 KV isolation, -40 to 75C operating temperature NPort **IA5250A-T**: 2-port RS-232/422/485 industrial automation device server with serial/LAN/power surge pro...

lang:en score:18 filesize: 561.36 K page_count: 4 document date: 2013-03-28



[pdf]

Moxa NPort IA5150AI 2 KV isolatio 1KV serial surge Industry Electronics 254523 industry electronics disclaimer url |||
Serial-to-Ethernet Device Servers NPort IA5000A Series 1, 2, and 4-port serial device servers for in ... , two 10/100BaseT X ports with single IP, 2 KV isolation, -40 to 75C operating temperature NPort **IA5250A-T**: 2-port RS-232/422/485 industrial automation device server with serial/LAN/power surge pro...

lang:en score:18 filesize: 561.36 K page_count: 4 document date: 2013-03-28



[pdf]

Moxa NPort IA5150A 10 100MBaseT X 1KV serial surge Industry Electronics 588776 industry electronics disclaimer url |||

Serial-to-Ethernet Device Servers NPort IA5000A Series 1, 2, and 4-port serial device servers for in ... , two 10/100BaseT X ports with single IP, 2 KV isolation, -40 to 75C operating temperature NPort **IA5250A-T**: 2-port RS-232/422/485 industrial automation device server with serial/LAN/power surge pro...

lang:en score:18 filesize: 561.36 K page_count: 4 document date: 2013-03-28



[pdf]

Moxa NPort IA5450AI 2 KV isolatio 1KV serial surge Industry Electronics 557983 industry electronics disclaimer url |||

Serial-to-Ethernet Device Servers NPort IA5000A Series 1, 2, and 4-port serial device servers for in ... , two 10/100BaseT X ports with single IP, 2 KV isolation, -40 to 75C operating temperature NPort **IA5250A-T**: 2-port RS-232/422/485 industrial automation device server with serial/LAN/power surge pro...

lang:en score:18 filesize: 561.36 K page_count: 4 document date: 2013-03-28



[pdf]

Moxa NPort IA5150A T 1KV serial s urge 40~75 Industry Electronics 266172 industry electronics disclaimer url |||

Serial-to-Ethernet Device Servers NPort IA5000A Series 1, 2, and 4-port serial device servers for in ... , two 10/100BaseT X ports with single IP, 2 KV isolation, -40 to 75C operating temperature NPort **IA5250A-T**: 2-port RS-232/422/485 industrial automation device server with serial/LAN/power surge pro...

lang:en score:18 filesize: 561.36 K page_count: 4 document date: 2013-03-28



[pdf]

Moxa NPort IA5150AI T 2 KV isolat ion 40~75 Industry Electronics 991343 industry electronics disclaimer url
|||

Serial-to-Ethernet Device Servers NPort IA5000A Series 1, 2, and 4-port serial device servers for in ... , two 10/100BaseT X ports with single IP, 2 KV isolation, -40 to 75C operating temperature NPort **IA5250A-T**: 2-port RS-232/422/485 industrial automation device server with serial/LAN/power surge pro...

lang:en score:18 filesize: 561.36 K page_count: 4 document date: 2013-03-28



[pdf]

Moxa NPort IA5250AI T 2 KV isolat ion 40~75 Industry Electronics 590686 industry electronics disclaimer url
|||

Serial-to-Ethernet Device Servers NPort IA5000A Series 1, 2, and 4-port serial device servers for in ... , two 10/100BaseT X ports with single IP, 2 KV isolation, -40 to 75C operating temperature NPort **IA5250A-T**: 2-port RS-232/422/485 industrial automation device server with serial/LAN/power surge pro...

lang:en score:18 filesize: 561.36 K page_count: 4 document date: 2013-03-28




[pdf]

Moxa NPort IA5450AI T 2 KV isolat ion 40~75 Industry Electronics 454509 industry electronics disclaimer url
|||

Serial-to-Ethernet Device Servers NPort IA5000A Series 1, 2, and 4-port serial device servers for in ... , two 10/100BaseT X ports with single IP, 2 KV isolation, -40 to 75C operating temperature NPort **IA5250A-T**: 2-port RS-232/422/485 industrial automation device server with serial/LAN/power surge pro...

lang:en score:18 filesize: 561.36 K page_count: 4 document date: 2013-03-28



[\[pdf\]](#)

Moxa NPort IA5450A T 1KV serial s urge 40~75 Industry Electronics 256080 industry electronics disclaimer
url |||

Serial-to-Ethernet Device Servers NPort IA5000A Series 1, 2, and 4-port serial device servers for in ... , two 10/100BaseT X ports with single IP, 2 KV isolation, -40 to 75C operating temperature NPort **IA5250A-T**: 2-port RS-232/422/485 industrial automation device server with serial/LAN/power surge pro...

lang:en score:18 filesize: 561.36 K page_count: 4 document date: 2013-03-28

[\[pdf\]](#) Datasheet

Apr 22 2022 Datasheet NPort IA5150A T IEXNPort IEX MOXA Device server 1 Ethernet Port Serial RS232 RS422 RS485 Interface 921 6kbps Baud Rate RA700000009397635docs rs online 7dec A700000009397635 IEXDatasheet IA5450ANPort RNPPort IA5450A 4 RSA700000009396907docs A700000009397635docs c9b4 A700000009396907 IA5250AI 2 RateNPort RSA700000009396797docs 0b0f A700000009396797docs RSNPort RSA700000009396797A700000009396785docs b150 A700000009396785docs IA5150AI TDatasheet Serveur de périphériques port s série RSA700000009396797A700000009397579A700000009396785docs 1b4a A700000009397579docs IA5450AI RSA700000009396797A700000009396939A700000009397579A700000009396785docs 18a3 A700000009396939docs Server per dispositivi porta seriale 6KBPS max RSA700000009396797A700000009396939A700000009397579A700000009396785A700000009397459docs A700000009396907docs fdd5 A700000009397459 IA5450AIDatasheet

RSA700000009396797A700000009396939A700000009397579A700000009396785A700000009396927docs
 242a A700000009396927docs ||| ||| NPort IA5000A Series 1, 2, and 4-port serial device servers for industrial
 automation Features and Benefits 2 Ethernet ports with the same IP or dual IP addresses for network
 redundancy C1D2, ATEX, and IECEx certified for harsh industrial e ||| NPort IA5000A Series 1, 2, and 4-port
 serial device servers for industrial automation Features and Benefits 2 Ethernet ports with the same IP or
 dual IP addresses for network redundancy C1D2, ATEX, and IECEx certified for harsh industrial e ||| NPort
 IA5000A Series 1, 2, and 4-port serial device servers for industrial automation Features and Benefits 2
 Ethernet ports with the same IP or dual IP addresses for network redundancy C1D2, ATEX, and IECEx
 certified for harsh industrial e ||| NPort IA5000A Series 1, 2, and 4-port serial device servers for industrial
 automation Features and Benefits 2 Ethernet ports with the same IP or dual IP addresses for network
 redundancy C1D2, ATEX, and IECEx certified for harsh industrial e ||| NPort IA5000A Series 1, 2, and 4-port
 serial device servers for industrial automation Features and Benefits 2 Ethernet ports with the same IP or
 dual IP addresses for network redundancy C1D2, ATEX, and IECEx certified for harsh industrial e ||| NPort
 IA5000A Series 1, 2, and 4-port serial device servers for industrial automation Features and Benefits 2
 Ethernet ports with the same IP or dual IP addresses for network redundancy C1D2, ATEX, and IECEx
 certified for harsh industrial e ||| NPort IA5000A Series 1, 2, and 4-port serial device servers for industrial
 automation Features and Benefits 2 Ethernet ports with the same IP or dual IP addresses for network
 redundancy C1D2, ATEX, and IECEx certified for harsh industrial e
 NPort IA5000A Series 1, 2, and 4-port serial device servers for industrial automation
 Features and B ... D2, IECEx 5 www.moxa.com Model Name NPort IA5150AI-IEX NPort
 IA5150AI-T-IEX NPort IA5250A NPort **IA5250A-T** NPort IA5250AI NPort IA5250AI-T
 NPort IA5250A-IEX NPort **IA5250A-T-IEX** NPort IA5250AI-IEX N...
 lang:en score:16 filesize: 3.51 M page count: 7 document date: 2022-04-22

