

Tectite FSBBOXWMWH

Tectite FSBBOXWMWH Washing Machine Outlet Box User Manual

Model: FSBBOXWMWH

1. INTRODUCTION

Thank you for choosing the Tectite FSBBOXWMWH Washing Machine Outlet Box. This manual provides essential information for the safe and efficient installation, operation, and maintenance of your new outlet box. Please read these instructions carefully before beginning installation and retain them for future reference.

2. PRODUCT FEATURES

- **Integrated Valves:** Includes 1/2-inch push-to-connect washing machine valves.
- **Pipe Compatibility:** Designed for use with copper, CPVC, or PEX lines.
- **Water Hammer Arrestor:** Integrated to protect plumbing systems and fixtures.
- **Easy Connection:** Push-to-connect design for simple and fast installation without tools, solder, or glue.
- **Versatile Mounting:** Box design allows for right or left stud mounting.
- **Adjustable Faceplate:** Snap-in-place faceplate accommodates up to 3/4-inch drywall.
- **Durable Construction:** Valves constructed of lead-free dezincification resistant (DZR) brass for superior reliability and strength.
- **Outlet Connections:** Features 3/4-inch male hose thread outlet connections.

3. SAFETY INFORMATION

Always observe local plumbing codes and regulations. If you are unsure about any part of the installation process, consult a qualified plumber. Ensure water supply is turned off before beginning any plumbing work. Wear appropriate personal protective equipment (PPE) such as safety glasses and gloves.

4. PACKAGE CONTENTS

Verify that all components are present before starting installation:

- Tectite FSBBOXWMWH Washing Machine Outlet Box with integrated valves

- Snap-on Faceplate
- 1/2 inch Plastic Demount Clip (often included for convenience)



Figure 1: Front view of the Tectite FSBBOXMMWH Washing Machine Outlet Box, showing the white box housing, integrated hot (red handle) and cold (blue handle) water valves, and the 3/4-inch male hose thread outlet connections at the bottom.

5. SETUP AND INSTALLATION

Follow these steps for proper installation of the Tectite FSBBOXMMWH Washing Machine Outlet Box.

5.1. Preparation

1. Turn off the main water supply to the area where the outlet box will be installed.
2. Drain any remaining water from the pipes.
3. Determine the desired mounting location. The box can be mounted to the left or right of a stud.
4. Cut an appropriate opening in the wall for the outlet box. Ensure sufficient space for pipe connections.

5.2. Mounting the Box

1. Position the outlet box in the wall opening. The box features mounting flanges for securing to a stud.
2. Secure the box to the stud using appropriate fasteners (not included). Ensure the box is level and flush with

the wall surface.



Figure 2: Angled view of the outlet box, illustrating its depth and the top drain opening, which connects to the washing machine's drain hose.

5.3. Making Water Connections (Push-to-Connect)

The Tectite outlet box utilizes push-to-connect fittings for quick and secure connections to copper, CPVC, PEX, or PE-RT pipes.

1. Ensure the pipe ends are clean, free of burrs, and cut squarely. Do not sand the pipe ends as this can damage the O-ring seal.

2. Mark the insertion depth on the pipe. Refer to the manufacturer's guidelines for specific depth requirements for 1/2-inch push-to-connect fittings.
3. Firmly push the pipe into the fitting until it reaches the marked depth. You should feel a slight resistance as the pipe passes through the O-ring and then a secure stop as the stainless steel teeth grip the pipe.
4. Gently pull on the pipe to ensure a secure connection.
5. Connect the hot water supply line to the valve with the red handle and the cold water supply line to the valve with the blue handle.



Figure 3: Bottom view of the outlet box, highlighting the push-to-connect inlets for hot and cold water supply lines. These fittings are compatible with copper, CPVC, PEX, and PE-RT pipes.

5.4. Drain Connection

1. Connect the washing machine's drain hose to the large opening at the top of the outlet box. Ensure a secure fit to prevent leaks.

5.5. Finishing the Installation

1. Once all plumbing connections are made and secured, turn the main water supply back on.
2. Inspect all connections for leaks. Tighten any leaking connections if necessary.
3. Install the snap-on faceplate. It is designed to accommodate up to 3/4-inch drywall thickness.

6. OPERATING INSTRUCTIONS

The Tectite FSBBOXMWH Outlet Box features quarter-turn ball valves for controlling water flow to your washing machine.

- **To Open Valves:** Turn the valve handles 90 degrees so they are parallel with the water pipes.
- **To Close Valves:** Turn the valve handles 90 degrees so they are perpendicular to the water pipes.

It is recommended to close the washing machine valves when the appliance is not in use for extended periods to prevent potential leaks and reduce wear on the washing machine hoses.

7. MAINTENANCE

The Tectite FSBBOXWMWH Outlet Box requires minimal maintenance.

- Periodically inspect the connections for any signs of leaks or corrosion.
- Ensure the valve handles operate smoothly. If they become stiff, a small amount of silicone-based lubricant can be applied to the stem (with water supply off).
- The integrated water hammer arrestor is maintenance-free.

8. TROUBLESHOOTING

Problem	Possible Cause	Solution
Water Leak at Connection	Improper pipe insertion; damaged O-ring; burrs on pipe end.	Ensure pipe is fully inserted. Turn off water, remove pipe using a demount clip, inspect pipe end for damage/burrs, re-insert. If O-ring is damaged, replace the fitting.
No Water Flow	Valves closed; main water supply off; clogged pipes.	Open valves. Check main water supply. Consult a plumber if pipes are suspected to be clogged.
Water Hammer Noise	Excessive water pressure; rapid valve closure.	The integrated water hammer arrestor should mitigate this. If persistent, check household water pressure regulator or consult a plumber.

9. SPECIFICATIONS

Feature	Detail
Model Number	FSBBOXWMWH
Brand	Tectite
Manufacturer	Conbraco Industries
Item Weight	1.98 pounds
Product Dimensions	1.98 x 3.75 x 10.13 inches
Color	White
Material	Stainless Steel, Brass
Installation Method	Spoke Clip (for stud mounting)
Included Components	Outlet Box, Snap-on Faceplate, 1/2 in. Plastic Demount Clip
Valve Connections	1/2-inch Push-to-Connect (inlet), 3/4-inch Male Hose Thread (outlet)
Pipe Compatibility	Copper, CPVC, PEX, PE-RT





10. WARRANTY INFORMATION



Tectite products are manufactured to high-quality standards. For specific warranty details, please refer to the warranty documentation provided with your purchase or visit the official Tectite website. Keep your proof of purchase for warranty claims.

11. SUPPORT


If you have any questions or require assistance with your Tectite FSBBOXWMWH Washing Machine Outlet Box, please contact Tectite customer support. Contact information can typically be found on the product packaging or the manufacturer's official website.

Related Documents - FSBBOXWMWH

	<p>Tectite Plumbing System Installation Guide</p> <p>Comprehensive installation instructions for Tectite plumbing systems, covering tube preparation, fitting insertion, and jointing for copper, chrome plated copper, stainless steel, and carbon steel tubes.</p>
	<p>Push-To-Connect Washing Machine Outlet Box Installation Guide</p> <p>Instruction sheet for installing the Tectite by Apollo Push-To-Connect Washing Machine Outlet Box, including step-by-step installation and valve configuration details.</p>
	<p>Apollo Tectite Washing Machine Outlet Box Installation Guide</p> <p>Installation instructions for the Apollo Tectite Push-To-Connect Washing Machine Outlet Box, including details on installation, valve configuration, and pipe depth.</p>
	<p>Tectite Plumbing System Installation Guide</p> <p>Comprehensive installation instructions for Tectite plumbing systems, covering tube preparation, fitting insertion, and jointing for copper, chrome plated copper, stainless steel, and carbon steel tubes.</p>

	<p>VSH Tectite Push-fit Fittings: Comprehensive Guide to Installation, Specifications, and Certifications</p> <p>Detailed information on VSH Tectite push-fit plumbing fittings by Pegler Yorkshire. Covers product features, installation instructions, technical specifications, dimensions, materials, guarantees, and a summary of key certifications like WRAS, DVGW, Kiwa, and ACS.</p>
	<p>Wolseley Online Account: How to Build and Manage Product Lists</p> <p>Learn how to efficiently build, manage, and utilize product lists within your Wolseley online account to save time on searching, checking stock, and re-ordering frequently purchased items.</p>


Documents - Tectite – FSBBOXWMWH



[Apollo Tectite Washing Machine Outlet Box Installation Guide](#)

Installation instructions for the Apollo Tectite Push-To-Connect Washing Machine Outlet Box, including details on installation, valve configuration, and pipe depth.

lang:en score:43 filesize: 292.34 K page_count: 1 document date: 2021-09-20



[Push-To-Connect Washing Machine Outlet Box Installation Guide](#)

Instruction sheet for installing the Tectite by Apollo Push-To-Connect Washing Machine Outlet Box, including step-by-step installation and valve configuration details.


lang:en score:32 filesize: 275.08 K page_count: 1 document date: 2021-01-20

LaundryMate® and IceMate™

The Most Reliable Mates Around!

Introducing the New LaundryMate® Laundry Outlet Box from Symmons®

The new LaundryMate laundry outlet box from Symmons is the most dual box available today. As you can see, the new LaundryMate has the most options available for armatures and PEX connectors of any outlet box, with the durability and quality of Symmons.




LAUNDRYMATE CROSS CHART

Standard Option	Symmons® LaundryMate®	Water Chart®	HS / Water Tite®	SharkBite®	Tectite®
Standard Option	LM600	696-G2313MF	8511	25098	FSBBOXWM
Standard with Armature	LM600A	696-G2313MF	8511	25098	FSBBOXWMH
Standard with PEX (P3027)	LM600P/P2	696-G2313MF	N/A	N/A	N/A
Standard with PEX and Armature	LM600AP/P2	696-G2313MF	N/A	N/A	N/A

The New IceMate® IceMaker Outlet Box from Symmons

IceMate is the new icemaker outlet box from Symmons, so you know you can rely on it for durability. IceMate has a full range of options for armatures and PEX Connectors to meet code and piping requirements. When compared with other icemaker outlet boxes on the market today, IceMate has the competition.



ICEMATE CROSS CHART

Standard Option	Symmons® IceMate®	Water Chart®	HS / Water Tite®	SharkBite®	Tectite®
Standard Option	IM600	696-G2313MF	8511	25098	FSBBOXIM
Standard with Armature	IM600A	696-G2313MF	8511	25098	FSBBOXIMH
Standard with PEX (P3027)	IM600P/P2	696-G2313MF	N/A	N/A	N/A
Standard with PEX and Armature	IM600AP/P2	696-G2313MF	N/A	N/A	N/A

1 (800) SYMMONS | SYMMONS.COM

SYMMONS®

[\[pdf\]](#)

The Most Reliable Mates Around!SYM21 Laundrymate CrossChart 01fwwebbimage fwwebb ProductInfo SYM21 01 |||

LaundryMate and IceMate™ The Most Reliable Mates Around Introducing the New LaundryMate Laun ... 03MF 696-G2313MF IPS / Water-Tite SharkBite Tectite 85131 25098 FSBBOXWM 85714 25099 **FSBBOXWMWH** N/A N/A LM600AP1/P2 37611 N/A N/A The New IceMate Icemaker Outlet Box from Symmon...

lang:en score:20 filesize: 141.27 K page_count: 1 document date: 2022-02-25

NEW PRODUCTS



Apollo Retail

[\[pdf\]](#) Catalog

Apollo 7340425 Catalog cdn industypim ASSETS DOCUMENTS ITEMS EN |||

NEW PRODUCTS Pro Pinch Clamp Push To Connect Pressure Reducing Valve With Gauge Expansion PEX Hose ... Washing Machine Outlet Box Push WM Box w/Water Hammer Arrestors Part # EPXBOXWM APXBOXWM FSBBOXWM **FSBBOXWMWH** Carton Qty 3 3 3 3 9 Flexi-Adapters Description 1/2 in. or 3/4 in. x 3/4 in. MNPT 1/... lang:en score:15 filesize: 959.99 K page_count: 48 document date: 2019-03-19

NEW PRODUCTS




Apollo Retail

[\[pdf\]](#) Declaration of Conformity Catalog

Apollo 101888107 CatalogApollo APXBOXIM Ice Maker Outlet Box PolystyreneApollo Catalogassets unilogcorp 187 ITEM DOC Catalog |||

NEW PRODUCTS Pro Pinch Clamp Push To Connect Pressure Reducing Valve With Gauge Expansion PEX Hose ... Washing Machine Outlet Box Push WM Box w/Water Hammer Arrestors Part # EPXBOXWM APXBOXWM FSBBOXWM **FSBBOXWMWH** Carton Qty 3 3 3 3 9 Flexi-Adapters Description 1/2 in. or 3/4 in. x 3/4 in. MNPT 1/... lang:en score:15 filesize: 959.99 K page_count: 48 document date: 2019-03-19



APOLLO

2020
RETAIL PRODUCT
CATALOG

[\[pdf\]](#) Declaration of Conformity Catalog

CATALOGApollo 102460769 Catalogassets unilogcorp 187 ITEM DOC Apollo Catalog |||

2020 RETAIL PRODUCT CATALOG Apollo Retail Thank you for your interest in the Apollo Retail family ... FSBBOXIMWH Ice Maker Outlet Box with Water Hammer Arrestor FSBBOXWM Washing Machine Outlet Box **FSBBOXWMWH** MANIFOLDS FSBM2PTC FSBM2PTO FSBM3PTOV2 FSBM3PTO Washing Machine Outlet Box with Water Ha...

lang:en score:14 filesize: 9.04 M page_count: 96 document date: 2020-02-05



[\[pdf\]](#) Catalog

Apollo 102253004 Catalog supplyhog nyc3 cdn digitaloceanspaces orgill docs |||

Apollo Retail Thank you for your interest in the Apollo Retail family of products.

Whether it is th ... XIMWH Ice Maker Outlet Box with Water Hammer Arrestor 2

FSBBOXWM Washing Machine Outlet Box 3 **FSBBOXWMWH** FSBFAU14

FSBFAU1438 FSBTA141438C FSBFAU1412 FSBFAU1478 Washing Machine Outlet Box with W...

lang:en **score:13** filesize: 7.93 M page_count: 96 document date: 2019-08-19



[\[pdf\]](#) Catalog

CatalogBuy Apollo APXMS121210PK Pipe Adapter 1 2 in Barb x MPT Brass 200 psi Pressure 10

PKApollo 102253286 Catalogsupplyhog nyc3 cdn digitaloceanspaces orgill docs Catalog |||

Apollo Retail Thank you for your interest in the Apollo Retail family of products.

Whether it is th ... XIMWH Ice Maker Outlet Box with Water Hammer Arrestor 2

FSBBOXWM Washing Machine Outlet Box 3 **FSBBOXWMWH** FSBFAU14

FSBFAU1438 FSBTA141438C FSBFAU1412 FSBFAU1478 Washing Machine Outlet Box with W...

lang:en **score:13** filesize: 7.93 M page_count: 96 document date: 2019-08-19



[\[pdf\]](#) Catalog

Apollo Valves 103219205 Catalog supplyhog nyc3 cdn digitaloceanspaces orgill docs |||

Over 100 New Products 2021 RETAIL PRODUCT CATALOG NEW PRODUCTS

Telescoping Frost-Proof Hydrant ... ker Outlet Box with Water Hammer Arrestor 2

FSBBOXWM 1/2 in. Brass Washing Machine Outlet Box 3 **FSBBOXWMWH** 1/2 in.

Brass Washing Machine Outlet Box with Water Hammer Arrestors 3 FSBTANKTEE 3/4...

lang:en **score:12** filesize: 10.58 M page_count: 108 document date: 2021-05-25



APOLLO 2021
RETAIL PRODUCT CATALOG



[\[pdf\]](#) Declaration of Conformity Catalog

RETAIL PRODUCT CATALOGApollo Valves 103219657 Catalogassets unilogcorp 187 ITEM DOC
Apollo Catalog |||

Over 100 New Products 2021 RETAIL PRODUCT CATALOG NEW PRODUCTS
Telescoping Frost-Proof Hydrant ... ker Outlet Box with Water Hammer Arrestor 2
FSBBOXWM 1/2 in. Brass Washing Machine Outlet Box 3 **FSBBOXWMWH** 1/2 in.
Brass Washing Machine Outlet Box with Water Hammer Arrestors 3 FSBTANKTEE
3/4...

lang:en score:12 filesize: 10.58 M page_count: 108 document date: 2021-05-25



APOLLO 2021
RETAIL PRODUCT CATALOG



[\[pdf\]](#) Declaration of Conformity Catalog

Apollo Valves 6907912CP 100087734 McLendon Hardware Catalog assets unilogcorp 187 ITEM DOC |||
Over 100 New Products 2021 RETAIL PRODUCT CATALOG NEW PRODUCTS
Telescoping Frost-Proof Hydrant ... Ice Maker Outlet Box with Water Hammer Arrestor
FSBBOXWM 1/2 in. Brass Washing Machine Outlet Box **FSBBOXWMWH** 1/2 in.
Brass Washing Machine Outlet Box with Water Hammer Arrestors FSBTANKTEE 3/4
in...

lang:en score:12 filesize: 9.45 M page_count: 102 document date: 2021-07-12



APOLLO 2021
RETAIL PRODUCT CATALOG
by JVA MOSBACK GROUP



[\[pdf\]](#) Catalog

2021 Apollo Retail Catalog no POG apolloflow org 09 |||

Over 100 New Products 2021 RETAIL PRODUCT CATALOG NEW PRODUCTS
Telescoping Frost-Proof Hydrant ... Ice Maker Outlet Box with Water Hammer Arrestor
FSBBOXWM 1/2 in. Brass Washing Machine Outlet Box **FSBBOXWMWH** 1/2 in.
Brass Washing Machine Outlet Box with Water Hammer Arrestors FSBTANKTEE 3/4
in...


lang:en score:12 filesize: 9.3 M page_count: 100 document date: 2021-09-20



[\[pdf\]](#) Decleration of Conformity Catalog

CatalogBuy Apollo ExpansionPEX Series EPXE1212 Pipe Elbow 1 2 in Barb 90 deg Angle Brass 200 psi PressureApollo Valves 103253731 Catalogsupplyhog nyc3 cdn digitaloceanspaces orgill docs Catalog RETAIL PRODUCT CATALOGBuy CatalogApollo Catalogassets unilogcorp 187 ITEM DOC ||| ||| Over 100 New Products 2021 RETAIL PRODUCT CATALOG NEW PRODUCTS Telescoping Frost-Proof Hydrant Apollo is pleased to introduce a new patented Telescoping Frost-Proof Hydrant This wall hydrant can extend its wall depth from 7 in. to 12 in. fo Over 100 New Products 2021 RETAIL PRODUCT CATALOG NEW PRODUCTS Telescoping Frost-Proof Hydrant ... Ice Maker Outlet Box with Water Hammer Arrestor FSBBOXWM 1/2 in. Brass Washing Machine Outlet Box **FSBBOXWMWH** 1/2 in. Brass Washing Machine Outlet Box with Water Hammer Arrestors FSBTANKTEE 3/4 in...


lang:en **score:12** filesize: 9.45 M page_count: 102 document date: 2021-07-12



[\[pdf\]](#) Accessories Catalog

2023 Product Catalog Apollo by Mosack Group Your complete potable water solution MG 1 apolloflow 01 ||| 2023 PRODUCT CATALOG WELCOME Thank you for your interest in the Mosack Group family of products. ... Ice Maker Outlet Box with Water Hammer Arrestor FSBBOXWM 1/2 in. Brass Washing Machine Outlet Box **FSBBOXWMWH** 1/2 in. Brass Washing Machine Outlet Box with Water Hammer Arrestors FSBM2PTC 3/4 in. ...


lang:en **score:12** filesize: 8.62 M page_count: 104 document date: 2023-01-16



[\[pdf\]](#) Catalog

2024 Retail Catalog Your complete potable water solution Apollo by Mosack Group TMG email apolloflow 03 ||| 2024 PRODUCT CATALOG ABOUT US On April 24, 1928, American Lubricator and Brass Co. and Sterling ... Ice Maker Outlet Box with Water Hammer Arrestor FSBBOXWM 1/2 in. Brass Washing Machine Outlet Box **FSBBOXWMWH** 1/2 in. Brass Washing Machine Outlet Box with Water Hammer Arrestors FSBM2PTC 3/4 in. ...

lang:en **score:12** filesize: 8.4 M page_count: 104 document date: 2024-03-27




[\[pdf\]](#) Accessories Catalog

2023 Apollo by Mosack Group Retail Catalog Your complete potable water solution MG website apolloflow 09 |||

2023 PRODUCT CATALOG WELCOME Thank you for your interest in the Mosack Group family of products. ... Ice Maker Outlet Box with Water Hammer Arrestor FSBBOXWM 1/2 in. Brass Washing Machine Outlet Box **FSBBOXWMWH** 1/2 in. Brass Washing Machine Outlet Box with Water Hammer Arrestors FSBM2PTC 3/4 in.

...

lang:en score:12 filesize: 8.63 M page_count: 104 document date: 2023-09-26




[\[pdf\]](#) Accessories Catalog

Apollo by Mosack Group Your complete potable water solution 2023 MG Catalog website apolloflow 02 |||

2023 PRODUCT CATALOG WELCOME Thank you for your interest in the Mosack Group family of products. ... Ice Maker Outlet Box with Water Hammer Arrestor FSBBOXWM 1/2 in. Brass Washing Machine Outlet Box **FSBBOXWMWH** 1/2 in. Brass Washing Machine Outlet Box with Water Hammer Arrestors FSBM2PTC 3/4 in.

...

lang:en score:12 filesize: 8.62 M page_count: 104 document date: 2023-02-20




[\[pdf\]](#) Catalog

2024 Retail Product Catalog! Your complete potable water solution Apollo by Mosack Group TMG Catalog email apolloflow 01 |||

2024 PRODUCT CATALOG ABOUT US On April 24, 1928, American Lubricator and Brass Co. and Sterling ... Ice Maker Outlet Box with Water Hammer Arrestor FSBBOXWM 1/2 in. Brass Washing Machine Outlet Box **FSBBOXWMWH** 1/2 in. Brass Washing Machine Outlet Box with Water Hammer Arrestors FSBM2PTC 3/4 in.


...

lang:en score:12 filesize: 8.42 M page_count: 104 document date: 2024-01-18



[\[pdf\]](#) Accessories Catalog

Apollo by Mosack Group Your complete potable water solution 2023 MG Catalog website apolloflow 04 |||
2023 PRODUCT CATALOG WELCOME Thank you for your interest in the Mosack Group family of products. ... Ice Maker Outlet Box with Water Hammer Arrestor FSBBOXWM 1/2 in. Brass Washing Machine Outlet Box **FSBBOXWMWH** 1/2 in. Brass Washing Machine Outlet Box with Water Hammer Arrestors FSBM2PTC 3/4 in.
...
lang:en score:12 filesize: 8.61 M page_count: 104 document date: 2023-04-14



[\[pdf\]](#) Declaration of Conformity Accessories Catalog

2023 PRODUCT CATALOG Apollo 103616355 Catalog assets unilogcorp 187 ITEM DOC Apollo Catalog
|||
2023 PRODUCT CATALOG WELCOME Thank you for your interest in the Mosack Group family of products. ... Ice Maker Outlet Box with Water Hammer Arrestor FSBBOXWM 1/2 in. Brass Washing Machine Outlet Box **FSBBOXWMWH** 1/2 in. Brass Washing Machine Outlet Box with Water Hammer Arrestors FSBM2PTC 3/4 in.
...
lang:en score:12 filesize: 8.63 M page_count: 104 document date: 2023-09-26



[\[pdf\]](#) Warranty Catalog

2024 Wholesale Product Catalog DigitalOcean Oct 28 · Approved for use with brass and poly alloy crimp fittings ASTM F2159 1807 25 year warranty Standards Certifications PEX 5106 Apollo 103776664 supplyhog nyc3 cdn digitaloceanspaces org ill docs |||
PEX-B PEX-A 2024 Wholesale Product Catalog Valves PUSH PRESS On April 24, 1928, American Lubr ... ce Maker Outlet Box with Water Hammer Arrestor FSBBOXWM 1/2 in. Brass Washing Machine Outlet Box **FSBBOXWMWH** 1/2 in. Brass Washing Machine Outlet Box with Water Hammer Arrestors Pkg Qty 1 1 6 1 1
...
lang:en score:12 filesize: 2.77 M page_count: 44 document date: 2024-07-09



[\[pdf\]](#) Accessories Catalog

2022 Product Catalog Apollo by Mosack Group Your complete potable water solution MG web apolloflow
05 |||

2022 PRODUCT CATALOG TABLE OF CONTENTS Category NEW PRODUCTS
Forged Brass Ball Valves Stainless St ... Ice Maker Outlet Box with Water Hammer
Arrestor FSBBOXWM 1/2 in. Brass Washing Machine Outlet Box **FSBBOXWMWH**
1/2 in. Brass Washing Machine Outlet Box with Water Hammer Arrestors FSBM2PTC
3/4 in. ...

lang:en **score:12** filesize: 8.83 M page_count: 100 document date: 2022-05-09