Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

TOOLPORT 3.3 x 6.2 m

TOOLPORT Premium Garage/Storage Tent User Manual

Model: 3.3 x 6.2 m
Brand: TOOLPORT

Introduction

This manual provides essential information for the safe assembly, operation, and maintenance of your TOOLPORT Premium Garage/Storage Tent. Please read all instructions carefully before beginning assembly and retain this manual for future reference.



Figure 1: Fully assembled TOOLPORT Premium Garage/Storage Tent.

Safety Information

Failure to follow these safety instructions may result in injury or damage to the product.

- **Assembly:** Always assemble with at least two adults. Wear appropriate safety gear, such as gloves, to prevent cuts or pinches.
- **Location:** Choose a level, stable surface for installation. Avoid areas prone to strong winds, flooding, or overhead obstructions like power lines.
- **Anchoring:** Ensure the tent is securely anchored to the ground using all provided guy ropes and anchors. In areas with high winds, consider additional anchoring methods.
- **Weather Conditions:** This tent is designed for general weather protection. In extreme weather conditions (heavy snow, strong winds, severe storms), disassemble the tent or take extra precautions to secure it. Snow accumulation on the roof must be removed promptly to prevent collapse.
- **Fire Hazard:** Keep all heat sources, open flames, and flammable materials away from the tent fabric. The PVC material is not fireproof.
- **Ventilation:** Ensure adequate ventilation, especially if storing vehicles or equipment that may emit fumes. Utilize the integrated ventilation flaps.
- **Inspection:** Regularly inspect the frame, connections, and tarp for any signs of wear, damage, or loosening. Address any issues immediately.
- **Children and Pets:** Keep children and pets away from the assembly area. Do not allow them to play unsupervised inside or around the tent.

Package Contents

Before beginning assembly, verify that all parts are present and undamaged. If any parts are missing or damaged, contact customer service.

- Galvanized Steel Frame Components (tubes, connectors, base plates)
- PVC Tarp (roof, side walls, end walls with ventilation flaps)
- Assembly Hardware (butterfly screws, nuts, bolts)
- Guy Ropes
- Special Robust Anchors
- Ratchet Straps (for securing tarp)
- Instruction Manual

Setup and Assembly Instructions

Assembly requires at least two people. Follow the steps carefully. Refer to the included diagram for component identification.

1. **Prepare the Site:** Choose a flat, clear area. Ensure sufficient space around the tent for assembly and anchoring.
2. **Unpack Components:** Lay out all frame components, hardware, and the tarp. Familiarize yourself with the different tube lengths and connector types.
3. **Assemble the Base Frame:** Connect the horizontal base tubes using the appropriate connectors. Ensure all connections are secure but do not fully tighten bolts until the entire frame is assembled.
4. **Erect the Vertical Supports:** Insert the vertical tubes into the base connectors. Attach the roof truss components, gradually building the arched structure.
5. **Connect Frame Sections:** Use the provided galvanized steel fittings and butterfly screws to connect all frame tubes. Ensure all connections are tight and stable.



Figure 2: Detail of a secure frame connection.

6. **Attach Base Plates and Anchors:** Secure the base plates to the bottom of the vertical supports. Drive the special robust anchors into the ground through the base plates.



Figure 3: Base plate and ground anchoring system.

7. **Install the Roof Tarp:** Carefully drape the main roof tarp over the assembled frame. Ensure it is centered and evenly distributed. The roof is a single piece for enhanced stability.
8. **Attach Side and End Walls:** Secure the side walls and end walls to the frame. The end walls feature integrated ventilation flaps.



Figure 4: Ventilation flap detail on the end wall.

9. **Secure the Tarp:** Use the provided ratchet straps to tension and secure the tarp to the frame, ensuring a snug fit to prevent flapping and water pooling.



Figure 5: Ratchet strap for tarp tensioning.

10. **Install Guy Ropes:** Attach and tension all guy ropes to further secure the tent against wind.
11. **Final Inspection:** Double-check all connections, anchors, and tarp tension. Ensure the tent is stable and ready for use.



Figure 6: Tent in use, providing shelter for a trailer.

Operating Instructions

Your TOOLPORT Premium Garage/Storage Tent is designed for versatile use.

- **Vehicle Shelter:** Use the tent to protect cars, vans, boats, motorcycles, or other vehicles from weather elements. Ensure vehicles are parked centrally to avoid contact with the tent walls.
- **Storage:** The tent provides secure, temporary storage for goods, equipment, or materials. Ensure items are stored in a way that does not stress the tent structure.
- **Ventilation:** Utilize the ventilation flaps on the end walls to promote air circulation and reduce condensation, especially when storing vehicles or in humid conditions.
- **Access:** The end walls typically feature zippered openings for easy access. Operate zippers carefully to prevent damage.

Maintenance

Regular maintenance will extend the lifespan of your tent.

- **Cleaning the Tarp:** Clean the PVC tarp periodically with mild soap and water. Do not use harsh chemicals or abrasive cleaners, as these can damage the material. Rinse thoroughly.
- **Frame Inspection:** Annually, or more frequently if exposed to harsh conditions, inspect all frame connections for tightness. Tighten any loose bolts or screws. Check for rust on the galvanized steel frame and treat as necessary.
- **Tarp Inspection:** Check the tarp for any tears, punctures, or signs of wear. Small damages can often be repaired with PVC repair kits.
- **Anchoring System:** Periodically check the ground anchors and guy ropes for security and tension. Re-tension as needed.
- **Snow Removal:** In snowy conditions, regularly remove snow accumulation from the roof to prevent structural damage or collapse.
- **Storage (if disassembled):** If disassembling for storage, ensure all components are clean and dry before packing. Store in a cool, dry place away from direct sunlight and pests.

Troubleshooting

Problem	Possible Cause	Solution
Water pooling on roof	Tarp not sufficiently tensioned; improper assembly.	Re-tension the tarp using ratchet straps. Ensure frame is correctly assembled and level.
Tent feels unstable/wobbly	Loose frame connections; insufficient anchoring; strong winds.	Tighten all frame bolts. Check and reinforce ground anchors and guy ropes. Consider additional anchoring in windy conditions.
Condensation inside tent	Lack of ventilation; high humidity.	Open ventilation flaps. Ensure adequate airflow.
Zipper difficulty	Dirt in zipper; misaligned fabric.	Clean zipper teeth. Ensure fabric is not caught. Apply a silicone-based lubricant if necessary.

Specifications

Model	TOOLPORT Premium Garage/Storage Tent
Dimensions (L x W x H)	6.2 m x 3.3 m x 2.45 m
Floor Area	20.46 square meters
Frame Material	100% Galvanized Steel (approx. 38mm diameter, 1.1mm wall thickness)
Tarp Material	PVC approx. 500g/m²
Color	Grey

Water Resistance	100% Waterproof with heat-sealed seams
UV Protection	High UV protection factor
Weight	82 kg
Assembly Required	Yes




Figure 7: Tent dimensions diagram.

Warranty and Support

For warranty information, parts replacement, or technical support, please contact the retailer or manufacturer directly. Refer to your purchase documentation for specific contact details.
Manufacturer: TOOLPORT
For more information, visit the TOOLPORT Store on Amazon.

© 2024 TOOLPORT. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B07CNTN3PT

More documents and user manuals: **https://manuals.plus/**