

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Kingston Brass](#) /
- › [Kingston Brass Aqua Eden VTAP603622L 60-Inch Acrylic Alcove Tub User Manual](#)

Kingston Brass VTAP603622L

Kingston Brass Aqua Eden VTAP603622L 60-Inch Acrylic Alcove Tub User Manual

Model: VTAP603622L | Brand: Kingston Brass

INTRODUCTION

This manual provides comprehensive instructions for the safe and effective installation, operation, and maintenance of your Kingston Brass Aqua Eden VTAP603622L 60-Inch Acrylic Alcove Tub. Please read all instructions carefully before beginning installation or use to ensure proper function and to prevent injury or damage.

SAFETY INFORMATION

Important Safety Instructions:

- Always ensure the tub is installed on a level, structurally sound surface capable of supporting its weight when filled with water and a user.
- Exercise caution when entering or exiting the tub to prevent slips and falls. Consider using non-slip mats.
- Test water temperature before entering the tub to avoid scalding.
- Do not use abrasive cleaners or harsh chemicals on the acrylic surface, as this can cause damage.
- Keep children supervised at all times when near the bathtub.

PRODUCT FEATURES

The Kingston Brass Aqua Eden VTAP603622L Alcove Tub is designed for comfort and durability. Key features include:

- **Acrylic Construction:** Made from durable acrylic with fiberglass and resin reinforcement for longevity and easy repair.
- **Alcove Design:** Features an integral apron and is designed for a three-wall alcove installation with a tile flange to prevent water seepage.
- **Dimensions:** Overall dimensions of 60" (L) x 36" (W) x 21-5/8" (D).
- **Water Capacity:** Holds approximately 60.85 gallons of water, with a water depth of 14-3/8" to the overflow.
- **Drain Placement:** Equipped with a left-handed drain placement.
- **Finish:** Finished in a brilliant, high-gloss white on all exposed sides for crisp aesthetics and easy care.

- **Ergonomic Design:** Shaped for additional comfort and relaxation during use.

KINGSTON

KITCHEN & BATH

ALCOVE BATHTUBS

ACRYLIC MATERIAL
Lightweight acrylic is easy to install, is non-porous so it's resistant to stains, and is warm to the touch for a comfortable soak-in

SMOOTH & SHINY
The glossy white finish reveals as a sleek & radiant shine that reflects light, emitting a bright & polished appearance.

FEW DIFFERENT APRON DESIGNS
A number of our alcove tubs feature decorative patterns or designs on the front apron for aesthetic appeal

GALLON CAPACITY
The water capacity ranges from 43.5 to 64 gallons

WATER DEPTH
The water depth of the tubs range from 13-3/16" to 14-5/16"

THREE-WALL INSTALLATION
Ideal space-saving choice, functional & budget-friendly, versatile with built-in look blends well with bathroom

FOUR DIFFERENT TUB LENGTHS
Our tubs are available in four different lengths: 48", 54", 60", & 66"

DESIGNED TO PREVENT WATER SEEPS
The tub's tile flange helps prevent water from seeping behind the tub & into the walls

DRAIN PLACEMENT OPTIONS
Alcove tubs offers your choice for left drain or right drain placement

© 2023 Kingston Brass Inc., All Rights Reserved. 2023-3-A

Diagram illustrating key features of the Kingston Brass Alcove Bathtub, including acrylic material, three-wall installation, smooth finish, and drain placement options.





Product displayed is VTAP603622L White finish

Acrylic Construction with Fiberglass and Resin Reinforcement

Three Wall Alcove Installation with Tile Flange and Integral Tub Apron



Left Drain Placement



Durable Construction
Premier Finishes

© 2020 Kingston Brass Inc. All Rights Reserved



Diagram highlighting the acrylic construction, tile flange, integral tub apron, left drain placement, and tub capacity of the 60-inch acrylic alcove bathtub.

SETUP AND INSTALLATION

Professional installation is recommended for this product. Ensure all local plumbing and building codes are followed.

Pre-Installation Checklist:

- Verify all components are present and undamaged.
- Confirm rough-in dimensions match the tub specifications (60"L x 36"W x 21.63"H).
- Ensure the subfloor is level and adequately reinforced to support the tub's weight when filled.
- Prepare the three-wall alcove area for installation.

Installation Steps:

1. **Positioning:** Carefully place the tub into the prepared alcove. The tub features adjustable leveling feet; however, these are not accessible once the tub is in place. Pre-adjust as much as possible.
2. **Leveling and Support:** It is crucial to provide full support for the tub base. Apply a generous amount of thin-set mortar (approximately 6-8 bags) evenly across the subfloor where the tub will rest. This will ensure stability and prevent flexing of the tub bottom. Press the tub firmly into the mortar, ensuring the leveling feet are properly seated.
3. **Drain Connection:** Connect the left-hand drain assembly according to manufacturer instructions for

your specific drain kit (sold separately). Ensure all connections are watertight.


4. **Tile Flange:** The integrated tile flange should be secured to the wall studs. This flange is designed to prevent water from seeping behind the walls.
5. **Water Supply:** Connect the water supply lines to the wall-mounted tub filler (if applicable).
6. **Testing:** Fill the tub with water and check for any leaks around the drain and water supply connections. Allow the mortar to cure completely before full use.



TO ORDER PARTS, CALL: 1-877-252-7277
www.kingstonbrass.com

VTAP603622L
60" Acrylic Alcove Tub with Left Hand Drain Hole





Part #	QTY
1.	1
2.	5
3.	5



2025-11-B

Exploded technical drawing of the VTAP603622L model, showing components and assembly details.

VTAP603622L
60" Acrylic Alcove Tub with Left Hand Drain Hole



2025-11-B


Detailed technical drawing with dimensions for the Kingston Brass VTAP603622L 60-Inch Acrylic Alcove Tub, including length, width, and depth measurements.

Drain Orientation

Left and Right Drain Alcove Tub

How can I determine if a tub is right handed or left handed?

While you are standing in front of the skirt or apron of the tub, look at the tubs' drain and overflow opening, its location determines if the tub is a right or left handed, See illustration below



© 2022 Kingston Brass Inc. All Rights Reserved

KINGSTON
KITCHEN & BATH

Diagram explaining how to determine left-hand versus right-hand drain orientation for an alcove tub, based on standing in front of the skirt.

OPERATION

To operate your Kingston Brass Alcove Tub:

- Ensure the drain stopper is closed before filling the tub.
- Turn on the water supply to the desired temperature and fill the tub. Always check the water temperature before entering.
- After use, open the drain stopper to empty the tub.

MAINTENANCE

Proper care will extend the life and maintain the appearance of your acrylic tub.

- **Cleaning:** Clean the tub regularly with a soft cloth or sponge and a non-abrasive, mild liquid cleaner. Rinse thoroughly with water after cleaning.
- **Avoid Abrasives:** Do not use abrasive powders, scouring pads, or harsh chemical cleaners (e.g., acetone, paint thinner, strong acids or bases) as these can scratch or damage the acrylic surface.

- **Stain Removal:** For stubborn stains, use a diluted solution of white vinegar and water, or a cleaner specifically designed for acrylic surfaces.
- **Scratch Repair:** Minor scratches on acrylic can often be buffed out with a fine automotive polishing compound and a soft cloth.
- **Preventing Damage:** Avoid dropping heavy or sharp objects into the tub. Do not allow lit cigarettes or other hot items to come into contact with the surface.

TROUBLESHOOTING

This section addresses common issues you might encounter with your bathtub.

- **Slow Draining:** Check the drain stopper for debris. If the issue persists, the plumbing trap may require cleaning.
- **Leaks:** Inspect all plumbing connections for tightness. If a leak is detected at the tub's drain assembly, ensure it is properly sealed and tightened. Professional assistance may be required for persistent leaks.
- **Surface Scratches:** Acrylic can scratch. Refer to the Maintenance section for minor scratch repair. For deep scratches, professional repair may be necessary.
- **Tub Flexing/Movement:** If the tub feels unstable or flexes, it may indicate insufficient support during installation. This typically requires re-installation with proper mortar bedding.

SPECIFICATIONS

Detailed specifications for the Kingston Brass Aqua Eden VTAP603622L Alcove Tub:

Attribute	Value
Model Number	VTAP603622L
Brand	Kingston Brass
Series	Aqua Eden
Material	Acrylic
Color	White
Product Dimensions (L x W x H)	60" x 36" x 21.63"
Installation Type	Alcove
Drain Placement	Left-Hand
Capacity	60.85 Gallons
Water Depth to Overflow	14-3/8"
Item Weight	66.2 Pounds
Shape	Rectangular
UPC	663370531002



Top-down view of the Kingston Brass Aqua Eden VTAP603622L 60-Inch Acrylic Alcove Tub, showing the interior basin and left-hand drain.



Front view of the Kingston Brass Aqua Eden VTAP603622L 60-Inch Acrylic Alcove Tub.



Side view of the Kingston Brass Aqua Eden VTAP603622L 60-Inch Acrylic Alcove Tub, showing the fiberglass and resin reinforcement on the underside.



Rear view of the Kingston Brass Aqua Eden VTAP603622L 60-Inch Acrylic Alcove Tub, highlighting the structural support.



An installed Kingston Brass Aqua Eden VTAP603622L 60-Inch Acrylic Alcove Tub in a modern bathroom setting.

WARRANTY INFORMATION

This Kingston Brass product is covered by the manufacturer's limited warranty. Please refer to the official Kingston Brass website or contact customer support for specific warranty terms and conditions. Keep your proof of purchase for warranty claims.

CUSTOMER SUPPORT

For technical assistance, replacement parts, or warranty inquiries, please contact Kingston Brass customer support:

- **Website:** www.kingstonbrass.com
- **Phone:** 1-877-252-7277 (Referenced from image PT07/PT08)