

[Manuals.plus](#) /

› [KHOI1971](#) /

› 8-FEET Wall Charger AC Adapter Cable Compatible with Luxor 6001 Epower 360 600A Peak Flashlight Jump Starter Charger AC Adapter
NOT Created or Sold by Luxor

KHOI1971 KHOI1971 ® CUSTOM MADE

8-FEET Wall Charger AC Adapter Cable User Manual

Model: KHOI1971 ® CUSTOM MADE

INTRODUCTION

This manual provides essential information for the safe and efficient use of your KHOI1971 Wall Charger AC Adapter. This adapter is designed to be compatible with specific Luxor 6001 Epower 360 600A Peak Flashlight Jump Starter models. It features a smart IC chip for auto shut-off and an LED power indicator.

WHAT'S INCLUDED

- 1 x KHOI1971 Wall Charger AC Adapter

PRODUCT OVERVIEW



Figure 1: The KH011971 Wall Charger AC Adapter. This image shows the main body of the charger with its specifications label and the barrel connector cable. The label indicates "KH011971 Model No.: KH011971", "INPUT: 100-240V ~50-60Hz 0.35A", and "Made in China".

8-FEET
EXTRA
LONG
CABLE

Figure 2: Illustration highlighting the 8-foot extra long cable feature of the charger. This emphasizes the extended reach provided by the adapter's cable.

The KH011971 AC Adapter is designed with an 8-foot cable for extended reach and convenience. It features a standard wall plug on one end and a barrel connector on the other, suitable for compatible devices.

COMPATIBILITY

This AC adapter is specifically designed for compatibility with the Luxor 6001 Epower 360 600A Peak Flashlight Jump Starter. Ensure your device matches the specified model for proper functionality.



Figure 3: Front view of a Luxor 6001 Epower 360 600A Peak Flashlight Jump Starter, demonstrating the type of device this charger is compatible with. Note: This image is for compatibility reference only; the charger is sold separately.



Figure 4: Rear view of the Luxor 6001 Epower 360 600A Peak Flashlight Jump Starter, showing the charging port area. This view helps confirm the correct model for charger compatibility.

SETUP

1. **Unpack:** Carefully remove the AC adapter from its packaging.
2. **Inspect:** Check the adapter and cable for any visible damage. Do not use if damaged.
3. **Identify Port:** Locate the charging input port on your Luxor 6001 Epower 360 600A Peak Flashlight Jump Starter. This is typically a circular barrel-type port.
4. **Connect:** Insert the barrel connector of the AC adapter firmly into the charging port of your device.
5. **Power Source:** Plug the wall plug of the AC adapter into a standard 100-240V AC wall outlet.

Ensure the connection is secure before proceeding with charging.

OPERATING INSTRUCTIONS

1. **Initiate Charging:** Once connected to the device and a power outlet, the adapter will begin charging.
2. **Power Indicator:** The adapter features an LED light power indicator. This light will illuminate to confirm that the adapter is receiving power and is operational.
3. **Smart IC Chip:** The built-in smart IC chip provides an auto shut-off feature to prevent overcharging, protecting your

device's battery.

- 4. **Charging Status:** Monitor your device's charging indicator (if available) to determine the charging status and when it is fully charged.
- 5. **Disconnect:** Once charging is complete, first unplug the adapter from the wall outlet, then disconnect the barrel connector from your device.

Always ensure the adapter is unplugged from the wall when not in use.

MAINTENANCE

- **Cleaning:** Use a soft, dry cloth to clean the adapter. Do not use liquid cleaners or abrasive materials.
- **Storage:** Store the adapter in a cool, dry place away from direct sunlight and extreme temperatures.
- **Cable Care:** Avoid bending or crimping the cable excessively, especially near the connectors, to prevent internal wire damage.
- **Inspection:** Periodically inspect the adapter and cable for any signs of wear, fraying, or damage.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Adapter not charging device.	Not properly plugged in.	Ensure all connections are secure.
	Faulty wall outlet.	Try a different wall outlet.
	Incompatible device.	Verify your device is a Luxor 6001 Epower 360 600A Peak Flashlight Jump Starter.
	Damaged adapter/cable.	Inspect for damage; replace if necessary.
LED indicator not lighting up.	No power from outlet.	Check wall outlet with another device.
	Adapter malfunction.	Contact customer support if outlet is functional.

SPECIFICATIONS

Feature	Detail
Brand	KHOI1971
Model Number	KHOI1971 ® CUSTOM MADE
Input Voltage	100-240V AC (50-60Hz)
Output Amperage	0.35A (0.35)
Cable Length	8-FEET (approx. 2.4 meters)
Special Feature	Smart IC chip for auto shut off, LED power indicator

Feature	Detail
Connectivity Technology	Wired
Connector Type	Barrel Connector
Compatible Devices	Luxor 6001 Epower 360 600A Peak Flashlight Jump Starter
Item Weight	8 ounces (approx. 227 grams)

WARRANTY INFORMATION

Please refer to the product packaging or the seller's website for specific warranty terms and conditions. Keep your purchase receipt as proof of purchase for any warranty claims.

CUSTOMER SUPPORT

For technical assistance, troubleshooting, or product inquiries, please contact the seller directly through the platform where the product was purchased. Provide your order number and a detailed description of the issue for prompt assistance.

© 2024 KHOI1971. All rights reserved.

This manual is for informational purposes only. Specifications are subject to change without notice.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question