Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

PKPOWER TVEEM25B012

PKPOWER AC/DC Adapter Instruction Manual

For Boston Acoustics TVee Model 25 (TVEEM25B012) Soundbar

1. Introduction

This manual provides essential instructions for the safe and effective use of your PKPOWER AC/DC Adapter. This adapter is designed to provide power to compatible devices, specifically the Boston Acoustics TVee Model 25 (TVEEM25B012) Soundbar. Please read this manual thoroughly before use and retain it for future reference.



Figure 1.1: PKPOWER AC/DC Adapter with its input and output cables. This image shows the main adapter unit connected to both the AC power cord (for wall outlet) and the DC output cable (for the device).

2. Safety Information

To prevent electric shock, fire, or damage to the product, please observe the following safety precautions:

- Do not expose the adapter to rain or moisture.
- Do not disassemble or modify the adapter. Refer all servicing to qualified personnel.
- Ensure the adapter is used within its specified input voltage range (100-240V AC).
- Avoid placing the adapter in direct sunlight or near heat sources.
- Keep the adapter away from children.
- Always unplug the adapter from the power outlet before cleaning or if it will be unused for an extended period.

- Do not use the adapter if the cord or plug is damaged.

This product is CE, FCC, and RoHS certified, indicating compliance with relevant safety and environmental standards.

3. Package Contents

Verify that your package contains the following item:

- 1 x PKPOWER AC/DC Adapter with attached cables



Figure 3.1: The PKPOWER AC/DC Adapter, showing the main unit, the detachable AC input power cord, and the integrated DC output cable with a barrel connector.

4. Setup

Follow these steps to connect your AC/DC adapter to your Boston Acoustics TVee Model 25 Soundbar:

1. **Identify the Power Input:** Locate the power input port on your Boston Acoustics TVee Model 25 Soundbar. This is typically a circular port designed for a barrel connector.
2. **Connect the DC Output Cable:** Take the DC output cable (the cable with the barrel connector) from the PKPOWER adapter and firmly insert the barrel connector into the power input port of your soundbar.
3. **Connect the AC Input Cable:** Plug the AC input power cord into the adapter's AC inlet. Ensure it is fully seated.

4. **Connect to Power Outlet:** Insert the other end of the AC input power cord into a standard electrical wall outlet (100-240V AC, 50/60Hz).
5. **Verify Connection:** Once connected, your soundbar should receive power. Refer to your soundbar's manual for specific power indicator lights or startup procedures.

5. Operating Instructions

The PKPOWER AC/DC Adapter operates automatically once connected to a power source and a compatible device. It provides a stable power supply to your soundbar.

- **Power On:** The adapter begins supplying power as soon as it is plugged into a live electrical outlet and connected to the soundbar.
- **Power Off:** To disconnect power, first turn off your soundbar (if applicable), then unplug the AC input power cord from the wall outlet. Finally, disconnect the barrel connector from the soundbar.

6. Maintenance

Proper maintenance ensures the longevity and safe operation of your adapter.

- **Cleaning:** Disconnect the adapter from all power sources and devices before cleaning. Use a soft, dry cloth to wipe the exterior. Do not use liquid cleaners or solvents.
- **Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight and extreme temperatures. Avoid tightly coiling the cables to prevent damage.
- **Inspection:** Periodically inspect the adapter and cables for any signs of damage, such as frayed wires, cracked casing, or bent pins. If damage is found, discontinue use and replace the adapter.

7. Troubleshooting

If you encounter issues with your PKPOWER AC/DC Adapter, refer to the following common solutions:

- **No Power to Soundbar:**
  - Ensure the AC input power cord is securely plugged into both the adapter and the wall outlet.
  - Verify that the wall outlet is functional by testing it with another device.
  - Check that the barrel connector is fully inserted into the soundbar's power port.
  - Inspect the adapter and cables for any visible damage. If damaged, do not use.
- **Adapter Overheating:**
  - Ensure the adapter is placed in a well-ventilated area and not covered.
  - Confirm that the soundbar is compatible with this adapter's power specifications.
  - If overheating persists, discontinue use and contact support.

If these steps do not resolve the issue, please contact customer support.

8. Specifications

Technical details for the PKPOWER AC/DC Adapter:

- **Input Voltage Range:** 100-240 VAC, 50/60Hz (Worldwide Compliant)

- **Connector Type:** Barrel Connector
- **Compatible Devices:** Speakers (specifically Boston Acoustics TVee Model 25 TVEEM25B012 Soundbar)
- **Certifications:** CE, RoHS
- **Protection Features:** OVP (Over Voltage output Protection), OCP (Over Current output Protection), SCP (Short Circuit output Protection)
- **Color:** Black



Figure 8.1: The adapter's label, detailing input voltage (100-240V ~ 50-60Hz) and safety certifications (CE, WEEE symbol).



Figure 8.2: Dimensions of the PKPOWER AC/DC Adapter unit, showing approximate measurements of 4.95 inches in length, 2.00 inches in width, and 1.25 inches in height.

9. Warranty and Support

PKPOWER products are designed for reliability and performance. This adapter is covered by a manufacturer's warranty.

- **After-Sale Service:** Our customer service team is available to assist you with any questions or concerns. We aim to respond to inquiries within 24 hours.
- **Contact Information:** For support, please refer to the contact details provided with your purchase or visit the PKPOWER official website.

© 2025 PKPOWER. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B07CVGCTCS

More documents and user manuals: **https://manuals.plus/**