



Manuals.plus /

› SBU /

› SBU Jet Ski Cover Instruction Manual for Kawasaki Ultra LX (JT1500KDF) (JT1500KEF) 2013-14 600 Denier

SBU SBUS600JTK-638

SBU Jet Ski Cover Instruction Manual

BRAND: SBU

Model: SBUS600JTK-638

Introduction

This manual provides essential information for the proper setup, operation, and maintenance of your SBU 600 Denier Jet Ski Cover. Designed specifically for Kawasaki Ultra LX (JT1500KDF) (JT1500KEF) 2013-14 models, this cover offers robust protection for your personal watercraft against various environmental elements, ensuring its longevity and readiness for use.

Key Features

- **100% Woven Polyester:** Durable and high-quality material for long-lasting protection.
- **Heavy-Duty Design:** Specifically tailored for Kawasaki Ultra LX 2013-2014 models, ensuring a secure fit.
- **TRI-PURPOSE Functionality:** Suitable for storage, mooring, and towing (trailer use), offering versatile protection options.
- **600 Denier Marine Grade Canvas:** High-performance, solution-dyed woven polyester with urethane coated water-resistant backing. Designed to resist shrinking, stretching, tearing, and general wear-and-tear.
- **Double Stitched 4-Ply Interlocking Seams:** Constructed with rot-proof thread for enhanced durability.
- **Rear Air Vents:** Reduces wind lofting during trailering and promotes air circulation to prevent moisture buildup.
- **Fuel Tank Access Doors:** Convenient openings for easy refueling without removing the cover.
- **Trailering System:** Includes detachable side-release strap buckles for secure attachment during transport.
- **Underside Reinforcements:** Added strength in critical areas for increased lifespan.
- **Attached Storage Bag:** For convenient storage of the cover when not in use.



Figure 1: SBU Jet Ski Cover installed on a personal watercraft on a trailer.



Figure 2: Detailed view of the cover's design elements, highlighting double-stitched seams, trailer hitch opening, tension panel tie-downs, inside air vent, fuel tank opening, and the included carrying bag.

Setup and Installation

Proper installation of your SBU Jet Ski Cover is crucial for maximum protection and longevity. Follow these steps for a secure fit:

1. **Prepare the Watercraft:** Ensure your jet ski is clean and dry before covering. Remove any sharp objects or accessories that could snag or tear the cover.
2. **Unfold the Cover:** Lay the cover out flat, identifying the front (bow) and rear (stern) sections. The front typically has

a designated opening for the trailer hitch.

3. **Position the Cover:** Start from the front of the jet ski. Carefully pull the cover over the bow, aligning the trailer hitch opening if applicable.
4. **Work Towards the Rear:** Gradually pull the cover over the entire personal watercraft, ensuring it drapes evenly over all surfaces. The elastic hem around the bottom will help provide a snug fit.
5. **Secure Straps:** Locate the detachable side-release strap buckles. Pass the straps under the jet ski and connect them, tightening them securely to prevent the cover from flapping in the wind, especially during trailering. Ensure straps are not twisted.
6. **Check Air Vents:** Verify that the rear air vents are unobstructed to allow for proper air circulation and reduce wind lofting.
7. **Utilize Fuel Tank Access:** If needed, use the integrated fuel tank access doors for convenient refueling.



TENSION PANELS WITH DETACHABLE TIE DOWN STRAPS



Figure 3: Illustration of the tension panels and detachable tie-down straps for secure fitting.



Figure 4: Detail showing the 600 Denier woven polyester canvas and the elastic hem for a snug fit around the watercraft.

Your browser does not support the video tag.

Video 1: Demonstrates the features and proper installation of the SBU 600D canvas trailerable jet ski cover, including how to use the tiedowns.

Operating (Usage)

The SBU Jet Ski Cover is designed for versatile use across various scenarios:

- **Storage:** Ideal for protecting your jet ski when stored indoors or outdoors. It shields against dust, dirt, UV rays, and rain.
- **Mooring:** Can be used while the jet ski is moored on the water, at a dock, or on a lift, providing protection from sun and light precipitation.
- **Trailing:** The integrated trailing system with secure straps and rear air vents allows for safe transport of your covered jet ski on the road. Ensure all straps are tightly secured before trailing to prevent damage to the cover or watercraft.



Figure 5: View of the convenient fuel tank opening for easy access and the outside air vent for ventilation.

Maintenance

To ensure the longevity and effectiveness of your SBU Jet Ski Cover, follow these maintenance guidelines:

- **Regular Cleaning:** Periodically clean the cover with mild soap and water. Use a soft brush or sponge to remove dirt, grime, and mildew. Rinse thoroughly and allow to air dry completely before folding and storing.
- **Avoid Harsh Chemicals:** Do not use bleach, harsh detergents, or abrasive cleaners, as these can damage the fabric and its water-resistant coating.
- **Inspect for Damage:** Regularly check the cover for any signs of wear, tears, or damage to seams and straps. Promptly repair any minor damage to prevent it from worsening.
- **Proper Storage:** When not in use, fold the dry cover neatly and store it in the attached storage bag in a cool, dry place away from direct sunlight and extreme temperatures.
- **Winter Storage:** The cover can serve as an alternative to shrink wrap for winter storage. Ensure the jet ski is clean and dry, and the cover is securely fastened to protect against temperature extremes.

Troubleshooting

Here are solutions to common issues you might encounter:

- **Cover Does Not Fit Snugly:**
 - Ensure the cover is correctly oriented (front to back).
 - Verify that all straps are properly tightened.
 - Confirm the cover is the correct model for your jet ski (Kawasaki Ultra LX 2013-2014).
- **Cover Flapping in Wind (Trailing/High Winds):**
 - Re-tighten all tie-down straps.
 - Ensure the elastic hem is fully engaged around the jet ski.
 - Check that rear air vents are open and not obstructed.
- **Water Accumulation on Cover:**
 - Ensure the jet ski is positioned to allow water runoff.
 - Verify the cover is taut and not sagging in areas where water could pool.
 - Check for any tears or punctures that might compromise water resistance.

Specifications

Attribute	Detail
Brand	SBU
Model Number	SBUS600JTK-638
Material	600 Denier Woven Polyester Canvas with Urethane Coating
Color	Black/Grey
Item Dimensions (LxWxH)	8 x 4 x 12 inches (packaged)
Item Weight	6 Pounds
UPC	637520369081
Compatibility	Kawasaki Ultra LX (JT1500KDF) (JT1500KEF) 2013-14

Warranty and Support

Your SBU Jet Ski Cover comes with a **2-year protection against manufacturing defects or workmanship issues**. For any questions, concerns, or support needs, please contact SBU customer service. As a small US-based family shop, SBU is committed to providing personalized assistance and stands behind the quality of its products.

For further assistance, please refer to the [SBU Store on Amazon](#) or contact the seller directly through your purchase platform.