

[Manuals.plus](#) /

› [Gelco](#) /

› Gelco Design Dolce Toilet Seat (Model 710859) Instruction Manual

Gelco 710859

Gelco Design Dolce Toilet Seat (Model 710859) Instruction Manual

Model: 710859

1. PRODUCT OVERVIEW

The Gelco Design Dolce Toilet Seat is designed for standard toilet bowls, offering a durable molded wood construction and stainless steel hinges. This manual provides essential information for its proper installation, use, and care.



Image 1.1: The Gelco Design Dolce Toilet Seat in Pink, installed on a standard toilet bowl.

2. SPECIFICATIONS

Feature	Detail
Brand	Gelco
Model Number	710859
Material	Molded Wood
Hinge Material	Stainless Steel
Color	Pink
Product Dimensions (L x W x H)	44 cm x 37.5 cm x 5.5 cm (17.32"L x 14.76"W)
Item Weight	3 kg (6.6 pounds)
Shape	Round




Image 2.1: Dimensional diagram of the toilet seat, indicating maximum and minimum measurements for hinge spacing and overall length.

3. SETUP AND INSTALLATION

Before installation, ensure the toilet seat dimensions (44 cm x 37.5 cm) are compatible with your toilet bowl. The hinges are designed to fit standard toilet bowl mounting holes with adjustable spacing.

Installation Steps:

1. **Prepare the Toilet:** Ensure the toilet bowl's mounting holes are clean and free from debris.
2. **Position the Hinges:** Place the stainless steel hinges into the mounting holes on the toilet bowl. The hinge spacing is adjustable from 135 mm to 180 mm (as shown in Image 2.1).
3. **Attach the Seat:** Align the toilet seat with the hinges. Secure the hinges from underneath the toilet bowl using the provided fasteners. Tighten them until the seat is stable but do not overtighten.
4. **Adjust for Fit:** Gently move the seat to ensure it is centered on the toilet bowl. If necessary, loosen the fasteners slightly, adjust the seat, and then re-tighten.
5. **Test Stability:** Verify that the seat is firmly attached and does not wobble.



Image 3.1: Detail of the stainless steel hinges, designed for easy installation and durability.

4. OPERATING INSTRUCTIONS

The Gelco Design Dolce Toilet Seat operates like any standard toilet seat. It features a lid and a seat ring

that can be lifted and lowered manually. The stainless steel hinges are designed for smooth operation and resistance to repeated handling.

- To open the seat, gently lift the lid and then the seat ring.
- To close, lower the seat ring first, followed by the lid.

5. MAINTENANCE AND CARE

Proper maintenance ensures the longevity and hygiene of your toilet seat. The molded wood material and stainless steel hinges are designed for durability and easy cleaning.

Cleaning Instructions:

- **Regular Cleaning:** Clean the toilet seat regularly with a soft cloth, warm water, and a mild, non-abrasive cleaner.
- **Avoid Harsh Chemicals:** Do not use abrasive cleaners, strong acids, or alkaline detergents, as these can damage the finish of the molded wood and the stainless steel hinges.
- **Drying:** After cleaning, wipe the seat and hinges dry with a clean, soft cloth to prevent water spots and maintain shine.
- **Hinge Care:** Periodically check the hinge connections for tightness. If they become loose, gently re-tighten the fasteners.

6. TROUBLESHOOTING

This section addresses common issues you might encounter with your toilet seat.

- **Seat is Loose or Wobbles:**

Solution: The mounting fasteners may have loosened over time. Access the fasteners from underneath the toilet bowl and tighten them securely. Do not overtighten to avoid damaging the toilet or the seat.

- **Seat Does Not Align Properly:**

Solution: Loosen the mounting fasteners slightly, adjust the seat to the desired position, and then re-tighten the fasteners. The adjustable hinges allow for minor positional corrections.

- **Squeaking Hinges:**

Solution: Apply a small amount of silicone-based lubricant to the hinge pivot points. Avoid oil-based lubricants that can attract dust or degrade plastic components.

7. WARRANTY INFORMATION

The Gelco Design Dolce Toilet Seat comes with a **2-year guarantee** from the date of purchase. This warranty covers manufacturing defects under normal use and service. Please retain your proof of purchase for any warranty claims.

The warranty does not cover damage resulting from improper installation, misuse, abuse, accident, neglect, or unauthorized repair or modification.

8. SUPPORT

For further assistance, technical support, or warranty inquiries, please contact Gelco customer service.

Refer to the product packaging or the official Gelco website for current contact information.

When contacting support, please have your product model number (710859) and proof of purchase readily available.