

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [USX MOUNT](#) /

› [USX MOUNT UL Listed Full Motion TV Mount, Swivel Articulating Tilt TV Wall Mount for 26-55Inch LED, 4K, Wall Mount Bracket with VESA 400x400mm Up to 77lbs, Perfect Center Design -XMM006-1](#)

USX MOUNT XMM006

USX MOUNT Full Motion TV Mount User Manual

Model: XMM006

INTRODUCTION

Thank you for choosing the USX MOUNT Full Motion TV Mount. This manual provides essential information for the safe and proper installation, operation, and maintenance of your TV mount. Please read all instructions carefully before beginning installation and retain this manual for future reference.




Figure 1: USX MOUNT Full Motion TV Mount Components

SAFETY INFORMATION

WARNING: Failure to read and follow all instructions may result in personal injury, property damage, or voiding of warranty. If you have any questions, please contact customer service.

- This product is intended for indoor use only.
- Do not install into drywall alone. This mount is designed for wood stud, solid concrete, or brick walls.
- Ensure the mounting surface can safely support the combined weight of the mount and the television.
- Do not exceed the maximum weight capacity of 77 lbs (35 kg).
- Use only the provided hardware. If any parts are missing or defective, contact customer support.
- Always use a stud finder to locate wood studs accurately.
- Two people are recommended for safe installation.

PACKAGE CONTENTS

Verify that all parts are present before beginning installation:

- TV Wall Mount Assembly
- Bubble Level
- 3 x Cable Ties
- Standard Mounting Hardware (pre-labeled bags):
 - TV Screws: M4*12mm (4pcs), M4*30mm (4pcs), M6*12mm (4pcs), M6*35mm (4pcs), M8*25mm, M8*45mm
 - Spacers: M6*17mm (4pcs), M8*22mm (4pcs), 10mm (4pcs), 2.5mm (8pcs)
 - Washers: M4 (4pcs), M6 (4pcs)

Easy to Install



Labeled Hardware Packs



Clear Video&Manual



US-based Support



Figure 2: Included Hardware and Support Information

SETUP & INSTALLATION

Follow these steps for proper installation. Ensure you have the necessary tools (e.g., drill, stud finder, level, wrenches)

before starting.

1. Check Compatibility


- **TV Size:** Fits most 26-55 inch TVs.
- **Weight Capacity:** Supports TVs up to 77 lbs.
- **VESA Pattern:** Compatible with VESA sizes from 75x75mm to 400x400mm.



Living Room

Perfect Horizontal Adjustment

Figure 3: TV Size and Weight Compatibility



Bedroom

Extend 16.7"
Easy Cable Access

Figure 4: VESA Mounting Pattern Check

2. Choose Mounting Location

Select a location on a wood stud, solid concrete, or brick wall. **DO NOT install into drywall alone.**




Figure 5: Compatible Wall Types

3. Attach TV Plate to TV

Secure the TV plate to the back of your television using the appropriate screws and spacers from the hardware kit. Ensure the plate is centered and securely fastened.



Figure 6: Attaching TV Plate

4. Attach Wall Plate to Wall

Mark the drilling locations on the wall using the wall plate as a template and a level to ensure accuracy. Drill pilot holes and securely fasten the wall plate to the wall studs or concrete/brick using the provided lag bolts. Ensure the wall plate is level before proceeding.




Figure 7: Attaching Wall Plate

5. Hang and Secure TV

Carefully lift the TV with the attached TV plate and hook it onto the wall plate. Ensure the TV is securely seated. Use the safety screws or locking mechanisms to prevent accidental dislodging.



Figure 8: Hanging and Securing TV

OPERATING THE TV MOUNT

Your USX MOUNT TV mount offers various adjustments for optimal viewing comfort.

Tilt Adjustment

The mount allows for a tilt range of +5° to -15°. This helps reduce glare and provides a better viewing angle from different positions.

Space Saving and Reduce Glare



Figure 9: Tilt and Extension Capabilities

Swivel Adjustment

The articulating arms allow for a swivel of up to $\pm 90^\circ$, depending on your TV size. This enables you to turn the TV to face different areas of the room.

Flexible Viewing Angle

Max swivel angle depend on tv size




Figure 10: Flexible Swivel Angle

Extension and Retraction

The mount can extend out to 16.7 inches from the wall and retract back to a slim 2.81 inches, saving valuable space when not in use.

Post-Installation Leveling

A post-installation adjustment of $\pm 5^\circ$ allows for perfect TV leveling even after the mount is installed on the wall.




Figure 11: Post-Installation Leveling

MAINTENANCE

Regular maintenance ensures the longevity and safe operation of your TV mount.

- **Cleaning:** Wipe the mount with a soft, dry cloth. Avoid abrasive cleaners or solvents.
- **Check Connections:** Periodically check all screws and bolts to ensure they are tight and secure. Re-tighten if necessary.
- **Inspect for Damage:** Regularly inspect the mount for any signs of wear, damage, or corrosion. If any issues are found, discontinue use and contact customer support.

TROUBLESHOOTING

If you encounter issues with your TV mount, refer to the following common problems and solutions:

- **TV is not level:** Use the post-installation leveling adjustment feature to fine-tune the TV's horizontal position. Ensure the wall plate was installed level initially.
- **Mount movement is stiff:** The pivot points may be too tight. Loosen the bolts at the articulating joints slightly with an appropriate wrench (Allen wrench or crescent wrench) until desired movement is achieved. Do not over-loosen.
- **Mount feels unstable:** Immediately remove the TV from the mount. Re-check all wall and TV connections to ensure they are securely fastened to appropriate studs or concrete/brick. Verify that the TV weight does not exceed the mount's capacity.
- **Missing hardware:** Refer to the package contents list. If parts are missing, contact USX MOUNT customer support for replacements.

SPECIFICATIONS

Feature	Specification
Model Number	XMM006
Compatible TV Size	26-55 inches
Weight Capacity	Up to 77 lbs (35 kg)
VESA Compatibility	75x75mm to 400x400mm
Tilt Angle	+5° / -15°
Swivel Angle	±90° (max, depends on TV size)
Level Adjustment	±5° post-installation
Extension from Wall	2.81 inches (retracted) to 16.7 inches (extended)
Material	Alloy Steel
Product Dimensions	17.48 x 17.48 x 2.81 inches
Item Weight	6.24 pounds

WARRANTY & SUPPORT

For detailed warranty information, please refer to the product packaging or the official USX MOUNT website. If you require

assistance or have questions not covered in this manual, please contact USX MOUNT customer support.

- **Official User Manual (PDF):** [Download PDF](#)
- **USX MOUNT Store:** [Visit Brand Store](#)