

Procontrol PRO24.DOCK

Procontrol PRO24 Charging Dock User Manual

Model: PRO24.DOCK (11-500025-14)

1. INTRODUCTION

The Procontrol PRO24 Charging Dock is designed to provide a convenient and dedicated resting place for your Pro24.r (v2) remote control, ensuring it remains fully charged for uninterrupted use. This manual provides essential information for the proper setup, operation, and maintenance of your charging dock.

2. SAFETY INFORMATION

- Read all instructions before using the charging dock.
- Keep the charging dock away from water or other liquids.
- Do not attempt to disassemble or modify the charging dock.
- Use only the provided or recommended power adapter for charging.
- Ensure proper ventilation around the charging dock during use.
- Keep out of reach of children.

3. PACKAGE CONTENTS

Verify that all items are present in the package:

- PRO24 Charging Cradle
- Charger (Power Adapter)

PRO.

pro24.dock Premium Battery Charging Cradle

.....

The Pro24.dock charges the Pro24.r (v2) remote control's battery and provides a convenient, dedicated resting place when not in use.



Pictured remote not included.

pro24.dock
PREMIUM BATTERY
CHARGING CRADLE

Image 1: Retail packaging for the Procontrol PRO24 Charging Dock. The box displays the product name, brand, and a visual of the remote control (not included) resting in the dock.

4. PRODUCT OVERVIEW

The PRO24 Charging Dock is specifically designed for Pro Control remote controls, including the Pro24.z and Pro24.r v2 models. It features a contoured design for easy placement and a Micro USB Type B connector for power input.

PRO.

pro24.dock Premium Battery Charging Cradle

The Pro24.dock charges the Pro24.r (v2) remote control's battery and provides a convenient, dedicated resting place when not in use.



Pictured remote not included.

pro24.dock
PREMIUM BATTERY
CHARGING CRADLE

Image 2: The Procontrol PRO24 Charging Dock. This image shows the sleek, black charging cradle designed to hold and charge compatible Pro Control remote controls.

5. SETUP

1. **Unpack:** Carefully remove the charging cradle and power adapter from the packaging.
2. **Connect Power:** Plug the charger's Micro USB Type B connector into the designated port on the back or side of the PRO24 Charging Dock.
3. **Power Outlet:** Plug the other end of the power adapter into a standard electrical wall outlet.
4. **Placement:** Place the charging dock on a stable, flat surface, away from direct sunlight or heat sources.

6. OPERATING INSTRUCTIONS

To charge your compatible Pro Control remote control (Pro24.z or Pro24.r v2):

1. Ensure the charging dock is properly connected to a power source.
2. Gently place your Pro Control remote control onto the contoured cradle of the PRO24 Charging Dock.
3. Ensure the remote is seated correctly and makes proper contact with the charging pins. A charging indicator on your remote (if available) should illuminate, confirming the charging process has begun.
4. Leave the remote on the dock until it is fully charged.
5. When not in use, it is recommended to keep the remote on the charging dock to maintain its battery level.

7. MAINTENANCE

- **Cleaning:** Disconnect the charging dock from the power source before cleaning. Use a soft, dry cloth to wipe the surface of the dock. Do not use abrasive cleaners or solvents.
- **Storage:** If storing the dock for an extended period, disconnect it from power and store it in a cool, dry place.
- **Inspection:** Periodically inspect the power cable and charging pins for any signs of damage. If damage is found, discontinue use and contact support.

8. TROUBLESHOOTING

- **Remote not charging:**
 - Ensure the power adapter is securely plugged into both the dock and the wall outlet.
 - Verify that the remote is correctly seated on the dock, making full contact with the charging pins.
 - Check if the power outlet is functional by plugging in another device.
 - Confirm that your remote control is compatible with the PRO24 Charging Dock.
- **Dock appears unresponsive:**
 - Disconnect and reconnect the power adapter.
 - Try a different power outlet.

9. SPECIFICATIONS

Feature	Detail
---------	--------


Brand	Procontrol
Model Number	PRO24.DOCK (11-500025-14)
Compatible Devices	Pro Control Remote Controls (Pro24.z and Pro24.r v2)
Connector Type	Micro USB Type B
Total USB Ports	1
Wattage	10 watts
Material	Plastic
Item Weight	12 ounces
Package Dimensions	8.7 x 4.41 x 2.91 inches
Date First Available	June 21, 2018

10. WARRANTY AND SUPPORT

For warranty information and technical support, please refer to the documentation provided with your original purchase or visit the official Procontrol website. Keep your proof of purchase for warranty claims.

Related Documents - PRO24.DOCK

	ProxerSafe Web Access 2 Felhasználói Útmutató - Procontrol Ez a ProxerSafe Web Access 2 felhasználói útmutató részletes információkat nyújt a Procontrol kulcskezelő és beléptető rendszerének használatáról, funkcióiról és beállításairól.
	Procontrol AutoPark40 és AutoPark40-Solar: Parkolóautomata Műszaki Adatok Részletes műszaki specifikációk és funkciók a Procontrol AutoPark40 és AutoPark40-Solar automatizált parkolójegy automatákhoz, beleértve a fizetési lehetőségeket, szoftvert és napelemes képességeket.
	IP Speaker WebAccess User Manual and Configuration Guide Comprehensive guide to configuring and operating the Procontrol IP Speaker WebAccess system, covering setup, network settings, media streaming, scheduling, user management, and firmware updates.

	SGC-6 SMS Server Felhasználói leírás Ez a felhasználói kézikönyv a Procontrol SGC-6 SMS Server beállítását és működését mutatja be. A dokumentum részletezi a készülék csatlakoztatását, a webes felületen keresztüli bejelentkezést és konfigurációt, valamint az SMS funkciókat és rendszerszintű beállításokat.
	Procontrol IP Speaker User Manual v1.6.8 This user manual provides comprehensive instructions for the Procontrol IP Speaker, covering initial setup, login procedures, device status, language selection, media streaming, scheduled playback, mode selection, user management, date/time and network configuration, and firmware updates. It details how to configure and operate the IP Speaker for various audio broadcasting and notification tasks.
	ProxerNet AutoPay és ProxerPay WebAccess Kezelői Kézikönyv Ez a kézikönyv részletesen ismerteti a ProxerNet AutoPay és ProxerPay WebAccess szoftvermodulok használatát, beleértve a fizető rendszerek üzemeltetését, parkolási funkciókat, beállításokat, jogosultságokat és hibaelhárítást.

Documents - Procontrol – PRO24.DOCK


[pdf] Instructions Reference Guide Guide

Federal Communications Commission Notice Pro24 r v2 Pro Control This equipment has been tested and found to comply with the limits for a Class B digital device pursuant Part 15 of FCC Rules These are designed provide reasonable protection In interest recycling please do not dispose these batteries in household waste at end their useful life Instead them at Charging LED Micro USB Port Quick Reference Guide Read Follow Instructions all safety operating instructions before procontrol 2020 10 Federal Communications Commission Notice This equipment has been tested and found to comply with the ... ou even more control over how and where you choose to recharge the remote s battery. NOTE: Optional **Pro24.dock** Charging Dock is available for purchase separately. The Pro24.r comes equipped with: On... lang:en score:35 filesize: 2.05 M page_count: 2 document date: 2013-01-03

[pdf] User Manual Accessories Borchure

Essential control Redefine Pro24 r Plus zigbee thermostat manual filetype after 2020 06 01 Wireless Range Extender Extend your the wireless communication ange between z remote and ProLink processor using Pro rfz Control Brochure 09 procontrol 10 ACCESSORIES Pro.rfz Wireless Range Extender Extend your control. Extend the wireless communication ... ce mount or free standing A 3 mono 3.5 mm cable is provided for connection to ProLink processors **Pro24.dock** Battery Charging Cradle Charge your battery. The **Pro24.dock** charging cradle keeps the re... lang:en score:24 filesize: 6.84 M page_count: 2 document date: 2020-09-25





[pdf]

Get more control pro pp01 www m tec de bilder und dateien artikel

Get more control ProControl Steuern Sie Ihre Welt. Erlangen Sie mit Fernbedienungen, Controllern u ... over Ethernet Robusts Metallgehäuse 12VDC 1A Netzteil inkl. Pro.ircb.4 IR-Sender Anschlussblock **Pro24.dock** Batterieladeschale Erweitern Sie Ihre Möglichkeiten. Der IR-Sender-Anschlussblock Pro.irc... lang:de score:20 filesize: 1.7 M page_count: 8 document date: 2013-10-16

[pdf] Accessories Borchure

Pro Control Product Brochure 09 2020 procontrol pro control product brochure wpdmdl 3082 refresh 62c0eedd96edc1656811229 |||

ACCESSORIES Pro.rfz Wireless Range Extender Extend your control. Extend the wireless communication ... ce mount or free standing A 3 mono 3.5 mm cable is provided for connection to ProLink processors **Pro24.dock** Battery Charging Cradle Charge your battery. The **Pro24.dock** charging cradle keeps the re... lang:en score:18 filesize: 6.84 M page_count: 2 document date: 2020-09-25

[pdf] Dimension Guide Borchure

Pro Control Get more control ProControlProduct Brochure totalhometheatres images products Automation ProControl

Get even more control with ProLink processors While the Pro24 remotes work great by themselves, you ... Unlimited* Yes Yes 2.4 240 x 320 48 9.79 x 2.23 x .9 Pro24.r No 1-way 433 MHz ProLink.r Optional **Pro24.dock** Yes Yes Yes TFTLCD Lithium-Ion Unlimited* Yes Unlimited* Yes Yes 2.4 240 x 320 45 9.79 x ... lang:en score:18 filesize: 3.53 M page_count: 2 document date: 2013-09-16



[pdf]

Elevate the media room and more Pro Control Pro24 r The ProLink processor features an Ethernet port for network control of devices four IR ports two voltage sensing inputs Infrared 433MHz RF Fully customizable graphical interface 2.4 Color LCD touchscreen display Tilt activated backlit buttons Convenient intuitive selection All hard are cutsheet Plus procontrol 2020 09 Pro24.r Plus Remote Control with Charging Dock Infrared and 433MHz RF control Fully customizable graphical interface 2.4 Color LCD touchscreen display Tilt-activated backlit buttons Convenient, intuitive selection of buttons All hard buttons are fully programmable Elevate the media room... and mo... lang:en score:17 filesize: 372.53 K page_count: 1 document date: 2020-09-11