Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Dupli-Color BC900

Dupli-Color Battery Cleaner Spray Paint

MODEL: BC900

Product Overview

The Dupli-Color BC900 Battery Cleaner is an aerosol spray designed to clean battery terminals and trays. It effectively removes corrosion, neutralizes acid, and helps prolong battery life. This product is formulated for automotive battery maintenance.





Image: Dupli-Color Battery Cleaner spray can, showing the product label and a graphic of a battery.

Safety Information

Always prioritize safety when working with automotive batteries and aerosol products. Read and understand all warnings before use.

- **WARNING:** Contents under pressure. Vapors harmful.
- Irritates eyes, skin, and respiratory tract. Avoid contact with eyes and skin. Use in a well-ventilated area.
- Keep away from heat, sparks, open flames, and hot surfaces. No smoking.
- Do not puncture or incinerate container. Do not expose to temperatures exceeding 120°F (49°C).
- Keep out of reach of children.
- Wear appropriate personal protective equipment, including safety glasses and gloves.
- In case of contact, flush thoroughly with water. If irritation persists, seek medical attention.

Setup and Preparation

1. Ensure the vehicle's ignition is off and the engine is cool.
2. Locate the vehicle battery.
3. Disconnect the negative battery cable first, followed by the positive cable. Use appropriate tools and avoid short circuits.
4. Remove any battery hold-downs or covers if necessary to access terminals and tray.
5. Brush off any loose dirt or debris from the battery and surrounding area.

Operating Instructions (Application)

1. Shake the Dupli-Color Battery Cleaner can thoroughly for one minute after the mixing ball begins to rattle.
2. Hold the can upright approximately 6-8 inches from the battery terminals and tray.
3. Spray a generous amount of cleaner directly onto corroded areas. The cleaner will foam and change color, indicating it is neutralizing the acid and dissolving corrosion.
4. Allow the cleaner to work for 5-10 minutes, or until the foaming action subsides and the color change is complete.
5. Using a stiff brush (e.g., a wire brush designed for battery terminals), scrub away any remaining corrosion and residue.
6. Rinse the cleaned areas thoroughly with clean water. Ensure all cleaner and dissolved corrosion are washed away.
7. Dry the battery terminals and tray completely with a clean cloth or compressed air before reconnecting cables.
8. Reconnect the positive battery cable first, then the negative cable. Ensure connections are tight and secure.

Maintenance

Regular inspection and cleaning of battery terminals can prevent future corrosion buildup and extend battery life. Consider applying a battery terminal protector or grease after cleaning to inhibit corrosion.

- Inspect battery terminals for signs of corrosion every few months or during routine vehicle maintenance.
- Reapply Dupli-Color Battery Cleaner as needed if corrosion reappears.
- Ensure battery cables are always securely fastened to prevent arcing and poor electrical contact.

Troubleshooting

- **No Foam/Color Change:** Ensure the battery terminals are actually corroded. The cleaner reacts with acid. If no acid is present, there will be no significant reaction. Ensure the can is shaken well.
- **Stubborn Corrosion:** For heavy corrosion, multiple applications and more vigorous scrubbing may be required. Ensure sufficient contact time for the cleaner.
- **Spray Nozzle Clogged:** If the nozzle clogs, remove it and rinse with warm water. If the can is partially used, invert it and spray briefly to clear the valve after each use.

Specifications

Attribute	Detail
Brand	Dupli-Color
Model Name	BC900
Item Volume	11 Fluid Ounces
Item Weight	15 ounces
Product Dimensions	7.95 x 2.7 x 2.7 inches
Finish Type	Brushed

Item Form	Aerosol
UPC	026916139641

Warranty and Support

Dupli-Color products are manufactured to high-quality standards. For specific warranty information or technical support regarding your Dupli-Color Battery Cleaner, please refer to the manufacturer's official website or contact their customer service department directly. Keep your purchase receipt as proof of purchase.
For further assistance, visit the official Dupli-Color website or contact their customer support line.

© 2023 Dupli-Color. All rights reserved.
This manual is for informational purposes only. Always follow local regulations and safety guidelines.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B07D2HS5V6

More documents and user manuals: **https://manuals.plus/**