



[Manuals.plus](#) /

› [Devanti](#) /

› Devanti Gas Patio Heater Instruction Manual - Model Artiss Furnishings

## Devanti Artiss Furnishings

# Devanti Gas Patio Heater Instruction Manual

Model: Artiss Furnishings

## INTRODUCTION

---

This manual provides essential instructions for the safe assembly, operation, maintenance, and troubleshooting of your Devanti Gas Patio Heater, Model Artiss Furnishings. Please read this manual thoroughly before using the appliance and retain it for future reference. This heater is designed for outdoor use only and provides efficient radiant heat.



*Image: Front view of the Devanti Gas Patio Heater, showcasing its black finish and protective cage around the heating element.*

## SAFETY INFORMATION

---

**WARNING: For outdoor use only. Improper installation, adjustment, alteration, service, or maintenance can cause injury or property damage. Read the installation, operating, and maintenance instructions thoroughly before installing or servicing this equipment.**

- Always operate the heater in a well-ventilated outdoor area. Never use indoors.
- Keep clear of combustible materials. Maintain a minimum clearance of 1 meter from sides and 1 meter from the top to any combustible surfaces.
- Ensure the heater is placed on a flat, stable, and non-combustible surface.

- Do not store or use gasoline or other flammable vapors and liquids in the vicinity of this or any other appliance.
- The heater is equipped with a safety tip-over switch that automatically shuts off the gas supply if the unit is accidentally tipped over.
- A flame failure device is integrated to cut off gas flow if the flame extinguishes.
- An Oxygen Depletion System (ODS) is included for enhanced safety.
- Always turn off the gas supply at the cylinder valve when the heater is not in use.
- Do not attempt to repair or modify the heater. Contact qualified service personnel for any repairs.

## PACKAGE CONTENTS

---

Verify that all components are present and undamaged before assembly.

- Devanti Gas Patio Heater Unit (1)
- AGA Approved Hose and Regulator (1)
- Instruction Manual (1)

## SETUP AND ASSEMBLY

---

Assembly is required for this product. Follow these steps carefully.

1. **Unpack Components:** Carefully remove all parts from the packaging.
2. **Base Assembly:** Attach the main body of the heater to the flat and sturdy standing base using the provided hardware.
3. **Gas Cylinder Placement:** Open the lockable hinged door on the main body. Place a gas cylinder (up to 9kg, not included) inside the base. Secure the cylinder using the internal gas cylinder securing belts to prevent movement.
4. **Hose and Regulator Connection:** Connect the AGA approved hose and regulator to the gas cylinder valve. Ensure a tight, leak-free connection. Connect the other end of the hose to the heater's gas inlet.
5. **Leak Test:** Before first use, perform a leak test on all gas connections using a soapy water solution. Bubbles indicate a leak. Do not use the heater if a leak is detected.

# Features walkthrough

Safe and secured use

Coated steel construction

Push-in piezo burner ignition

Lockable hinged door

Gas cylinder securing belt

Fits up to 9kg propane cylinder  
(Not included)



*Image: An internal view of the Devanti Gas Patio Heater, illustrating the placement of a gas cylinder, the gas cylinder securing belt, the lockable hinged door, and the push-in piezo burner ignition mechanism.*



*Image: A detailed breakdown of key components including the aluminium reflector, stainless steel flame safeguard, 304 stainless steel construction, double emitter, and the AGA approved 0.5m hose and regulator.*

## OPERATING INSTRUCTIONS

1. **Gas Supply:** Ensure the gas cylinder valve is fully open.
2. **Ignition:** Turn the control knob to the 'IGNITE' position. Push and hold the control knob down while simultaneously pressing the piezo igniter button repeatedly until the pilot flame ignites. Continue to hold the control knob down for approximately 10-15 seconds after ignition to allow the thermocouple to heat up.

3. **Adjusting Heat:** Once the pilot flame is stable, release the control knob. Turn the control knob to the desired heat setting (LOW or HIGH). The heater features a double emitter design for efficient heat distribution.
4. **Shutting Down:** To turn off the heater, turn the control knob to the 'OFF' position. Then, close the gas supply valve on the cylinder.



*Image: A split image demonstrating the difference between 'Low heat' for warm and comfortable heating on cooler days and 'High heat' for rapid and effective heating on colder days, with an inset showing the control knob.*

## MAINTENANCE

The Devanti Gas Patio Heater is designed for silent and maintenance-free operation. However, regular inspection and basic cleaning are recommended to ensure optimal performance and longevity.

- **Cleaning:** Ensure the heater is completely cool before cleaning. Wipe exterior surfaces with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **Inspection:** Periodically check the gas hose and connections for any signs of wear, cracks, or leaks. Replace any damaged components immediately.
- **Storage:** When not in use for extended periods, disconnect the gas cylinder and store the heater in a dry, protected area.

## TROUBLESHOOTING

Problem	Possible Cause	Solution
Heater will not ignite	Gas cylinder empty or valve closed Air in gas line Igniter not sparking Thermocouple not heating	Check gas level and open valve Purge air by attempting ignition several times Check igniter electrode and wiring Hold control knob down longer after ignition
Low flame or inconsistent heat	Low gas pressure Partial blockage in gas line/burner	Check gas cylinder level Inspect hose and burner for obstructions (ensure heater is off and cool)
Heater shuts off unexpectedly	Tip-over switch activated Flame failure device activated (e.g., strong wind) Oxygen Depletion System activated	Ensure heater is upright on a stable surface Relight heater, consider wind protection Ensure adequate ventilation

## SPECIFICATIONS

Feature	Specification
Brand	Devanti
Model Number	Artiss Furnishings
Gas Type	Propane, Butane & Mixtures (LPG)
Max Heat Output	10kW (36.00 MJ/h Nominal GC)
Heating Area	Up to 20m <sup>2</sup>
Material	Stainless steel and coated steel
Ignition	Push-in piezo burner ignition
Safety Features	Safety tip-over switch, Flame failure device, Oxygen Depletion System
Hose & Regulator	AGA approved, 0.5m hose included
Gas Cylinder Fitment	Fits up to 9kg gas cylinder (not included)
Overall Dimensions	53cm (D) x 131cm (H)
Item Weight	16.8 kg
Color	Black and Silver



*Image: The Devanti Gas Patio Heater with key dimensions indicated: 50cm top diameter, 53cm base diameter, and 131cm overall height.*

## WARRANTY AND SUPPORT

This Devanti Gas Patio Heater comes with a 1-year warranty from the date of purchase. Please retain your proof of purchase for warranty claims.

For technical support, spare parts, or warranty inquiries, please contact Devanti customer service through the retailer where the product was purchased or refer to the official Devanti website for contact information.

