

Well Shin WS-001 WS-002

Well Shin WS-001 WS-002 Power Cord Assembly Instruction Manual

Model: WS-001, WS-002 | Part Number: D615289

1. INTRODUCTION

This manual provides essential information for the safe and effective use of your Well Shin WS-001 WS-002 Power Cord Assembly. Please read these instructions carefully before installation and operation. Keep this manual for future reference.

1.1 Safety Information

- Always ensure the power source voltage and current ratings match the cord's specifications (125V-AC, 10A).
- Do not use the power cord if it is damaged, frayed, or has exposed wires.
- Avoid placing the cord in high-traffic areas where it could be tripped over or damaged.
- Do not overload the power cord or the circuit it is connected to.
- Ensure proper grounding when connecting to devices that require it. This cord features a Type B plug with a grounding pin.
- Disconnect the power cord from the outlet before cleaning or performing any maintenance on connected devices.

2. SETUP AND INSTALLATION

The Well Shin WS-001 WS-002 Power Cord Assembly is designed for connecting electronic devices to a standard electrical outlet.

2.1 Identifying Components



A black power cord, neatly coiled and secured, showing both the male plug and female connector ends.

- **Male Plug (NEMA 5-15P):** This end connects to a standard wall outlet.
- **Female Connector (IEC C13):** This end connects to the power input port of your electronic device.

2.2 Connection Procedure

1. Ensure the electronic device is turned off and unplugged from any existing power source.
2. Insert the female IEC C13 connector end of the power cord firmly into the corresponding power input port on your electronic device.



A detailed view of the female connector, clearly showing the "WELL SHIN WS-002" branding and specifications molded into the plastic.

3. Insert the male NEMA 5-15P plug end of the power cord firmly into a standard, grounded 125V-AC wall outlet.



A close-up view of the male plug end of the power cord, featuring two flat pins and a round grounding pin.

4. Once both ends are securely connected, you may power on your electronic device.

3. OPERATING INSTRUCTIONS

This power cord functions as a direct replacement or extension for compatible electronic devices. Once properly connected as described in the Setup section, the cord facilitates the flow of electrical power from the wall outlet to your device.

- Ensure the cord is not kinked or bent sharply during use.
- Do not pull the cord to disconnect; always grasp the plug or connector housing.

4. MAINTENANCE AND CARE

Proper care extends the life of your power cord and ensures safe operation.


- **Regular Inspection:** Periodically inspect the entire length of the cord, including the plugs and connectors, for any signs of damage such as cuts, abrasions, cracks, or discoloration.
- **Cleaning:** Disconnect the cord from all power sources before cleaning. Wipe the cord with a dry, soft cloth. Do not use liquid cleaners or immerse the cord in water.
- **Storage:** When not in use, coil the cord loosely to prevent kinking. Store in a cool, dry place away from direct sunlight and extreme temperatures.

5. TROUBLESHOOTING

If you experience issues with your power cord, consider the following:

- **No Power to Device:**
 - Check if the wall outlet is functional by plugging in another device.
 - Ensure both ends of the power cord are fully and securely inserted.
 - Inspect the cord for visible damage. If damaged, discontinue use immediately and replace.
 - Verify that the circuit breaker for the outlet has not tripped.
- **Overheating:** If the cord or plugs feel excessively hot, immediately disconnect from power. This could indicate an overload or internal damage. Do not use the cord again.

6. SPECIFICATIONS



A product label attached to the power cord packaging, displaying model numbers WS-001, WS-002, and the part number D615289, along with electrical ratings.

Feature	Specification
Model Numbers	WS-001, WS-002
Part Number	D615289
Brand	Well Shin
Length	6 FT (approximately 1.83 meters)
Voltage (AC)	125 V-AC
Current Rating	10 A
Connector Gender	Male-to-Female
Male Plug Format	Type B (NEMA 5-15P, 3-prong grounded)
Female Connector Format	IEC C13
UL Listed	No
Product Dimensions	8 x 2 x 1.5 inches (packaged)

7. WARRANTY AND SUPPORT

For warranty information or technical support regarding your Well Shin power cord, please refer to the documentation provided with your purchase or contact the seller directly. Specific warranty terms may vary depending on the retailer and region of purchase.

