

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Kingston Brass](#) /
- › [Kingston Brass FSC8923DKL Kaiser Widespread Lavatory Faucet User Manual](#)

Kingston Brass FSC8923DKL

Kingston Brass FSC8923DKL Kaiser Widespread Lavatory Faucet User Manual

Model: FSC8923DKL

INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of your Kingston Brass FSC8923DKL Kaiser 8-inch Widespread Lavatory Faucet. This faucet features a durable brass construction, a brushed brass finish, and a 3-hole widespread installation design, suitable for various bathroom aesthetics. Please read these instructions thoroughly before beginning installation or use to ensure proper function and longevity of the product.

SAFETY INFORMATION

- Always turn off the main water supply before installing or performing maintenance on the faucet.
- Wear appropriate personal protective equipment, such as safety glasses and gloves, during installation.
- If you are unsure about any part of the installation process, consult a qualified plumber.
- Ensure all connections are secure to prevent leaks. Do not overtighten.
- Keep small parts away from children.

PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Faucet Assembly
- Mounting Hardware
- Pop-Up Drain Assembly



Image: Overview of the Kingston Brass FSC8923DKL Kaiser widespread lavatory faucet, showing the main spout, two handles, and the included pop-up drain components.

SETUP AND INSTALLATION

This faucet is designed for a 3-hole widespread deck mount installation, with an adjustable spread from 8 to 16 inches.

Pre-Installation Steps:

1. Turn off the water supply at the main shut-off valve.
2. Remove the old faucet if applicable. Clean the sink surface thoroughly.
3. Ensure the mounting holes on your sink or countertop are compatible with a widespread faucet (typically three holes). Refer to the technical drawing for specific dimensions.



Image: Detailed technical drawing of the Kingston Brass FSC8923DKL faucet components, including dimensions for spout height, reach, and mounting hole requirements for widespread installation.

Faucet Installation:

1. **Install Handles:** Insert the hot and cold handles into the outer mounting holes. Secure them from underneath the sink using the provided washers and nuts. Ensure the handles are oriented correctly for hot (left) and cold (right) water.
2. **Install Spout:** Place the main spout assembly into the center mounting hole. Secure it from underneath with the provided mounting hardware.

3. **Connect Water Lines:** Connect the hot and cold water supply lines to the corresponding inlets on the faucet handles. Connect the flexible hoses from the handles to the main spout assembly. Use thread sealant tape on all threaded connections to prevent leaks.
4. **Install Pop-Up Drain:** Follow the instructions provided with the pop-up drain assembly. Typically, this involves placing the drain body into the sink drain hole, applying plumber's putty or a gasket, and securing it from underneath with a washer and nut. Connect the lift rod to the faucet's lift mechanism.
5. **Test for Leaks:** Once all connections are secure, slowly turn on the main water supply. Check all connections for leaks. If leaks occur, tighten the connections carefully.



Image: The Kingston Brass FSC8923DKL faucet with its brushed brass finish and black lever handles, fully installed on a white marble countertop with a white sink, demonstrating its widespread configuration.

OPERATING INSTRUCTIONS

The Kingston Brass FSC8923DKL faucet features two lever handles for controlling water flow and temperature.

- **Water Flow:** Turn the handles clockwise to decrease water flow and counter-clockwise to increase water flow.
- **Temperature Control:** The left handle controls hot water, and the right handle controls cold water. Adjust both handles to achieve the desired water temperature.
- **Pop-Up Drain:** Use the lift rod located behind the spout to open and close the sink's pop-up drain.



Image: A close-up view of one of the lever handles of the Kingston Brass FSC8923DKL faucet, highlighting the black silicone rubber coating and the brushed brass finish.

CARE AND MAINTENANCE

Proper care will help maintain the finish and performance of your faucet.

- **Cleaning:** Clean the faucet regularly with a soft cloth and mild soap. Rinse thoroughly with clean water and dry with a soft cloth to prevent water spots.
- **Avoid Harsh Cleaners:** Do not use abrasive cleaners, harsh chemicals, or polishes containing alcohol, ammonia, or bleach, as these can damage the brushed brass finish.
- **Aerator Maintenance:** Periodically unscrew the aerator from the spout tip and clean any accumulated debris or mineral deposits. This helps maintain optimal water flow.
- **Drip-Free Ceramic Disc Cartridge:** The faucet is equipped with a drip-free ceramic disc cartridge, which typically requires no maintenance. If a drip occurs, it may indicate a need for cartridge replacement.



Image: A close-up view of the high-arc spout of the Kingston Brass FSC8923DKL faucet, showcasing its brushed brass finish and elegant curve.

TROUBLESHOOTING

| Problem | Possible Cause | Solution |
|------------------------|---|---|
| Low Water Flow | Clogged aerator Partially closed shut-off valve Debris in water lines | Clean or replace aerator. Ensure shut-off valves are fully open. Flush water lines. |
| Leaks from Faucet Base | Loose mounting nuts Improperly seated gaskets | Tighten mounting nuts. Re-seat gaskets or apply plumber's putty if necessary. |
| Dripping Faucet | Worn or damaged ceramic disc cartridge | Replace the ceramic disc cartridge. |

SPECIFICATIONS

| | |
|--------------------------|---|
| Model Number | FSC8923DKL |
| Brand | Kingston Brass (Fauceture) |
| Material | Solid Brass |
| Finish | Brushed Brass |
| Installation Method | Widespread Deck Mount |
| Number of Holes Required | 3 |
| Spout Height | 8 Inches |
| Spout Reach | 5.38 Inches |
| Number of Handles | 2 |
| Handle Material | Metal with Silicone Rubber Coating |
| Water Consumption | 1.2 Gallons per Minute (GPM) |
| Cartridge Type | Drip-Free Ceramic Disc |
| Special Features | Corrosion Resistant |
| Product Dimensions | 25.4 x 13.67 x 25.55 cm (approx. 10 x 5.4 x 10.06 inches) |
| Item Weight | 2.9 kg (approx. 6.4 lbs) |

Product displayed is FSC8921DKL Polished Chrome finish

Solid Brass Construction

Includes Matching Finish Pop-Up Drain


Installation
Type



Flow Rate
(gallons per min)




Rotating
Swivel Spout



1/4 Turn Lever Handles

Corrosion and Rust-Resistant Finish

3-Hole Installation



Matte
Black



Polished
Chrome



Brushed
Brass



Oil Rubbed
Bronze



Brushed
Nickel



Polished
Nickel



Antique
Copper

Durable Construction

Premier Finishes

© 2023 Kingston Brass Inc. All Rights Reserved



2023-06-A

Image: Diagram illustrating key features such as solid brass construction, 1/4 turn lever handles, rotating swivel spout, 3-hole installation, and 1.2 GPM flow rate, along with available finishes.







WARRANTY AND SUPPORT

For specific warranty information and customer support, please refer to the documentation included with your purchase or visit the official Kingston Brass website. Keep your proof of purchase for warranty claims.

For technical assistance or replacement parts, contact Kingston Brass customer service.



Related Documents - FSC8923DKL

| | |
|--|---|
|  <p>KINGSTON GKB981,2,5,8AX Widespread Lavatory Faucet with Retail Pop-Up</p> | <p>Kingston GKB981,2,5,8AX Widespread Lavatory Faucet Parts Diagram</p> <p>Detailed parts diagram and identification for the Kingston Brass GKB981,2,5,8AX Widespread Lavatory Faucet with Retail Pop-Up, including part numbers and descriptions.</p> |
|  <p>KINGSTON GKB981,2,5,8KL Widespread Lavatory Faucet with Retail Pop-Up</p> | <p>Kingston Brass GKB981,2,5,8KL Widespread Lavatory Faucet Parts Diagram</p> <p>Detailed parts list and identification for the Kingston Brass GKB981,2,5,8KL Widespread Lavatory Faucet with Retail Pop-Up, including model numbers and component descriptions.</p> |
|  <p>KINGSTON</p> | <p>Kingston Brass KB985KL Widespread Lavatory Faucet Installation and Maintenance Guide</p> <p>Detailed installation and maintenance instructions for the Kingston Brass KB985KL widespread lavatory faucet, featuring parts lists, step-by-step assembly, and care tips for optimal performance and longevity.</p> |
|  <p>KINGSTON</p> | <p>Kingston Brass Magellan KB982ALL Widespread Lavatory Faucet Installation and Maintenance Guide</p> <p>Detailed installation and maintenance guide for the Kingston Brass Magellan KB982ALL widespread lavatory faucet. Includes parts lists, care instructions, and step-by-step assembly guidance.</p> |
|  <p>KINGSTON</p> | <p>Kingston Brass Widespread Lavatory Faucet Installation and Maintenance Guide</p> <p>Comprehensive guide for installing and maintaining your Kingston Brass Widespread Lavatory Faucet, including parts lists, step-by-step instructions, and care tips.</p> |
|  <p>KINGSTON</p> | <p>Kingston Brass Widespread Lavatory Faucet Installation and Maintenance Guide</p> <p>Comprehensive installation and care guide for Kingston Brass widespread lavatory faucets, featuring step-by-step instructions, parts lists, and maintenance tips.</p> |