

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Delta](#) /
- › [Delta In2ition 2-in-1 Dual Shower Head with Handheld Spray \(Model 75486C\) Instruction Manual](#)

Delta 75486C

Delta In2ition 2-in-1 Dual Shower Head with Handheld Spray (Model 75486C) Instruction Manual

Model: 75486C


1. INTRODUCTION

This manual provides instructions for the installation, operation, and maintenance of your Delta In2ition 2-in-1 Dual Shower Head with Handheld Spray, Model 75486C. This product combines a fixed shower head with a detachable handheld spray, offering versatile functionality for various showering needs. Please read these instructions thoroughly before installation and use to ensure proper function and longevity of the product.





Image 1.1: The Delta In2ition 2-in-1 Dual Shower Head in Chrome finish, showing both the main shower head and the integrated handheld unit.



THE DAILY ESCAPE YOU LIVE FOR & THE UTILITY YOU REACH FOR.

Innovative dual-purpose design

Image 1.2: Illustrates the dual functionality of the In2ition shower head, suitable for personal showering and tasks like bathing children or pets.

2. INCLUDED COMPONENTS

Verify that all components are present before beginning installation:

- Shower Head with Integrated Handheld Spray
- 60-inch Flexible Hose
- Mounting Bracket/Diverter
- Installation Instructions (this manual)

Note: The shower arm is not included and must be purchased separately if needed.

3. INSTALLATION

The Delta In2ition shower head is designed for DIY installation onto a standard shower arm. No specialized tools are typically required beyond a wrench and plumber's tape.

3.1 Preparation

1. Turn off the water supply to your shower.
2. Remove your existing shower head by unscrewing it counter-clockwise from the shower arm.
3. Clean any old plumber's tape or sealant from the shower arm threads.

3.2 Attaching the Shower Head

1. Apply plumber's tape clockwise around the threads of the shower arm.
2. Screw the main shower head assembly onto the shower arm by hand until snug.
3. Use a wrench to tighten an additional quarter to half turn. Do not overtighten.
4. Attach the flexible hose to the handheld spray unit and to the designated connection point on the main shower head assembly. Ensure all connections are hand-tightened, then use a wrench for a final snug turn.




Image 3.1: The shower head is designed for quick and easy installation onto a standard shower arm.

Important: Check for leaks after turning the water supply back on. If leaks occur, tighten connections slightly or reapply plumber's tape.

4. OPERATING INSTRUCTIONS

Your Delta In2ition shower head offers four distinct spray settings and the flexibility to use the main shower head, handheld spray, or both simultaneously.

4.1 Spray Settings

Rotate the dial on the face of the shower head to cycle through the following spray patterns:

- **Powerful Full Body Spray:** Provides a strong, invigorating spray for a complete rinse.
- **Massaging Spray:** A concentrated, pulsating spray for muscle relaxation.
- **Full Body Spray with Massage:** Combines the full body spray with the massaging spray for a comprehensive experience.
- **Pause:** Reduces water flow to a trickle, conserving water during tasks like lathering or shaving without changing temperature settings.

IN2ITION[®] TWO-IN-ONE SHOWER



WATER WHERE YOU
NEED IT MOST


Image 4.1: Visual representation of the four available spray settings.



Powerful Full Spray



Rejuvenating Massage



Pause Spray

4.2 Using the Handheld Spray

The handheld spray can be detached from the main shower head for increased flexibility. A diverter lever on the main unit allows you to switch between the main shower head, the handheld spray, or both simultaneously.

- To detach the handheld spray, gently pull it from its seated position in the main shower head.
- To reattach, align the handheld spray with the main unit and push it firmly into place until it clicks securely.
- Use the diverter lever to select your desired water output mode.



Image 4.2: Both the main shower head and the handheld spray are active, demonstrating simultaneous operation.

5. MAINTENANCE

Regular cleaning will help maintain the performance and appearance of your Delta In2ition shower head.

5.1 Cleaning Spray Holes

The Delta In2ition features Touch-Clean spray holes. Mineral residue and lime build-up can be easily removed by simply wiping the rubber nozzles with your finger or a soft cloth. This eliminates the need for chemical cleaners or soaking.



Image 5.1: Demonstrates the Touch-Clean feature, allowing easy removal of mineral build-up from spray holes.

5.2 General Cleaning

Clean the exterior surfaces with a soft, damp cloth and mild soap. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.

6. TROUBLESHOOTING

This section addresses common issues you might encounter with your shower head.

Problem	Possible Cause	Solution
Low Water Pressure	Mineral build-up in spray holes; flow restrictor; inadequate household water pressure.	Clean spray holes using the Touch-Clean feature. Ensure the flow restrictor (if present and removable per local codes) is not obstructed. Consult a plumber for household water pressure issues.
Leaks at Connections	Loose connections; insufficient plumber's tape; damaged washer.	Ensure all connections are tightened properly. Reapply plumber's tape if necessary. Check washers for damage and replace if worn.
Handheld Not Seating Properly	Misalignment; obstruction.	Ensure the handheld is correctly aligned with the main unit's cradle. Check for any debris obstructing the seating mechanism.
Diverter Not Switching Properly	Mineral build-up; internal mechanism issue.	Attempt to flush the system by running water through all settings. If the issue persists, contact Delta customer support.

7. SPECIFICATIONS

Feature	Detail
Model Number	75486C
Brand	Delta
Material	Plastic
Finish Type	Polished Chrome
Installation Type	Wall Mounted

Feature	Detail
Flow Rate	1.75 GPM (Gallons Per Minute)
Number of Settings	4
Hose Length	60 Inches
Product Dimensions	5.81"L x 6.13"W (Main Shower Head)
Item Weight	1.96 pounds
Certification	WaterSense

ADDITIONAL INFORMATION

DIMENSIONS

NUMBER OF SPRAY SETTINGS
4 sprays

SHOWER HEAD DEPTH
5.81 inches

HOSE
60 inches

SHOWER ARM
Not included

WATERSENSE® LABELED PRODUCT
Yes





HAND SHOWER WIDTH
6.13 inches

SHOWER HEAD AND HAND SHOWER LENGTH
10.13 inches

Image 7.1: Dimensional diagram of the Delta In2ition shower head, indicating width and length.

8. WARRANTY INFORMATION

This Delta product is backed by a Lifetime Faucet and Finish Limited Warranty. This warranty covers defects in

material and manufacturing for as long as the original consumer purchaser owns the home in which the faucet was first installed. For full details regarding warranty coverage, limitations, and how to make a claim, please refer to the official Delta Faucet website or contact customer support.



Image 8.1: Lifetime Limited Warranty icon.

9. CUSTOMER SUPPORT

For further assistance, technical support, or to inquire about replacement parts, please contact Delta Faucet customer service. You can find contact information and additional resources on the official [Delta Faucet website](#).

