#### Manuals+

Q & A | Deep Search | Upload

## manuals.plus /

- > Philips Lighting /
- > Philips MyLiving CAVANAL LED Ceiling Light User Manual

# Philips Lighting 3281031P3

# Philips MyLiving CAVANAL LED Ceiling Light

Model: 3281031P3

#### INTRODUCTION

This user manual provides essential information for the safe and efficient installation, operation, and maintenance of your Philips MyLiving CAVANAL LED Ceiling Light. Please read this manual thoroughly before installation and keep it for future reference.

# **SAFETY INFORMATION**

- **Electrical Safety:** Installation must be performed by a qualified electrician and in accordance with local electrical codes. Always disconnect power at the main fuse or circuit breaker before installation or maintenance.
- Handling: Handle the product with care to avoid damage. Do not drop or subject the light to strong impacts.
- Environment: This product is designed for indoor use only (IP20 rating). Do not expose to water or high humidity.
- **Light Source:** The LED light source is integrated and not replaceable. Do not attempt to disassemble the light fixture.
- Cleaning: Clean only with a soft, dry cloth. Do not use abrasive cleaners or solvents.

## PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- · Philips MyLiving CAVANAL LED Ceiling Light fixture
- Mounting hardware (screws, wall plugs)
- · User Manual (this document)

## SETUP AND INSTALLATION

Follow these steps carefully to install your ceiling light. It is recommended to have two people for installation.

- 1. Prepare for Installation:
  - Disconnect Power: Turn off the main power supply to the installation area at the circuit breaker or fuse box.

Verify that power is off using a voltage tester.

• Unpack: Carefully remove the light fixture and all components from the packaging. Inspect for any damage.

#### 2. Mounting the Fixture:



Figure 1: Philips MyLiving CAVANAL LED Ceiling Light. This image shows the square white LED ceiling light, designed for flush mounting, with a smooth, minimalist appearance.

- Mark Drilling Points: Hold the mounting bracket (if separate) or the fixture base against the ceiling at the desired installation location. Use a pencil to mark the drilling points.
- *Drill Holes:* Drill holes at the marked points using an appropriate drill bit for your ceiling material. Insert wall plugs if necessary.
- Secure Mounting Bracket: Attach the mounting bracket or fixture base to the ceiling using the provided screws.
   Ensure it is securely fastened.

#### 3. Electrical Connection:

- Connect Wires: Connect the electrical wires from the ceiling to the corresponding terminals on the light fixture.
   Typically, this involves connecting live (L), neutral (N), and earth (ground) wires. Ensure all connections are tight and secure. Refer to the wiring diagram if provided with the product.
- Tuck Wires: Carefully tuck all wires into the junction box or fixture base, ensuring no wires are pinched.

#### 4. Attach the Fixture:

Secure Fixture: Align the light fixture with the mounting bracket/base and secure it using the provided screws
or locking mechanism. Ensure the fixture is flush with the ceiling and stable.

#### 5. Restore Power:

- Turn On Power: Restore power at the main circuit breaker or fuse box.
- Test Light: Turn on the light switch to verify that the fixture is working correctly.

## **OPERATING INSTRUCTIONS**

- Turning On/Off: Use a standard wall switch connected to the light fixture to turn the light on or off.
- **Dimming Function:** This light is dimmable. If connected to a compatible dimmer switch (sold separately), you can adjust the light intensity to your preference. Ensure the dimmer switch is suitable for LED lighting.

## MAINTENANCE

The Philips MyLiving CAVANAL LED Ceiling Light requires minimal maintenance.

- **Cleaning:** To clean the fixture, ensure the power is off. Use a soft, dry, lint-free cloth to wipe the surface. Do not use liquid or aerosol cleaners, as they may damage the finish or electrical components.
- **Light Source:** The integrated LED light source is designed for a long lifespan (20,000 hours) and is not user-replaceable. If the light source fails, the entire fixture must be replaced.

### **TROUBLESHOOTING**

If you encounter issues with your Philips MyLiving CAVANAL LED Ceiling Light, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Light does not turn on.	No power supply. Loose electrical connection. Faulty wall switch.	Check circuit breaker/fuse.  Ensure all wires are securely connected (disconnect power first!).  Test the wall switch or replace if necessary.
Light flickers or dims unexpectedly.	Incompatible dimmer switch. Loose connection.	Ensure dimmer switch is compatible with LED lighting.  Check electrical connections (disconnect power first!).
Light is not as bright as expected.	Dimmer setting too low.  Dust accumulation on diffuser.	Adjust dimmer to maximum brightness. Clean the light fixture with a dry cloth.

If the problem persists after trying these solutions, please contact customer support.

### **S**PECIFICATIONS

Feature	Detail
Brand	Philips Lighting
Model Number	3281031P3
Product Dimensions (L x W x H)	38.6 x 32.8 x 14 cm (15.2 x 12.9 x 5.5 inches)
Weight	436 grams (0.96 lbs)
Ingress Protection (IP) Rating	IP20
Style	Integrated LED
Color	White

Feature	Detail
Material	Plastic
Finish Type	White
Number of Light Sources	1
Maximum Wattage	19 Watts
Voltage	230 Volts
Special Feature	Dimmable
Light Source Type	LED
Incandescent Equivalent Wattage	115 Watts
Color Rendering Index (CRI)	80
Rated Lifetime	20,000 hours
Color Temperature	4000K (Cool White)

# WARRANTY AND SUPPORT

For warranty information and technical support, please refer to the official Philips Lighting website or contact their customer service directly.

- Official Website: www.lighting.philips.com
- Customer Support: Refer to the contact information provided on the Philips Lighting website for your region.

Keep your purchase receipt as proof of purchase for warranty claims.


© 2023 Philips Lighting. All rights reserved.

# Related Documents - 3281031P3



# Ledinaire Highbay BY030P - Product Specifications and Installation Guide

Comprehensive product information, technical specifications, safety guidelines, and installation instructions for the Philips Lighting Ledinaire Highbay BY030P luminaire.



Documents - Philips Lighting - 3281031P3



#### [pdf] Catalog

3281031P3 Philips Plafondlamp Subject Geïntegreerde LED lichtbron Gelijkmatige lichtverdeling Krachtige verlichting 80% energiebesparing Onderhoudsarm Lange levensduur Koninklijke NV 3281031P0 Cavanal SceneSwitch 18W plafondlamp Koel Wit 511 kb Goedkoper Met 8718696169292 goedkopermetled nl media catalog product led |||

Philips Plafondlamp 32810/31/P3 En lamp, uw schakelaar, drie lichtinstellingen De Philips Cavanal L ... Krachtige verlichting Duurzame verlichting Lange levensduur - tot 15 jaar Plafondlamp Kenmerken **3281031P3** Specificaties Gentegreerde LED-lichtbron 80 energiebesparing Een lichtbron waarop u ku...

lang:nl score:22 filesize: 497.94 K page\_count: 2 document date: 2018-05-23



### [pdf] Catalog

20221016 catalistino lums non connessi lug22 assets signify is content Signify Assets philips lighting italy

LED Luminaires Edizione Luglio 2022 Catalistino apparecchi non connessi Indice Lampade da soffit ... ntetico Quadrata 30 Cm 18W Step Dimmable S LED integrato 18 IP20 Step Dim 1500-750-150 2700 K **3281031P3** 8718696169292 Cavanal 4000K Plafoniera Bianca Sparkling In Sintetico Quadrata 30 Cm 18W ...

lang:it score:9 filesize: 2.79 M page\_count: 40 document date: 2022-07-28



## [pdf] User Manual Catalog

20210401 catalogo home assets signify is content Signify Assets philips lighting spain |||
Home Lighting Luminarias y Lmparas 2021 Luminrias e Lmpadas 2021 Home
Lighting Luminarias y Lmpar ... um Im Material IP Color Led integrado EAN GPC
Plafn 4000 18 1600-800-160 plstico IP20 blanco S 3281031P3 915005676701 PVPR
40,99 80 No regulable Scene Switch 4000 15.000 35 cmx35 cmx6,7 cm 0,65...
lang:es score:8 filesize: 59.04 M page\_count: 243 document date: 2021-03-17