

[Manuals.plus](#) /

› [DEWALT](#) /

› DEWALT DXTT-2-200 9-in-1 Painter's Multi-Tool Instruction Manual

## DEWALT DXTT-2-200

# DEWALT DXTT-2-200 9-in-1 Painter's Multi-Tool Instruction Manual

Model: DXTT-2-200 | Brand: DEWALT

## INTRODUCTION

The DEWALT DXTT-2-200 9-in-1 Painter's Multi-Tool is a versatile and durable tool designed for various painting and drywall finishing tasks. Crafted from hardened, mirror-polished carbon steel, this tool combines nine essential functions into one compact design, making it an indispensable asset for professionals and DIY enthusiasts alike. Its ergonomic, lightweight nylon handle ensures comfort and reduces fatigue during prolonged use.





Figure 1: The DEWALT DXTT-2-200 9-in-1 Painter's Multi-Tool, showcasing its compact design and multiple features.

## IMPORTANT SAFETY INFORMATION

Please read and understand all safety instructions before using the DEWALT DXTT-2-200 multi-tool. Failure to follow these instructions may result in injury or damage to the tool.

- **WARNING:** DEWALT blades are sharp. Always handle the tool with care to prevent cuts or injuries.
- Keep DEWALT blades and the multi-tool out of reach of children.
- Always wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when using the tool.

- Ensure your work area is well-lit and clear of obstructions.
- Do not use the tool for purposes other than those specified in this manual.

## PRODUCT FEATURES

The DEWALT DXTT-2-200 is engineered with high-quality materials and a multi-functional design to provide exceptional performance and durability.

- **High-Carbon Steel Blade:** Forged from premium hardened carbon steel for superior durability and rigidity.
- **Ergonomic Soft-Grip Handle:** Lightweight nylon handle, impact and solvent resistant, designed for comfortable, all-day use with minimal fatigue.
- **Riveted Handle:** Handle is riveted to the blade for enhanced strength and security.
- **Large Hang Hole:** Integrated into the handle for convenient storage.
- **Metal Alloy Hammer Head:** Located at the end of the handle, suitable for resetting drywall nails and providing added blade protection if dropped.



**FORGED FROM PREMIUM  
CARBON STEEL.**  
**FOR DURABILITY & RIGIDITY**

Figure 2: The tool's blade, highlighting its construction from premium carbon steel for enhanced durability.



Figure 3: Close-up of the metal alloy hammer head at the end of the handle.

## SETUP AND FIRST USE

Before using your DEWALT DXTT-2-200 multi-tool for the first time, please note the following:

- The blade is coated with an anti-rust varnish for storage and shipping. This coating will come off during the first use.
- After the coating is removed, the blade will be susceptible to rust if not properly maintained. Refer to the "Maintenance" section for care instructions.

## OPERATING INSTRUCTIONS: 9-IN-1 FUNCTIONS

The DEWALT DXTT-2-200 multi-tool integrates nine distinct functions for various tasks. Below are instructions for each:



**ERGONOMICALLY SHAPED,  
SOFT-GRIP HANDLE WITH  
LARGE HANG HOLE**

## **9-IN-1 USES:**

- 1. STRAIGHT SCRAPER**
- 2. CURVED SCRAPER  
(CONCAVE AND CONVEX)**
- 3. GOUGER, PAINT ROLLER**
- 4. CLEANER**
- 5. CAN OPENER**
- 6. BOTTLE OPENER**
- 7. NAIL PULLER**
- 8. SCREWDRIVER**
- 9. HAMMER**

Figure 4: Visual representation of the nine functions integrated into the tool's design.

- 1. Straight Scraper:** Use the straight edge of the blade for general scraping tasks, such as removing loose paint, wallpaper, or debris from flat surfaces.



Figure 5: Demonstrating the straight scraper function on a surface.

2. **Curved Scraper (Concave and Convex):** The curved edges are ideal for scraping curved surfaces or for more precise removal of materials.
3. **Gouger:** The pointed tip and sharpened edges can be used for gouging or cleaning out grooves and tight spaces.
4. **Paint Roller Cleaner:** The semi-circular cutout near the handle is designed to clean excess paint from roller covers. Slide the roller cover through the cutout to squeeze off paint.
5. **Can Opener:** The hook-shaped projection on the side of the blade is used to pry open paint cans. Insert the hook under the lid and gently pry upwards.



Figure 6: Using the tool to open a paint can.

6. **Bottle Opener:** The smaller, rounded cutout can be used to open bottle caps.
7. **Nail Puller:** The V-shaped notch near the base of the blade is designed to extract nails. Position the notch around the nail head and leverage the handle to pull the nail out.
8. **Screwdriver:** The flat end of the blade can function as a flat-head screwdriver for light-duty tasks.



Figure 7: Close-up of the screwdriver tip feature.

9. **Hammer:** The metal alloy end of the handle can be used to lightly tap or reset drywall nails. Avoid using excessive force to prevent damage to the tool or surface.

## MAINTENANCE AND CARE

Proper maintenance is crucial to ensure the longevity and performance of your DEWALT DXTT-2-200 multi-tool, especially since the carbon steel blade is susceptible to rust after the initial protective coating wears off.

- **Cleaning:** After each use, thoroughly wash the blade to remove any paint, drywall compound, or debris.
- **Rust Prevention:** Immediately after cleaning and drying, apply a protective lubricant (e.g., light machine oil, WD-40, or a rust-inhibiting spray) to the entire blade surface.
- **Storage:** Store the tool in an upright position after washing to allow any residual water to drip off and ensure the blades air dry completely before applying lubricant and storing. Utilize the large hang hole for convenient and proper storage.
- **Sharpening:** If the scraping edges become dull over time, they can be carefully sharpened using a fine-grit

sharpening stone or file.

## TROUBLESHOOTING

Most issues with the DEWALT DXTT-2-200 multi-tool can be resolved with proper care and usage. Here are some common concerns and their solutions:

Problem	Possible Cause	Solution
Blade is rusting.	Improper drying or lack of protective lubricant after use.	Thoroughly clean and dry the blade after each use. Apply a protective lubricant (e.g., light oil) to the entire blade surface before storage. Store in a dry environment.
Scraping edges are dull.	Normal wear and tear from repeated use.	Sharpen the scraping edges using a fine-grit sharpening stone or file.
Difficulty opening paint cans.	Incorrect leverage or technique.	Ensure the hook is fully engaged under the lid. Apply steady, upward pressure. For stubborn lids, try multiple points around the rim.

## SPECIFICATIONS

Attribute	Detail
Model Number	DXTT-2-200
Manufacturer	LEVEL5 Tools
Material (Blade)	High-Carbon Steel
Material (Handle)	Nylon
Dimensions (L x W x H)	24.13 x 3.81 x 0.1 cm (approx. 9.5 x 1.5 x 0.04 inches)
Weight	160 grams (approx. 0.35 lbs)
Functions	9-in-1 (Straight Scraper, Curved Scraper, Gouger, Paint Roller Cleaner, Can Opener, Bottle Opener, Nail Puller, Screwdriver, Hammer)

## WARRANTY AND SUPPORT

DEWALT tools are known for their durability and quality. For specific warranty information regarding your DXTT-2-200 multi-tool, please refer to the documentation provided with your purchase or visit the official DEWALT website. For technical support, product inquiries, or to locate authorized service centers, please contact DEWALT customer service or visit their official website:

[DEWALT Official Website](#)

This product is manufactured by LEVEL5 Tools, LLC under license from DEWALT Industrial Tool Co.