

[Manuals.plus](#) /

› [DELTA](#) /

› Delta Faucet Pivotal Single-Handle Kitchen Sink Faucet with Pull Out Sprayer, Chrome 4193-DST User Manual

DELTA 4193-DST

Delta Faucet Pivotal Single-Handle Kitchen Sink Faucet

MODEL 4193-DST USER MANUAL

Product Overview

The Delta Faucet Pivotal Single-Handle Kitchen Sink Faucet with Pull Out Sprayer, model 4193-DST, is designed to provide reliable performance and modern aesthetics for your kitchen. Featuring a sleek chrome finish, this faucet incorporates advanced technologies for durability and ease of use.



Image: The Delta Pivotal Single-Handle Kitchen Sink Faucet in Chrome, showcasing its modern design and pull-out sprayer.

Key features include:

- **DIAMOND Seal Technology:** Engineered to reduce leak points and ensure long-lasting, leak-free operation.
- **Touch-Clean Spray Holes:** Allows for easy removal of mineral build-up with a simple wipe.
- **Pull-Out Sprayer:** Offers extended reach and flexibility for various kitchen tasks.
- **120-Degree Swivel:** Provides ample clearance and convenience for sink activities.
- **ADA Compliant:** Meets accessibility standards for ease of use.

Setup and Installation

This faucet is designed for single-hole or 3-hole, 8-inch configurations. An optional deck plate is sold separately for 3-hole installations. For detailed step-by-step instructions, please refer to the official installation manual provided with your product or available for download from the Delta Faucet website.

General Installation Steps:

1. **Prepare the Area:** Ensure the water supply is turned off and clear the sink area.
2. **Mount the Faucet:** Secure the faucet body to the sink or countertop opening.

3. **Connect Water Lines:** Attach the hot and cold water supply lines to the corresponding connections on the faucet.
4. **Install Weight:** Attach the weight to the pull-out hose to ensure proper retraction.
5. **Test for Leaks:** Slowly turn on the water supply and check all connections for leaks.

Operating Instructions

The Delta Pivotal faucet features a single lever handle for controlling both water temperature and flow volume.



Image: A child and adult interacting with a Delta faucet, demonstrating ease of use, potentially with Touch2O technology.

- **Turning On/Off:** Lift the handle to turn on the water. Push down to turn off.
- **Adjusting Temperature:** Move the handle left for hot water and right for cold water.
- **Adjusting Flow:** The further you lift the handle, the greater the water flow.
- **Using the Pull-Out Sprayer:** Grasp the sprayer head and pull it out from the spout. Press the button on the sprayer head to switch between stream and spray modes. Once finished, guide the sprayer head back into the spout until it seats securely. The magnetic docking system ensures it stays in place.



Image: A man holding a baby while operating a Delta faucet, highlighting the convenience of touch-activated features for busy hands.

Maintenance and Care

Proper care will ensure the longevity and appearance of your Delta faucet.

- **Cleaning the Finish:** Clean the chrome finish with a soft, damp cloth. Avoid abrasive cleaners, harsh chemicals, or polishes that could damage the finish.
- **Cleaning Touch-Clean Spray Holes:** If mineral deposits accumulate on the spray holes, simply wipe them with your finger or a soft cloth to dislodge the build-up.
- **Aerator Maintenance:** Periodically unscrew the aerator from the end of the spout and rinse out any debris to maintain optimal water flow.

Troubleshooting

If you encounter issues with your faucet, try these common solutions:

- **Low Water Flow:** Check if the aerator is clogged with debris. Clean or replace the aerator. Ensure water supply valves are fully open.
- **Leaks from Spout:** This may indicate an issue with the internal valve or seals. Refer to the installation manual for cartridge replacement instructions or contact customer support.
- **Sprayer Not Retracting:** Ensure the weight on the hose is positioned correctly and not obstructed under the sink. Check for kinks in the hose.
- **Water Temperature Issues:** Verify that both hot and cold water supply lines are connected correctly and that the water heater is functioning.

For persistent issues, please contact Delta Faucet customer support.

Specifications

Feature	Detail
Model Number	4193-DST
Brand	DELTA
Finish Type	Chrome
Material	Metal
Mounting Type	Deck Mount
Number of Handles	1
Hole Count	1 (or 3 with optional deck plate)
Maximum Flow Rate	1.8 Gallons Per Minute
Spout Height	11 Inches
Spout Reach	9.38 Inches
Item Weight	1.6 ounces
Product Dimensions	4.5"D x 10"W x 11"H

Warranty Information

This Delta Faucet is backed by a **Lifetime Limited Warranty**. This warranty covers defects in material and manufacturing for as long as the original consumer purchaser owns the home in which the faucet was first installed.

For full details and terms of the warranty, please refer to the documentation included with your product or visit the official Delta Faucet website.

Customer Support

For assistance with installation, troubleshooting, or warranty claims, Delta Faucet's highly trained customer care team is available to help.



Image: A Delta Faucet customer service representative with a headset, ready to assist customers.

You can reach customer support at: 1-800-345-3358

For more information and to explore other Delta products, visit the official [Delta Faucet Store](#).