

DELTA 3532LF-MPU

Delta Faucet Woodhurst Widespread Bathroom Faucet

Model: 3532LF-MPU

Brand: DELTA

INTRODUCTION

The Delta Faucet Woodhurst Widespread Bathroom Faucet in Chrome (Model 3532LF-MPU) is designed to provide a refined and functional addition to your bathroom. This manual provides detailed instructions for installation, operation, maintenance, and troubleshooting to ensure optimal performance and longevity of your faucet.

The Woodhurst Collection features a classic design with button-cap detailing, offering both aesthetic appeal and reliable functionality. Delta faucets are engineered for durability and ease of use, backed by a Lifetime Limited Warranty.



Image: The Delta Woodhurst Widespread Bathroom Faucet in Chrome, showcasing its elegant design with two handles and a curved spout.

SPECIFICATIONS

Feature	Detail
Brand	DELTA
Model Name	Woodhurst™
Model Number	3532LF-MPU
Color	Chrome
Finish Type	Chrome
Material	Zinc (Body), Stainless Steel (Handle)
Mounting Type	Deck Mount
Installation Type	Deck Mounted
Hole Count	3
Number of Handles	2
Special Feature	Pop Up Drain

Feature	Detail
Maximum Flow Rate	1.2 Gallons Per Minute
Water Consumption	1.2 Gallons per Minute
Spout Height	6 Inches
Spout Reach	5.25 Inches
Product Dimensions	2"D x 6"W x 6.81"H
Item Weight	4.62 pounds
Included Components	Instruction Manual, Metal Pop-Up Drain Assembly
First Available Date	July 2, 2018

**HOLES FOR
INSTALLATION**



**ADDITIONAL
INFORMATION**

**MINIMUM CLEARANCE
TO BACKSPLASH**
1.19 inches


DRAIN ASSEMBLY
Included

SUPPLY LINES
Not included

**MAXIMUM DECK
THICKNESS**
1.19 inches

HOLE SIZE
1.13–1.5 inches

**WATER SUPPLY
CONNECTION**
.5 inches


see what Delta can do™

DIMENSIONS



HEIGHT 6 inches

SPOUT REACH 5.25 inches

WIDESPREAD WIDTH RANGE
4.5-16 inches

Image: Detailed diagram showing the dimensions of the Delta Woodhurst faucet, including spout height, spout reach, and widespread width range, along with information on 3-hole installation and maximum deck thickness.

SETUP AND INSTALLATION

The Delta Woodhurst faucet is designed for easy DIY installation, featuring a wrench-free, quick-connect hose system that audibly clicks when water lines are properly connected, helping to prevent leaks. This widespread bathroom faucet is suitable for 3-hole, 4-16 inch widespread installations.

Installation Steps:

1. **Prepare the Sink:** Ensure the sink area is clean and free of debris. Confirm your sink has three holes for widespread faucet installation.
2. **Feed Supply Lines:** Feed the supply lines through the base gaskets and then through the outside holes of the sink.
3. **Feed Spout Inlet:** Feed the spout inlet through the base gasket and then through the center hole of the sink.
4. **Secure Bracket:** Secure the mounting bracket to the mounting stud using the pre-installed nut and included wrench.
5. **Connect Spout to Valve Outlets:** Connect the spout inlet to the valve outlets using the supplied hose.
6. **Connect Supply Lines:** Connect the hot and cold supply lines (not included) to the hot and cold stops and tighten with an adjustable wrench.
7. **Install Drain Assembly:** Install the metal push pop-up drain. The drain unscrews from above the deck for quick removal and easy cleaning.
8. **Test for Leaks:** After installation, remove the aerator with the included wrench, run water for 30 seconds, and then reinstall the aerator. Check all connections for leaks.



A SIMPLIFIED INSTALLATION

QUICK-CONNECT SYSTEM

Wrench-free, quick-connect
hose audibly clicks when water
lines are connected properly



Quick-connect appearance may vary slightly but will function the same

Image: A visual step-by-step guide illustrating the installation process, from feeding supply lines to connecting hoses and securing the faucet.



Image: A close-up view demonstrating the quick-connect hose system, highlighting its wrench-free design and audible click for secure connections.

OPERATING INSTRUCTIONS

The Delta Woodhurst Widespread Bathroom Faucet features two handles for precise control over water temperature and flow. The left handle typically controls hot water, and the right handle controls cold water.

- **Turning On/Off:** Rotate the handles away from the spout to turn on the water. Rotate them back towards the spout to turn off the water.
- **Adjusting Temperature:** Mix hot and cold water by adjusting both handles simultaneously until the desired temperature is achieved.
- **Adjusting Flow:** The further the handles are rotated, the greater the water flow.



WE'RE HERE FOR YOU

Our highly trained customer care team is ready to help on the spot when you call **1-800-345-3358**



Delta Faucet Company has been recognized by J.D. Power by providing
“AN OUTSTANDING CUSTOMER SERVICE EXPERIENCE”
for phone support 3 years in a row.

J.D. Power 2022, 2023, and 2024 Certified Customer Service Program™ recognition is based on successful completion of an evaluation and exceeding a customer satisfaction benchmark through a survey of recent servicing interactions. For more information, visit www.jdpower.com/awards.

Image: The Delta Woodhurst faucet installed on a bathroom sink, with water flowing, demonstrating its functional elegance in a typical bathroom setting.

MAINTENANCE

Proper maintenance will ensure the longevity and continued aesthetic appeal of your Delta Woodhurst faucet. The faucet features a corrosion-resistant Chrome finish and a reliable valve designed for long-lasting performance.

Cleaning the Faucet:

- Clean the faucet regularly with a soft, damp cloth.
- Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.
- For stubborn spots, use a mild soap and water solution, then rinse thoroughly and dry with a soft cloth.

Drain Maintenance:

The metal push pop-up drain is designed for easy cleaning. It can be unscrewed from above the deck for quick removal of hair and other debris that may accumulate in the sink.

Valve Reliability:

The valve cartridge is tested to last at least 500,000 uses, ensuring high performance with minimal drips and smooth handle operation. If you experience persistent dripping or stiffness in the handles, refer to the troubleshooting section or contact customer support.



CORROSION RESISTANT
CHROME FINISH

**TESTED
TO AT LEAST
2X
INDUSTRY STANDARD***

Withstands a corrosive salt solution for over 8 hours, double the required industry standard, without blistering, cracking or peeling

*Industry standard is based on ASTM B368-21 at 4 hours of exposure

 **DELTA**

Image: An illustration highlighting the corrosion-resistant chrome finish, tested to exceed industry standards, ensuring durability against blistering, cracking, or peeling.

BUILT TO LAST

— BY —
PLUMBING EXPERTS

RELIABLE VALVE

Tested to last at least 500,000 uses for reliable, long-lasting performance

CORROSION RESISTANT

Long metal mounting shanks resist corrosion and accommodate a larger deck thickness

SECURE INSTALLATION

Jack screws lock handle base tightly into place to prevent shifting



Image: A cutaway diagram illustrating the internal components, emphasizing the reliable valve tested for 500,000 uses, corrosion-resistant mounting shanks, and secure jack screws for stable installation.

TROUBLESHOOTING

This section addresses common issues you might encounter with your Delta Woodhurst faucet. For more complex problems, please contact customer support.

Problem	Possible Cause	Solution
Low Water Flow	Clogged aerator or debris in supply lines.	Remove and clean the aerator. Check supply lines for kinks or obstructions.
Leaking from Spout	Worn out valve cartridge or debris in the valve.	Ensure handles are fully closed. If leaking persists, the valve cartridge may need inspection or replacement. Contact customer support.

Problem	Possible Cause	Solution
Leaking at Base of Faucet	Loose connections or damaged O-rings/gaskets.	Check and tighten all connections under the sink. Inspect gaskets and O-rings for damage and replace if necessary.
Difficulty Turning Handles	Mineral buildup or worn cartridge.	Clean around the handle base. If the issue persists, the cartridge may need to be serviced or replaced.
Water Temperature Issues	Incorrect hot/cold supply connections or water heater issues.	Verify hot and cold supply lines are connected correctly. Check your water heater settings.

WARRANTY AND SUPPORT

Delta Faucet products are manufactured to the highest quality standards and are backed by a comprehensive warranty and dedicated customer support.

Lifetime Limited Warranty:

Delta Faucet provides a Lifetime Limited Warranty on all parts and finishes to the original consumer purchaser. This warranty covers defects in material and manufacturing workmanship. For full details, please refer to the official Delta Faucet warranty documentation or visit their website.

Customer Support:


Delta Faucet's highly trained customer care team is ready to help on the spot. For assistance with installation, troubleshooting, or warranty claims, please contact them directly.

Customer Service Phone: 1-800-345-3358


You can also explore Delta Faucet's YouTube channel for step-by-step installation videos and additional product information.

THOUGHTFULLY DESIGNED FOR AN **EASIER INSTALL**


- 1 Feed supply lines through base gaskets then the outside holes




- 2 Feed spout inlet through base gasket then the center hole



- 3 Secure bracket to mounting stud using included wrench with pre-installed nut



- 4 Connect spout inlet to valve outlets with supplied hose




- 5 Connect supply lines (not included) to hot and cold supply stops and tighten with adjustable wrench



- 6 Remove aerator with included wrench, run water for 30 seconds then reinstall aerator



- 7 Uninstall existing drain, install new and check for leaks (see Delta Faucet's YouTube channel for drain type)



WE'RE HERE AND READY TO HELP

Explore Delta Faucet's
YouTube channel for
step-by-step installation
videos or contact our
dedicated customer
care team at

1-800-345-3358

Image: An advertisement for Delta Faucet's customer service, highlighting their availability and contact number for support.







Image: A visual representation of Delta Faucet's recognition by J.D. Power for outstanding customer service, featuring awards from 2022, 2023, and 2024.

© 2024 Delta Faucet Company. All rights reserved.

This manual is for informational purposes only. Always consult a qualified professional for complex installations or repairs.

Related Documents - 3532LF-MPU

	<p>Delta Woodhurst 3532LF-AMPU Two Handle Widespread Bathroom Faucet Installation Guide</p> <p>Comprehensive installation guide for the Delta Woodhurst 3532LF-AMPU two-handle widespread bathroom faucet, including step-by-step instructions, maintenance tips, and warranty information.</p>
	<p>Delta Faucet Installation and Maintenance Guide: Two Handle Widespread Lavatory Faucets (Models 3560 & 3565)</p> <p>A comprehensive guide for installing and maintaining Delta's Two Handle Widespread Lavatory Faucets, models 3560 and 3565. This document provides detailed instructions for installation, cleaning, warranty information, and maintenance, with textual descriptions replacing diagrams.</p>

	<p>Delta 77310 Two Handle Widespread Lavatory Faucet with EZ Anchor Installation Guide</p> <p>This document provides comprehensive installation instructions for the Delta 77310 Two Handle Widespread Lavatory Faucet with EZ Anchor technology. It includes detailed steps, cleaning and care advice, troubleshooting tips, and warranty information.</p>
	<p>Delta Two Handle Widespread Bathroom Faucets Installation and Care Guide</p> <p>Comprehensive guide for installing and caring for Delta two-handle widespread bathroom faucets. Includes step-by-step instructions, troubleshooting tips, and warranty information.</p>
	<p>Delta Touch2O Technology Lavatory Faucets - Installation, Warranty, and Maintenance Guide</p> <p>Comprehensive guide for Delta Touch2O Technology Lavatory Faucets, including installation, cleaning, care, limited warranty, maintenance, and troubleshooting. Covers models like COMPEL, LAHARA, DRYDEN, ADDISON, TESLA, and TALBOTT with Touch2O technology.</p>
	<p>Delta Archdale 35798LF Faucet Parts Diagram and Identification</p> <p>Detailed parts list and identification for the Delta Archdale 35798LF widespread bathroom faucet. Includes part numbers, descriptions, and assembly components for easy reference.</p>

[\[pdf\]](#) Specifications Declaration of Conformity Warranty

Specification Sheet3532LF MPU American Pipe and SupplyDeltaFaucet 01511 1 SPECImages

tradeservice ATTACHMENTS DIR100297 DeltaFaucet SPEC SheetView Product Specs3532LF

SupplyDelta 3532LF BLMPU Woodhurst Two Handle Widespread Bathroom Faucet

QualityBathDeltaFaucet SPECDSP L 20Rev 20C glpndnimages SPECqb res cloudinary q auto f specs

DSP glpndn QualityBathdelta@ SSMPU 10200088 Masters Supply IncDeltaFaucet glpndnDELTA

Sheetimages glpndnassets unilogcorp 267 ITEM DOC DELTA Sheet ||| ||| 3532LF-MPU Submitted Model

No.: Specific Features: 2 3/4 70 mm 4 1/2 to 16 114 mm to 406mm Centers 3 9/16 90 mm 2 X 2 51 mm

Dia BATHROOM FAUCET WoodhurstTM Collection Two Handle Widespread Deck Mount Min. 1 1/4 32

mm Clearance to Back Splas ||| 3532LF-MPU Submitted Model No.: Specific Features: 2 3/4 70 mm 4 1/2

to 16 114 mm to 406mm Centers 3 9/16 90 mm 2 X 2 51 mm Dia BATHROOM FAUCET WoodhurstTM

Collection Two Handle Widespread Deck Mount Min. 1 1/4 32 mm Clearance to Back Splas

3532LF-MPU Submitted Model No.: Specific Features: 2 3/4 70 mm 4 1/2 to 16 114

mm to 406mm Centers 3 9/16 90 mm 2 X 2 51 mm Dia BATHROOM FAUCET

WoodhurstTM Collection Two Handle Widespread Deck Mount Min. 1 1/4 32 mm

Clearance to Back Splash Recommended 5 1/4 133 mm 4 7/1...

lang:en **score:26** filesize: 516.99 K page_count: 1 document date: 2020-08-24

[\[pdf\]](#) Specifications Warranty Catalog

BATHROOM FAUCETSee current full line price book or deltafaucet for finish options and product

availability DSP L 3532LF Rev D FAUCET □ Two Handle 322ca522 45ab 47fc 84fe bfd1a5c93a0eimages

thdstatic catalog Images 32 322ca522 bfd1a5c93a0e Specifications Woodhurst Widespread Bathroom

Faucet 3 Hole 2 handle Sink with Drain Assembly Delta cbbk1050 3532LFBATHROOM FAUCETDelta

BLMPU MPU RBMPU SSMPUSee Handle dsp l 3532lf rev d322ca522 bfd1a5c93a0esecure img1 ag

wfcdn dm document e27b4b86 7aca 4fad 9953 656e5b5f9be4 dsp dimages Handle Delta Reviews

Wayfaiersp bfd1a5c93a0edsp dsecure bfd1a5c93a0eassets d ||| ||| 3532LF-MPU 2 3/4 70 mm 4 1/2 to 16

114 mm to 406mm Centers 3 9/16 90 mm 3 X 2 51 mm Dia 6 11/16 171mm 1 1/8 29mm 3 X 1 1/8 - 1 1/2

29-38 mm Hole Size BATHROOM FAUCET Woodhurst Collection Two Handle Widespread Deck Mount

Min. 1 1/4 32 mm Cle ||| 3532LF-MPU 2 3/4 70 mm 4 1/2 to 16 114 mm to 406mm Centers 3 9/16 90 mm

3 X 2 51 mm Dia 6 11/16 171mm 1 1/8 29mm 3 X 1 1/8 - 1 1/2 29-38 mm Hole Size BATHROOM

FAUCET Woodhurst Collection Two Handle Widespread Deck Mount Min. 1 1/4 32 mm Cle

3532LF-MPU 2 3/4 70 mm 4 1/2 to 16 114 mm to 406mm Centers 3 9/16 90 mm 3 X

2 51 mm Dia 6 11/16 171mm 1 1/8 29mm 3 X 1 1/8 - 1 1/2 29-38 mm Hole Size

BATHROOM FAUCET Woodhurst Collection Two Handle Widespread Deck Mount

Min. 1 1/4 32 mm Clearance to Back Splash Re...

lang:en **score:25** filesize: 530.96 K page_count: 1 document date: 2024-08-19

[\[pdf\]](#) Accessories

Delta® 73250 RB 10201181 PDI Kitchen Bath LightingDeltaFaucet 05049 4 139 CATImages tradeservice

TJDYRQQGIPRVLYRP ATTACHMENTS DIR100450 DeltaFaucet CAT |||

PRODUCT FINISHES PRODUCT FINISHES Our versatile designs aren t just stylish--




they re paired with a w ... -MPU-DST Diamond Seal Technology ROMAN TUBS Two


Handle Centerset 2532LF-MPU Two Handle Widespread **3532LF-MPU** 4-Hole

Roman Tub with Hand Shower T4732 3-Hole model available Hand Shower Spray:

Full S...

lang:en **score:22** filesize: 560.99 K page_count: 2 document date: 2024-01-13






[pdf] Specifications Warranty Catalog

Woodhurst 8 in Widespread 2 Handle Bathroom Faucet Stainless Specification Delta 3532LF SSMPU 034449871471 0034449871471 1007184994 5723da7c 7e7e 423f a962 1552d8e1d345 images thdstatic catalog Images 57 |||

3532LF-MPU Submitted Model No.: Specific Features: 2 3/4 70 mm 4 1/2 to 16 114 mm to 406mm Centers 3 9/16 90 mm 2 X 2 51 mm Dia BATHROOM FAUCET Woodhurst™ Collection Two Handle Widespread Deck Mount Min. 1 1/4 32 mm Clearance to Back Splash Recommended 5 1/4 133 mm 4 7/1...

lang:en score:22 filesize: 516.83 K page_count: 1 document date: 2020-08-24




[pdf] Specifications Warranty

BATHROOM FAUCET Delta Faucet See current full line price book or deltafaucet for finish options and product availability DSP L 3532LF Rev D □ Two Handle media SpecSheet |||

3532LF-MPU 2 3/4 70 mm 4 1/2 to 16 114 mm to 406mm Centers 3 9/16 90 mm 3 X 2 51 mm Dia 6 11/16 171mm 1 1/8 29mm 3 X 1 1/8 - 1 1/2 29-38 mm Hole Size BATHROOM FAUCET Woodhurst Collection Two Handle Widespread Deck Mount Min. 1 1/4 32 mm Clearance to Back Splash Re...

lang:en score:22 filesize: 530.41 K page_count: 1 document date: 2024-08-19




[pdf] Specifications Catalog

LAVATORY FAUCET 16 mar 2022 — Delta reserves the right 1 to make changes in specifications and materials 2 change or discontinue models both without notice obligation DSP L 3532LFRevA productcatalog plumbingonline ca DocServer DSAonDownloadServlet action type product artifacts key DSf47575af 33db 4fac 8e75 0b50d97c67e1 |||

3532LF-MPU Submitted Model No.: Specific Features: 2 3/4 70 mm 4 1/2 to 16 114 mm to 406mm Centers 3 9/16 90 mm 2 X 2 51 mm Dia 6 11/16 171mm 1 1/8 29mm 3 X 1 1/8 - 1 1/2 29-38 mm Hole Size LAVATORY FAUCET Woodhurst™ Collection Two Handle Widespread, Deck Mount Min...

lang:en score:21 filesize: 646.94 K page_count: 1 document date: 2018-01-18




[pdf]

DELTA® RP100144BL Thos Somerville Co Delta 3532LFMPU Line Drawing econtent adhq dam Original 640 |||

Model/Modelo/Modle 3532LF-pMPU Series/Series/Seria Woodhurst™ RP100141p Lift Rod and Finial Barra d ... s de Acoplamiento crous de Raccordement Specify Finish Especificque el Acabado Prcisez le Fini DPD-L-**3532LF-MPU** ...

lang:es score:20 filesize: 761.85 K page_count: 1 document date: 2018-02-13



[pdf] Diagram

parts diagramassets wfcndm document a20880bb 74e9 40c5 895e f882e41b115b diagram Product Information Sheet Woodhurst Widespread Bathroom Faucet 3 Hole 2 handle Sink with Drain Assembly Delta cbbk1050 3532LFDelta 3532LF BLMPU MPU RBMPU SSMPUparts diagramparts diagramsecure img1 ag ||| ||| Model/Modelo/Modle 3532LF-pMPU Series/Series/Seria Woodhurst™ RP100141p Lift Rod and Finial Barra de Alzar y Pomo Tige de Manoeuvre et Grain de la Tirette 3 RP100072-0.5 0.5 GPM 1.9 L/min RP100071-1.0 1.0 GPM 3.8 L/min RP91142-1.2 1.2 GPM

Model/Modelo/Modle 3532LF-pMPU Series/Series/Seria Woodhurst™ RP100141p Lift Rod and Finial Barra d ... o crous de Raccordement 05/25/2020 Specify Finish Especificque el Acabado Prcisez le Fini 1 DPD-L-**3532LF-MPU** Model/Modelo/Modle 3532LF-pMPU Series/Series/Seria Woodhurst™ RP26533p Metal Pop-Up A...

lang:es score:19 filesize: 917.21 K page_count: 2 document date: 2020-07-09





[pdf] Accessories Catalog

DL 2063 Delta Full Line Catalog 1XA Page s3532LF MPU American Pipe and SupplyDeltaFaucet 01483 120 121 CATimages tradeservice ATTACHMENTS DIR100297 DeltaFaucet CAT |||

WOODHURST BATH 3532LF-SSMPU Shown in Brilliance Stainless The products on opposite page are shown ... VENETIAN BRONZE SS BRILLIANCE STAINLESS WOODHURST BATH 4 Centerset 2532LF-MPU 8 Widespread **3532LF-MPU** 3-Hole Roman Tub T2732 R2707 not shown 4-Hole Roman Tub with Hand Shower T4732 R4707 ...

lang:en score:19 filesize: 254.06 K page_count: 2 document date: 2020-10-05



lang:en score:15 filesize: 10.39 M page count: 102 document date: 2018-06-26



[\[pdf\]](#) Declaration of Conformity Accessories Catalog

2021 2022 K ITC H EN B ATH UnilogOur innovative Delta® H2Okinetic Technology creates advanced unique water patterns efficiently delivering 3x the coverage of a standard shower head* and the DELTA 51799 CZ Catalogassets unilogcorp 267 ITEM DOC DELTA Catalog |||

2021 2022 KITCHEN BATH More than ever, we re rediscovering the space we call home and the impact ... 2 DELTA BRAND BATHROOM FAUCETS Two Handle Centerset 2532LF-MPU ROMAN TUBS Two Handle Widespread **3532LF-MPU** 4-Hole Roman Tub with Hand Shower T4732 3-Hole model available Hand Shower Spray: Full B...

lang:en score:12 filesize: 15.26 M page_count: 152 document date: 2021-06-18



[\[pdf\]](#) Declaration of Conformity Accessories Catalog

2021 2022 K ITC H EN B ATH Unilog 110 DELTA® BRAND Page 113 TRINSIC® BATH ROMAN TUBS TUB FILLERS Single Handle 559LF MPU 558 DST Diamond Seal® Technology Single DELTA 54434 18 PK Catalog assets unilogcorp 267 ITEM DOC |||

2021 2022 KITCHEN BATH More than ever, we re rediscovering the space we call home and the impact ... 2 DELTA BRAND BATHROOM FAUCETS Two Handle Centerset 2532LF-MPU ROMAN TUBS Two Handle Widespread **3532LF-MPU** 4-Hole Roman Tub with Hand Shower T4732 3-Hole model available Hand Shower Spray: Full B...

lang:en score:11 filesize: 15.26 M page_count: 152 document date: 2021-06-18