

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [DELTA](#) /

› [DELTA Woodhurst 2532LF-MPU Centerset Bathroom Faucet Instruction Manual](#)

DELTA 2532LF-MPU

DELTA Woodhurst 2532LF-MPU Centerset Bathroom Faucet Instruction Manual

Brand: DELTA | Model: 2532LF-MPU

1. OVERVIEW

The Woodhurst Bath Collection's refined style lends an alluring charm to your bath, while the button-cap detailing confers a classic familiarity. This faucet is designed for 3-hole, 4-inch centerset installations. Delta WaterSense labeled faucets and showers use at least 20% less water than the industry standard, saving you money without compromising performance.




Image: Delta Woodhurst Centerset Chrome Bathroom Faucet installed on a white vanity.

2. KEY FEATURES


- **Guaranteed Quality:** All bathroom sink faucets are tested and certified, meeting or exceeding industry codes and standards.
- **Easy DIY Installation:** Purposefully designed to install in 5 simple steps, with step-by-step instruction videos and tips available on Delta Faucet's YouTube channel. Fits 3-hole 4-inch centerset installations.
- **Reliable Valve:** Valve cartridge is tested to last at least 500,000 uses to ensure high performance with less drips and smooth handle operation.
- **Corrosion-Resistant Finish:** Delta Chrome bathroom faucet finish is intentionally engineered for durability and tested for corrosion resistance to at least 2 times industry standards.
- **Tested and Certified:** All Delta bathroom faucet finishes are third-party certified and vigorously tested under extreme conditions to ensure years of dependable use without cracking, peeling, chipping, blistering, or changing color over time.
- **Matching Drain Included:** A coordinating metal drain assembly in matching finish is conveniently included in the box.

THOUGHTFULLY DESIGNED FOR AN **EASIER INSTALL**


- 1** Feed mounting shanks through plastic base gasket then sink holes




- 2** Secure faucet to sink with included lock nuts then hand tighten




- 3** Connect supply lines (not included) to hot and cold supply stops and tighten with adjustable wrench



- 4** Remove aerator with included wrench, run water for 30 seconds then reinstall aerator



- 5** Uninstall existing drain, install new and check for leaks (see Delta Faucet's YouTube channel for your drain type)



WE'RE HERE AND READY TO HELP

Explore Delta Faucet's YouTube channel for step-by-step installation videos or contact our dedicated customer care team at

1-800-345-3358



Image: Corrosion-Resistant Chrome Finish



Image: Built to Last Design

3. SETUP AND INSTALLATION

The Delta Woodhurst faucet is designed for easy DIY installation. Follow the steps below or refer to the official installation video for a visual guide.

Video: Detailed installation guide for the Delta 2532LF faucet.

Installation Steps:

1. **Prepare the Faucet:** Remove the faucet from its packaging. Unclip the supply lines from the back of the faucet. Feed the included gasket onto the supply lines.
2. **Mount the Faucet:** Feed the supply lines through the sink holes. Position the faucet on the sink deck, ensuring it is centered and square.
3. **Secure the Faucet:** From underneath the sink, hand-tighten the mounting nuts onto the shanks. Ensure the flat side of the mounting nut faces up. Once hand-tightened, use an adjustable wrench to secure firmly.
4. **Connect Supply Lines:** Connect the hot (red) and cold (blue) supply lines to their corresponding stub-outs. Hand-tighten, then use an adjustable wrench for a 360-degree rotation to ensure a tight seal.
5. **Install Button Covers:** Carefully place the desired button covers (red, blue, or gray) onto the faucet handles, aligning any tapers for a flush fit.
6. **Flush Supply Lines:** Remove the aerator cartridge from the spout using the included aerator wrench. Turn on both hot and cold water handles to the full on position and let water run for approximately 30 seconds to flush the lines. Reinstall the aerator cartridge.
7. **Check for Leaks:** Inspect the base of the handles, spout, and along the sink deck for any drips or leaks.



WE'RE HERE FOR YOU

Our highly trained customer care team is ready to help on the spot when you call **1-800-345-3358**



Delta Faucet Company has been recognized by J.D. Power by providing
“AN OUTSTANDING CUSTOMER SERVICE EXPERIENCE”
for phone support 3 years in a row.

J.D. Power 2022, 2023, and 2024 Certified Customer Service Program™ recognition is based on successful completion of an evaluation and exceeding a customer satisfaction benchmark through a survey of recent servicing interactions. For more information, visit www.jdpower.com/awards.

Image: Thoughtfully Designed for an Easier Install

4. OPERATING INSTRUCTIONS

The Delta Woodhurst faucet features a two-handle design for precise control over water temperature and flow. The metal push-pop drain assembly allows for easy opening and closing of the sink drain.

- **Water Flow and Temperature:** Turn the left handle for hot water and the right handle for cold water. Adjust both handles to achieve your desired water temperature and flow rate.
- **Drain Operation:** The metal push-pop drain assembly is operated by pressing down on the drain stopper to close it, and pressing again to open it.

Video: Overview of the Delta Woodhurst 2-Handle Centerset Bath Faucet (Model 2532LF-MPU).



Image: Faucet in use on a vanity.



Image: Faucet in a modern bathroom.

5. MAINTENANCE

To maintain the pristine appearance and functionality of your Delta Woodhurst faucet, regular cleaning and care are recommended.

- **Cleaning the Finish:** The chrome finish is designed for durability and corrosion resistance. Clean with a soft, damp cloth and mild soap. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.
- **Aerator Maintenance:** If water flow decreases or becomes erratic, the aerator may be clogged. Remove the aerator from the spout (using the included wrench if necessary), clean any debris, and rinse thoroughly before reattaching.

6. TROUBLESHOOTING

If you encounter any issues with your Delta Woodhurst faucet, refer to the common problems and solutions below.

- **Low Water Flow:** This is often caused by a clogged aerator. Refer to the