

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [De'Longhi](#) /

› [De'Longhi Perfecta Coffee Spout User Manual for ESAM 5400, 5450, 5500, 5600, 5700 Series](#)

## De'Longhi 5332283000

# De'Longhi Perfecta Coffee Spout User Manual

FOR ESAM 5400, 5450, 5500, 5600, 5700 SERIES

## Introduction

---

This manual provides essential information for the De'Longhi Perfecta Coffee Spout, a genuine spare part designed for specific De'Longhi ESAM series coffee machines. This component is supplied as a factory spare part and does not include commercial packaging or a retail box. You will receive the part exactly as depicted in the product images.

Please read these instructions carefully before attempting any installation or maintenance to ensure proper function and longevity of your coffee machine.

## Product Overview

---

The coffee spout is a critical component responsible for dispensing brewed coffee into your cup. It is designed to fit precisely into the designated slot on compatible De'Longhi Perfecta ESAM series models.



**Figure 1:** Front view of the coffee spout, showing the main dispensing area.



**Figure 2:** Side view of the coffee spout, highlighting its compact design.



**Figure 3:** Rear view of the coffee spout, showing the internal structure and mounting clips.



Figure 4: Top view of the coffee spout, illustrating the connection points.

## Setup and Installation

Replacing the coffee spout requires careful handling. It is recommended to unplug the coffee machine from the power outlet before beginning the installation process.

1. **Preparation:** Ensure the coffee machine is turned off and unplugged. Allow it to cool down if it has recently been in use.
2. **Access:** Locate the two screws positioned above the existing coffee spout, typically on the inside of the machine's front panel or door.
3. **Removal of Old Spout:**
  - Carefully unscrew the two screws identified in the previous step.
  - Using a flat-head screwdriver or a similar prying tool, gently apply leverage to the two plastic lugs (ergots) that secure the spout in place. These are usually located on the sides or top of the spout assembly.
  - Once disengaged, the old spout should drop down and can be removed from the bottom of the machine's opening.
  - If present, carefully retrieve any chrome trim or decorative elements from the old spout, as these may need to be transferred to the new part.
4. **Installation of New Spout:**
  - If applicable, attach the chrome trim or decorative elements to the new coffee spout.
  - Align the new coffee spout with the opening and the mounting points.
  - Gently push the new spout upwards until the plastic lugs click into place, securing it firmly.

- Reinsert and tighten the two screws to fully secure the spout. Do not overtighten.
5. **Testing:** Plug the coffee machine back in and perform a test cycle (e.g., a rinse cycle or brewing a cup of water) to ensure the new spout is properly installed and there are no leaks.

## Operating the Coffee Spout

The coffee spout functions automatically as part of your De'Longhi Perfecta coffee machine's brewing cycle. Once installed, no specific manual operation of the spout itself is required. Ensure that the spout is clean and unobstructed for optimal coffee flow.

## Maintenance

Regular cleaning of the coffee spout is essential to prevent blockages, maintain hygiene, and ensure consistent coffee quality.

- **Daily Cleaning:** After each use, wipe the exterior of the coffee spout with a damp cloth to remove any coffee residue.
- **Weekly Cleaning:** If possible, remove the spout (following the installation steps in reverse, if designed for easy removal) and rinse it thoroughly under warm running water. Use a small brush (like a bottle brush or pipe cleaner) to clear any internal blockages.
- **Deep Cleaning:** Periodically, soak the spout in a solution of warm water and a mild, food-safe descaling agent or coffee machine cleaner. Follow the cleaner's instructions for dilution and soaking time. Rinse thoroughly before reattaching.
- **Inspection:** Regularly inspect the spout for any signs of cracks, wear, or damage. Replace the spout if any significant damage is observed to prevent leaks or compromised coffee quality.

## Troubleshooting

Problem	Possible Cause	Solution
Coffee not dispensing or slow flow	Spout clogged with coffee grounds or scale buildup.	Clean the spout thoroughly as per the Maintenance section. Use a small brush to clear blockages.
Water or coffee leaking from the spout area	Spout not properly seated or secured; spout is cracked or damaged.	Ensure the spout is correctly installed and screws are tightened. Inspect the spout for cracks; if damaged, replacement is necessary.
Spout appears discolored or brittle	Normal wear and tear; exposure to high temperatures over time.	This is a common issue for plastic components exposed to heat. Consider replacing the spout if its integrity is compromised or if it affects coffee quality.

## Specifications

- **Brand:** De'Longhi
- **Model Number:** 5332283000
- **Compatible Models:** De'Longhi Perfecta ESAM 5400, 5450, 5500, 5600, 5700 series
- **Material:** Plastic (Note: Original product description mentions 'Glass' for the main product, but this

spare part is typically plastic. Please verify upon receipt.)

- **Item Weight:** Approximately 1.44 ounces (40.8 grams)
- **Package Dimensions (approximate):** 5.04 x 4.13 x 3.07 inches

## Warranty and Support

---

As this item is supplied as a spare part, specific warranty details may vary. Please refer to the original warranty information provided with your De'Longhi coffee machine for coverage on replacement parts, or contact the seller directly for any inquiries regarding this specific spare part.

For further assistance or technical support, please visit the official De'Longhi website or contact their customer service department.