

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Acorn Sales Co](#) /
- › [Acorn Sales Co MaxLight XL2-535 Pre-Inked Stamp User Manual](#)

Acorn Sales Co XL2-535

MaxLight XL2-535 Pre-Inked Stamp User Manual

Model: XL2-535 | Brand: Acorn Sales Co

1. INTRODUCTION

This manual provides instructions for the proper use and maintenance of your MaxLight XL2-535 Pre-Inked Stamp. Designed for efficiency and durability, this stamp delivers clear, consistent impressions for various applications. Please read this manual thoroughly to ensure optimal performance and longevity of your product.



Image 1.1: The MaxLight XL2-535 Pre-Inked Stamp, a self-contained unit designed for clear impressions.

2. PRODUCT FEATURES

- **Pre-Inked Design:** No separate ink pad required.

- **High Impression Count:** Delivers thousands of clear impressions before re-inking is needed.
- **Consistent Quality:** Engineered for sharp and uniform stamp impressions.
- **Eco-Friendly:** Contains 50% post-consumer recycled content.



Image 2.1: Overview of MaxLight Pre-Inked Stamp features, highlighting integrated ink design, impression count, and quality.

3. SETUP AND FIRST USE

The MaxLight XL2-535 stamp is pre-inked and ready for immediate use upon receipt. No assembly or initial inking is required.

1. **Unpacking:** Carefully remove the stamp from its packaging.
2. **Protective Cap:** Ensure any protective cap or cover is removed from the stamp's impression surface.
3. **Test Impression:** Before official use, make a few test impressions on scrap paper to ensure the ink flow is even and the impression is clear.

4. OPERATING INSTRUCTIONS

Using your MaxLight XL2-535 stamp is straightforward:

1. **Positioning:** Place the stamp firmly on the desired surface (paper, cardstock, etc.).
2. **Application:** Apply even, downward pressure to the top of the stamp. A gentle, firm press is usually sufficient. Avoid excessive force, which can lead to blurred or uneven impressions.
3. **Removal:** Lift the stamp straight up from the surface.

For best results, ensure the surface is flat and stable.

5. MAINTENANCE

Proper maintenance ensures the longevity and consistent performance of your stamp.

5.1. Re-inking

The MaxLight XL2-535 is designed to provide thousands of impressions before re-inking is necessary. When impressions begin to appear faint or inconsistent, it is time to re-ink.

- Use only MaxLight brand re-inking fluid specifically designed for pre-inked stamps. Using incorrect ink can damage the stamp and void any potential warranty.

- Consult the re-inking fluid instructions for the exact procedure. Typically, a few drops are applied to the impression surface and allowed to absorb for several hours or overnight.
- Perform test impressions on scrap paper after re-inking until the impression is clear and consistent.

5.2. Cleaning and Storage

- **Cleaning:** If dust or debris accumulates on the impression surface, gently dab it with a lint-free cloth. Do not use harsh chemicals or abrasive materials.
- **Storage:** Store the stamp in a cool, dry place, away from direct sunlight and extreme temperatures. Keep the protective cap on (if applicable) to prevent dust accumulation and ink drying.

6. TROUBLESHOOTING

Problem	Possible Cause	Solution
Faint or incomplete impression	Low ink level, uneven pressure, or debris on surface.	Re-ink the stamp (Section 5.1). Apply even pressure. Clean the impression surface (Section 5.2).
Blurred or smudged impression	Excessive pressure, stamp moved during impression, or incorrect paper type.	Apply lighter, even pressure. Ensure stamp is held steady. Test on different paper types.
Ink not drying quickly	Incorrect ink type used for re-inking (if applicable) or very glossy paper.	Ensure only MaxLight re-inking fluid is used. Use on absorbent paper surfaces.

7. SPECIFICATIONS

- **Model:** XL2-535
- **Brand:** Acorn Sales Co
- **Impression Size:** Approximately 1-5/8" (41.275 mm) Diameter
- **Type:** Pre-Inked Stamp
- **Item Weight:** Approximately 1.9 ounces (53.86 grams)
- **Material:** Contains 50% post-consumer recycled content




Image 7.1: Visual representation of the approximate 1-5/8 inch diameter impression size.

8. WARRANTY AND SUPPORT

For specific warranty information or technical support regarding your MaxLight XL2-535 Pre-Inked Stamp, please contact Acorn Sales Co directly. Contact details can typically be found on the product packaging or the manufacturer's official website.

When contacting support, please have your product model number (XL2-535) and purchase details readily available.