

[Manuals.plus](#) /

> [KLARSTEIN](#) /

> Klarstein UW60BL Extractor Hood User Manual

KLARSTEIN UW60BL

Klarstein UW60BL Extractor Hood User Manual

Model: UW60BL

IMPORTANT SAFETY INSTRUCTIONS

Please read these instructions carefully before installation and use. Keep this manual for future reference.

- Ensure the electrical supply matches the rating plate on the appliance.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- Children should be supervised to ensure that they do not play with the appliance.
- Do not flambé under the range hood.
- Always ensure adequate ventilation in the room when the range hood is used simultaneously with appliances burning gas or other fuels.
- Regularly clean the grease filters according to the instructions to prevent fire hazards.
- Disconnect the appliance from the main power supply before any cleaning or maintenance.
- Do not operate the appliance if the power cord or plug is damaged. Contact qualified service personnel.

PRODUCT OVERVIEW

The Klarstein UW60BL is a 60 cm undermount extractor hood designed for small to medium-sized kitchens. It effectively removes air and cooking vapors from the hob area. This model supports both exhaust air and recirculation modes.



Image: Klarstein UW60BL Extractor Hood installed above a cooktop, showcasing its sleek black design in a modern kitchen setting.



Image: Angled top-down view of the Klarstein UW60BL Extractor Hood, highlighting the exhaust vents and overall compact design.

Key Features:

- **3 Performance Levels:** Adjustable fan speeds for varying cooking intensity.
- **High Performance:** Up to 210 m³/h max. exhaust air performance.
- **LED Lighting:** Integrated LED lamp to illuminate the cooking area.
- **Versatile Installation:** Can be mounted to the wall or under a kitchen cabinet.
- **Material:** Stainless Steel construction with a brushed finish.

SETUP AND INSTALLATION

The Klarstein UW60BL extractor hood is designed for easy installation, either directly to a wall or underneath a kitchen cabinet. A screw set for mounting is included with the product.

Dimensions:



Image: Technical drawing illustrating the dimensions of the extractor hood. The overall dimensions are approximately 25.98"D x 21.1"W x 5.04"H (66cm D x 53.6cm W x 12.8cm H).

- **Product Dimensions:** 25.98"D x 21.1"W x 5.04"H
- **Mounting Type:** Wall Mount or Under Cabinet

Installation Steps (General Guidance):

1. **Preparation:** Ensure the installation area is clear and that there is access to a power outlet. Mark the drilling points for mounting based on the hood's dimensions and mounting holes.
2. **Mounting:** Securely attach the hood to the wall or under the cabinet using the provided screws and appropriate wall plugs. Ensure it is level and stable.
3. **Ducting (if applicable):** If using exhaust air mode, connect the exhaust ducting to the hood's outlet and route it to the outside. Ensure a tight seal to prevent air leaks.
4. **Recirculation (if applicable):** If using recirculation mode, ensure carbon filters are installed (sold separately for some models) and that the air outlet is unobstructed for filtered air to return to the kitchen.
5. **Electrical Connection:** Connect the power cord to a suitable electrical outlet.



Image: Rear view of the extractor hood, illustrating the mounting points and the power cable connection for installation.

OPERATION

The Klarstein UW60BL extractor hood features push-button controls for fan speed and lighting.



Image: Close-up of the control panel, showing the push buttons for fan speed (0, 1, 2, 3) and light control.

Fan Speed Control:

- The hood offers **3 performance levels** to adjust the extraction power.
- Use the push buttons to select the desired speed:
 - **Level 1:** For light cooking, simmering.
 - **Level 2:** For normal cooking, multiple pans.
 - **Level 3:** For heavy frying, grilling, or strong odors. This level provides up to 210 m³/h exhaust air performance.

- Press '0' to turn off the fan.

LED Lighting:

- The integrated LED lamp illuminates the cooking area.
- Press the light button (often marked with a light bulb symbol) to turn the light on or off.

Operating Modes:

- **Exhaust Air Mode:** Vapors are extracted and vented outside through a duct.
- **Recirculation Mode:** Vapors are filtered through a grease filter and an optional carbon filter (for odors), then returned to the kitchen. This mode is suitable when external venting is not possible.

MAINTENANCE AND CLEANING

Regular maintenance ensures optimal performance and extends the lifespan of your extractor hood. Always disconnect the appliance from the power supply before cleaning or maintenance.

Grease Filter Cleaning:



Image: Underside view of the extractor hood, clearly showing the removable mesh grease filter and the integrated LED light.

- The hood is equipped with **mesh filters** to trap grease.
- These filters should be cleaned regularly (approximately every 2-4 weeks, depending on usage).
- To remove: Locate the release latches or clips on the filter, push or pull them to release, and carefully lower the filter.
- Clean the filters by hand in warm soapy water or in a dishwasher on a low-temperature cycle. Ensure they are completely dry before re-installing.
- Re-install the filters by aligning them and pushing the latches back into place until they click.

Exterior Cleaning:

- Clean the exterior surfaces with a soft cloth and a mild, non-abrasive detergent.
- Do not use abrasive cleaners, steel wool, or harsh chemicals, as these can damage the stainless steel finish.
- Wipe dry with a clean cloth to prevent water spots.

Carbon Filter Replacement (for Recirculation Mode):

- If operating in recirculation mode, carbon filters (not included with all models) are used to remove odors.
- These filters cannot be washed and must be replaced periodically (typically every 3-6 months, depending on usage).
- Refer to your specific carbon filter instructions for replacement procedures.

TROUBLESHOOTING

Before contacting customer support, please check the following common issues and solutions:

Problem	Possible Cause	Solution
Hood not operating	No power supply	Check if the plug is properly inserted and the power switch is on. Check the circuit breaker.
Poor extraction performance	Grease filters are clogged	Clean or replace the grease filters.
Poor extraction performance	Carbon filters are saturated (recirculation mode)	Replace the carbon filters.
Poor extraction performance	Ducting obstruction or improper installation	Check ducting for blockages or kinks. Ensure proper sealing.
Lights not working	LED lamp failure	Contact customer support for replacement or service.
Excessive noise	Loose components or improper installation	Check that all mounting screws are tight. Ensure no objects are obstructing the fan.

SPECIFICATIONS

Feature	Detail
Brand	KLARSTEIN
Model Number	UW60BL
Product Dimensions (D x W x H)	25.98"D x 21.1"W x 5.04"H
Color	Black
Material Type	Stainless Steel
Special Feature	Re-Circulation (also supports exhaust air)
Finish Type	Brushed
Air Flow Capacity	210 Cubic Meters Per Hour
Noise Level	71 Decibels
Mounting Type	Wall Mount, Under Cabinet

Feature	Detail
Controls Type	Push Button
Voltage	230 Volts
Number of Speeds	3
Light Source	LED
Wattage	115.00 W
Filter Type	Mesh (Grease Filter)
Ventilation Type	Ductless (Recirculation), Ducted (Exhaust)
Item Weight	4.3 Kilograms
Included Components	LED Lights, Screw Set for Mounting

DISPOSAL INFORMATION

Do not dispose of this appliance with household waste. It must be disposed of at a designated collection point for the recycling of electrical and electronic appliances. For more information on where to drop off your waste equipment for recycling, please contact your local city office, your household waste disposal service, or the shop where you purchased the product.

WARRANTY AND SUPPORT

For warranty information, please refer to the documentation provided at the time of purchase or contact your retailer. For technical support or service inquiries, please contact Klarstein customer service through their official website or the contact details provided in your purchase documentation.