



Manuals.plus /

› NearMoon /

› NearMoon 6-Inch Chrome Finish Ultra-Thin Rain Shower Head User Manual

NearMoon NM-SHR-601

NearMoon 6-Inch Chrome Finish Ultra-Thin Rain Shower Head User Manual

MODEL: NM-SHR-601

1. Introduction

Thank you for choosing the NearMoon 6-Inch Chrome Finish Ultra-Thin Rain Shower Head. This manual provides essential information for the safe and efficient installation, operation, and maintenance of your new shower head. Please read these instructions carefully before installation and retain them for future reference.

Key Features:

- Ultra-slim design (0.08 inch thickness) for a modern aesthetic.
- Constructed from 100% solid stainless steel with a chrome finish for durability and rust protection.
- Advanced air-in technology for strong, high-pressure water flow, optimized for various water pressures.
- Self-cleaning silicone nozzles prevent hard water and scale buildup.
- Adjustable swivel ball connector for flexible angle adjustment.

Safety Information:

- Ensure the main water supply is turned off before beginning installation.
- Use appropriate tools and follow all local plumbing codes.
- Do not overtighten connections, as this may damage the product or plumbing.
- Keep small parts away from children.

2. Package Contents

Please verify that all components are present before installation:

- 1 x NearMoon 6-Inch Chrome Finish Rain Shower Head
- 1 x Rubber Gasket (pre-installed or separate)
- 1 x Wrench (for assistance, if needed)

Note: The shower arm is not included and must be purchased separately.

3. Setup and Installation

The NearMoon shower head is designed for easy installation on all standard G1/2 size shower arms, suitable for both wall-mounted and ceiling-mounted setups. No specialized tools are typically required, but a wrench is provided for convenience.

1. **Prepare for Installation:** Turn off the main water supply to your shower. Remove your existing shower head by unscrewing it counter-clockwise. Clean any old sealant or debris from the shower arm threads.
2. **Apply Thread Sealant (Optional but Recommended):** Wrap plumber's tape (not included) clockwise around the threads of your shower arm 3-5 times to ensure a watertight seal.
3. **Attach the Shower Head:** Ensure the rubber gasket is properly seated inside the shower head's connector. Screw the NearMoon shower head onto the shower arm clockwise. Hand-tighten until snug. If necessary, use the provided wrench for a final quarter-turn, being careful not to overtighten.
4. **Adjust Angle:** The shower head features a swivel ball connector, allowing you to freely adjust the angle of the shower head to your preferred position.
5. **Test for Leaks:** Turn the main water supply back on and check for any leaks around the connection. If leaks occur, tighten slightly or reapply plumber's tape.



A Red Flow Restrictor

**HIGH
PRESSURE**



Easy to install in
5 minutes



**Fashion Design
Luxury Rainfall Shower Head**

Figure 3.1: Shower head features and dimensions, highlighting the 6-inch size, 360-degree swivel, and ease of installation.



Figure 3.2: An installed NearMoon 6-inch rain shower head demonstrating water flow. Note that the shower arm is a separate component.

4. Operating Instructions

Once installed, operating your NearMoon rain shower head is straightforward:

- **Water Flow:** Turn on your shower's water supply. The shower head will immediately deliver a consistent, high-pressure rainfall experience.
- **Angle Adjustment:** Gently pivot the shower head on its swivel ball connector to direct the water flow as desired.



Figure 4.1: The NearMoon rain shower head in operation, showing the wide coverage and consistent water streams.



Figure 4.2: Visual representation of the ultra-thin design's ability to increase water pressure and maintain high flow, even at low water pressure, compared to a standard design.

5. Maintenance

Regular maintenance ensures optimal performance and longevity of your shower head.

- **Self-Cleaning Nozzles:** The silicone nozzles are designed to be self-cleaning. Periodically, gently rub the nozzles with your finger or a soft cloth to dislodge any mineral deposits or debris. This helps maintain consistent water flow and prevents clogging.
- **Surface Cleaning:** Clean the chrome finish with a soft cloth and mild soap or a non-abrasive bathroom cleaner. Avoid using harsh chemicals, abrasive pads, or acidic cleaners, as these can damage the finish. Rinse thoroughly after cleaning.
- **Deep Cleaning (if necessary):** For stubborn mineral buildup, you can unscrew the shower head and soak it in a solution of equal parts white vinegar and water for a few hours, then scrub the nozzles and rinse.

Not Plastic

High Quality Stainless Steel - for Long Term Use



Figure 5.1: Internal view of the shower head, highlighting the stainless steel material and the arrangement of 60 anti-clogging silicone nozzles designed for easy maintenance.

6. Troubleshooting

If you encounter issues with your NearMoon shower head, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Low water pressure	Clogged nozzles, low household water pressure, flow restrictor (if applicable)	Clean silicone nozzles by rubbing them. Check household water pressure. Ensure flow restrictor is not obstructed.
Leaking at connection point	Loose connection, worn or missing rubber gasket, insufficient plumber's tape	Ensure connection is hand-tightened properly. Check if the rubber gasket is correctly seated. Reapply plumber's tape to shower arm threads.
Uneven water spray	Partially clogged nozzles	Rub the silicone nozzles to clear any blockages.
Shower head does not swivel freely	Mineral buildup in swivel joint	Apply a small amount of lubricant (e.g., silicone grease) to the swivel joint or soak in vinegar solution to remove mineral deposits.

7. Specifications

Feature	Detail
Brand	NearMoon
Model Number	NM-SHR-601
Size	6 Inch (6"L x 6"W)
Color	Chrome Finish
Material	Stainless Steel
Style	Modern, Round
Finish Type	Rainfall
Installation Type	Wall Mounted (G1/2 Standard)
Flow Rate	1.8 GPM (Gallons Per Minute)
Number of Settings	1
Item Weight	11.3 ounces
Special Feature	Advanced Air Booster Technology

8. Warranty and Support

NearMoon is committed to providing high-quality products and customer satisfaction. Each shower head undergoes strict quality-control tests to ensure performance and durability.

If you encounter any installation problems or require assistance with your product, please contact NearMoon customer support. We are dedicated to helping you resolve any issues.

For further information or support, please visit the official NearMoon store or contact our customer service team.

