

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Manuals.plus /

› [PROYAMA](#) /

› PROYAMA 26cc 6-in-1 Multi-Functional Trimming Tools User Manual

## PROYAMA PMT26 26CC

# PROYAMA 26cc 6-in-1 Multi-Functional Trimming Tools

Model: PMT26 26CC

User Manual

### 1. INTRODUCTION AND OVERVIEW

The PROYAMA 26cc 6-in-1 Multi-Functional Trimming Tool is a versatile gas-powered outdoor equipment designed for various landscaping tasks. This single power unit can be transformed into a hedge trimmer, weed eater, string trimmer, brush cutter, edger, and pole saw chainsaw pruner by interchanging the included attachments. Its 26cc 2-cycle engine provides efficient power for maintaining your garden and grounds.



Figure 1: Complete PROYAMA 6-in-1 Multi-Functional Trimming Tool with all included attachments and accessories.

## Product Features:

- **EPA & Light Weight Engine:** The 26cc 2-Cycle engine is designed for reduced emissions and is lightweight for ease of operation.
- **Multi-functional Tools:** Includes attachments for hedge trimming, weed eating, string trimming, brush cutting, edging, and pole saw/chainsaw pruning.
- **Protection:** Comes with a vibration reduction shoulder harness, ear defenders, gloves, and a face shield for user safety.
- **Multi-angle Adjustment:** The hedge trimmer and pole saw attachments allow for multi-angle adjustments for versatile use.
- **Adjustable Extension Length:** The pole saw can be extended from 8.2 to 11.4 feet, offering a 10-inch cutting length for reaching high branches.

## Video Overview:

Your browser does not support the video tag.

Video 1: Why Choose Proyama 6 in 1 Trimming Tools PMT26. This video provides a general overview of the product's capabilities and benefits.

## 2. SAFETY INFORMATION

Always prioritize safety when operating power tools. Read and understand all safety warnings and instructions before use. Failure to follow these instructions may result in electric shock, fire, and/or serious injury.

### General Safety Guidelines:

- **Personal Protective Equipment (PPE):** Always wear appropriate PPE, including safety glasses or a face shield, ear protection, heavy-duty gloves, and sturdy footwear. The included shoulder harness provides vibration reduction and support.
  - **Fuel Handling:** Handle gasoline with extreme care. It is highly flammable. Store fuel in approved containers in a well-ventilated area away from ignition sources. Mix fuel and oil according to the manufacturer's specifications (50:1 mix ratio for this model).
  - **Work Area:** Keep the work area clear of bystanders, children, and pets. Operate the tool in a well-lit area. Avoid operating in wet conditions.
  - **Tool Inspection:** Before each use, inspect the tool for any damaged parts, loose fasteners, or fuel leaks. Do not operate a damaged tool.
  - **Proper Grip:** Maintain a firm grip on the tool handles with both hands during operation.
  - **Avoid Kickback:** Be aware of potential kickback, especially when using the brush cutter or pole saw.
  - **Maintenance:** Perform regular maintenance as described in this manual to ensure safe and efficient operation.
- 

## 3. PACKAGE CONTENTS

Upon unpacking, verify that all components listed below are present and undamaged. If any items are missing or damaged, contact PROYAMA customer support.

- Power Head (Engine Unit)
- String Trimmer Attachment
- Brush Cutter Attachment (with 3-teeth and 40-teeth blades)
- Hedge Trimmer Attachment
- Pole Saw Attachment
- Edger Attachment
- Extension Pole
- Shoulder Harness
- Ear Defenders
- Gloves
- Face Shield
- Fuel Mixing Bottle
- Toolkit (for assembly and maintenance)
- Duffle Bag (for storage and transport)



Figure 2: Visual representation of all items included in the package.

## 4. SETUP AND ASSEMBLY

Before operating the tool, proper assembly of the power head and desired attachment is crucial. Follow these general steps and refer to the assembly video for detailed instructions.

### General Assembly Steps:

- 1. Attach Handle:** Secure the loop handle to the main shaft using the provided tools.
- 2. Connect Attachments:** The PROYAMA 6-in-1 system features a quick-release coupling for easy attachment changes. Align the attachment shaft with the power head's coupling and secure it with the locking pin. Ensure it clicks into place.
- 3. Install Blades/Chains:**
  - **Brush Cutter Blades:** For the brush cutter, select either the 3-teeth or 40-teeth blade. Secure it firmly using the provided nuts and washers.
  - **Pole Saw Chain:** For the pole saw, ensure the chain is correctly oriented and tensioned on the guide bar. Lubricate the chain before first use.
- 4. Attach Guards:** Always install the appropriate safety guard for the attachment being used.

5. **Adjust Harness:** Adjust the shoulder harness for comfortable and balanced operation.

## Assembly Instruction Video:

Your browser does not support the video tag.

Video 2: Proyama 26cc 6 in 1 Multi Trimming Tool Assemble Instruction. This video demonstrates the step-by-step assembly process for various attachments.



Figure 3: Overview of the various attachments and their primary functions.

## 5. OPERATING INSTRUCTIONS

Familiarize yourself with the controls and starting procedure before operating the tool. Always wear appropriate PPE.

### 5.1. Starting the Engine

1. **Fueling:** Fill the fuel tank with the correct 50:1 gasoline/oil mixture using the provided mixing bottle.
2. **Place Start Key:** Ensure the start key is in the "Start" position.

3. **Lock Throttle:** Lock the throttle to the starting position.
4. **Prime Unit:** Press the primer bulb repeatedly until the primer hose is filled with fuel.
5. **Choke Position:** Move the choke lever to the "Choke" position.
6. **Pull Starter Rope:** Pull the starter rope rapidly 1-4 times until the engine "pops" or attempts to start.
7. **Return Choke:** Once the engine pops, return the choke lever to the "Open" position.
8. **Final Start:** Pull the starter cord again until the engine fully starts. Allow it to warm up for a few moments before engaging the throttle.

## Engine Starting Video:

Your browser does not support the video tag.

Video 3: Proyama 26cc 6 in 1 Multi Function Trimming Tool Starting Instruction. This video guides you through the engine starting procedure.

## 5.2. Using the Attachments

### 5.2.1. String Trimmer / Weed Eater

Ideal for trimming grass and weeds around obstacles, fences, and garden beds. The string trimmer has an 18-inch cutting length. Ensure the string head is properly loaded with trimmer line.



**COMMERCIAL OUTDOOR**

**EXCELLENT  
CUT**



**3 - teeth  
Brush cutter  
blade**



**40 - teeth  
Brush cutter  
blade**

**750W**



**Grass  
Cutter**

**GARDEN MULTI TOOL**

- ✓ Quick - Release Air Filter
- ✓ 2 - Stroke Powerful Engine
- ✓ Ergonomic Handle

**18  
in  
CUTTING  
LENGTH**



**26cc**



**1.0HP**



**FUEL  
MIX  
50:1**

**AIR COOLED  
2-STROKE  
ENGINE**



Figure 4: The String Trimmer attachment in use.

### 5.2.2. Brush Cutter

For clearing thicker brush, dense weeds, and small saplings. The brush cutter comes with both a 3-teeth or 40-teeth blade for different cutting needs. The 40-teeth blade is suitable for heavier cutting tasks.

**PROYAMA**  
**COMMERCIAL OUTDOOR**

**EXCELLENT  
CUT**

**750W**

**3 - teeth  
Brush cutter  
blade**

**40 - teeth  
Brush cutter  
blade**

**Grass  
Cutter**

**GARDEN MULTI TOOL**

- ✓ Quick - Release Air Filter
- ✓ 2 - Stroke Powerful Engine
- ✓ Ergonomic Handle

**18  
in  
CUTTING  
LENGTH**

**26cc**

**1.0HP**

**FUEL  
MIX  
50:1**

**AIR COOLED  
2-STROKE  
ENGINE**

Figure 5: The Brush Cutter attachment, capable of handling heavy growth.

### 5.2.3. Hedge Trimmer

Designed for shaping and trimming hedges and shrubs. The hedge trimmer features multi-angle adjustment, allowing you to reach various angles and heights for precise cuts. The blade system provides a clean cut for both thin and thicker branches.

# PROYAMA

COMMERCIAL OUTDOOR

EXCELLENT

# CUT

750W

Hedge  
Trimmer



## GARDEN MULTI TOOL

- ✓ Quick - Release Air Filter
- ✓ 2 - Stroke Powerful Engine
- ✓ Ergonomic Handle

18  
in

CUTTING  
LENGTH



26cc



1.0HP



FUEL  
MIX  
50:1

AIR COOLED  
2-STROKE  
ENGINE



Figure 6: The Hedge Trimmer attachment, ideal for shaping foliage.

#### 5.2.4. Pole Saw / Chainsaw Pruner

For pruning high branches without the need for a ladder. The pole saw can be adjusted with the extension pole to reach heights from 8.2 to 11.4 feet, offering a 10-inch cutting length. Ensure the chain is properly lubricated before and during use.

**PROYAMA**  
COMMERCIAL OUTDOOR

**EXCELLENT CUT**

**750W**

**Pole Saw**

**GARDEN MULTI TOOL**

- ✓ Quick - Release Air Filter
- ✓ 2 - Stroke Powerful Engine
- ✓ Ergonomic Handle

10in CHAIN BAR LENGTH

15 FT MAX REACH LENGTH

26cc

1.0HP

FUEL MIX 50:1

AIR COOLED 2-STROKE ENGINE

Figure 7: The Pole Saw attachment for extended reach pruning.

### 5.2.5. Edger

Provides clean and precise edges along sidewalks, driveways, and garden beds. The straight shaft design and wheel allow for easy maneuverability and consistent depth control.

**PROYAMA**  
COMMERCIAL OUTDOOR

**EXCELLENT  
CUT**

**750W**

**Edger**

**GARDEN MULTI TOOL**

- ✓ Quick - Release Air Filter
- ✓ 2 - Stroke Powerful Engine
- ✓ Ergonomic Handle

10in CHAIN BAR LENGTH

26cc

1.0HP

FUEL MIX 50:1

AIR COOLED 2-STROKE ENGINE

Figure 8: The Edger attachment for clean lawn borders.

## 6. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your PROYAMA multi-tool. Always disconnect the spark plug wire before performing any maintenance.

- **Air Filter:** Regularly inspect and clean the air filter. A dirty air filter can reduce engine performance.
- **Spark Plug:** Check the spark plug periodically for wear and proper gap. Replace if necessary.
- **Fuel System:** Drain the fuel tank and run the engine dry before long-term storage to prevent fuel degradation issues.
- **Blades and Chains:**
  - **Hedge Trimmer Blades:** Keep blades sharp and clean. Lubricate them after each use.
  - **Brush Cutter Blades:** Inspect for damage or dullness. Sharpen or replace as needed.
  - **Pole Saw Chain:** Ensure proper chain tension. Keep the chain sharp and lubricated with bar and chain oil.

- **General Cleaning:** Clean the exterior of the tool after each use, removing grass, dirt, and debris.

---

## 7. TROUBLESHOOTING

If you encounter issues with your PROYAMA multi-tool, refer to the official Troubleshooting Guide for common problems and solutions. Many issues can be resolved with simple adjustments or maintenance.

[Download Troubleshooting Guide \(PDF\)](#)

---

## 8. SPECIFICATIONS

Feature	Specification
Brand	PROYAMA
Power Source	Gas Powered
Engine Displacement	26 cc
Engine Type	2-Cycle
Fuel Mix Ratio	50:1
Item Weight	30 Pounds (approx. with power head)
Product Dimensions	43.31"L x 12.99"W x 12.99"H (power head)
String Trimmer Cutting Width	18 Inches
Hedge Trimmer Blade Length	18 Inches
Pole Saw Cutting Length	10 Inches
Pole Saw Extension Length	8.2 to 11.4 ft
Edger Cutting Width	10 Inches
Material	Aluminum
Color	Orange
Model Number	PMT26 26CC (also listed as 260)
UPC	611864995915

---

## 9. WARRANTY AND SUPPORT

PROYAMA offers a one-year warranty on this product. For any questions, concerns, or warranty claims, please contact PROYAMA customer support via email. They aim to reply within 24 hours.

For additional information and detailed instructions, please refer to the complete User Guide:

[Download User Guide \(PDF\)](#)

