

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

SUNNY SHOWER BL-363672CC

SUNNY SHOWER Corner Shower Enclosure Instruction Manual

Brand: SUNNY SHOWER

Model: BL-363672CC

PRODUCT OVERVIEW

The SUNNY SHOWER Corner Shower Enclosure is designed to provide a spacious and functional showering area, especially suitable for optimizing space in your bathroom. Featuring 1/4 inch clear tempered glass and a durable chrome finish frame, this enclosure offers both aesthetic appeal and robust construction. Its double sliding door design maximizes walk-in width, while the square shape ensures stability and a perfect fit in corner installations.



Image: A complete view of the SUNNY SHOWER Corner Shower Enclosure installed in a modern bathroom setting, showcasing its clear glass panels and chrome frame.

Key features include:

- **Double Sliding Door Design:** Two sliding glass panels enhance accessibility and maximize the walk-in area.
- **Space-Saving Square Shape:** Ideal for corner installations, providing a sturdy and stable structure.
- **Waterproof Seal Strip:** Magnetic glass door bottom seal strips ensure a tight, leak-proof closure, made from durable, temperature-resistant PVC material.
- **Smooth Sliding Door Hardware:** Quiet pulley system allows for effortless and silent door operation.
- **High-Quality Handles:** Constructed from 304 stainless steel for strength, corrosion resistance, and rust prevention.
- **Quick Release Bottom Rollers:** Designed for easy removal and cleaning of the glass panels.

SETUP AND INSTALLATION

Installation of the SUNNY SHOWER Corner Shower Enclosure requires careful attention to detail. While the manual guides you through the process, accurate measurements and proper handling of components are crucial for a successful setup. It is highly


recommended that two people perform the installation to ensure safety and precision.

Pre-Installation Checklist:

- **Accurate Measurement:** Before beginning, measure your shower area precisely to ensure the enclosure fits correctly and to avoid re-installation issues due to incorrect sizing.
- **Protective Equipment:** Wear appropriate protective equipment, such as safety glasses and gloves, during installation.
- **Glass Handling:** Handle the tempered glass panels with extreme care to prevent impact, chipping, or breakage. Place them on a soft, flat surface when not being installed.
- **Level Surfaces:** Ensure that the shower base and surrounding walls are perfectly level and plumb. This is critical for proper door alignment and watertight sealing.
- **Dry Fit:** It is advisable to dry-fit the frame components without the glass panels first to understand the assembly and confirm all parts align as expected.

Installation Steps (General):

1. Unpack all components and verify against the parts list provided in the detailed instruction manual.
2. Assemble the frame according to the manual's diagrams, ensuring all connections are secure.
3. Mount the frame to the wall and shower base, ensuring it is level and plumb.
4. Install the fixed glass panels into the frame.
5. Attach the sliding door hardware, including the rollers and guides.
6. Carefully place the sliding glass doors onto the rollers and adjust for smooth operation.
7. Install the magnetic seal strips and any other sealing components to ensure a watertight enclosure.
8. Attach the handles to the sliding doors.



Stabilized Glass Does Not Fall Easily

Image: A visual representation demonstrating the reversible installation capability of the shower enclosure, allowing for left or right side opening.

Reversible Installation



The way of opening can be installed on either the left or right side.

Image: An overhead view illustrating the frame structure of the shower enclosure, providing a perspective on how the components fit together during assembly.

OPERATION

The SUNNY SHOWER Corner Shower Enclosure is designed for ease of use and reliable performance. The double sliding doors operate smoothly and quietly, providing convenient access to your shower space.

- **Opening and Closing:** Gently push or pull the stainless steel handles to slide the doors open or closed. The smooth gliding mechanism ensures minimal effort.
- **Secure Closure:** The magnetic seal strips at the bottom of the glass doors ensure a tight and waterproof closure when the doors are fully shut, preventing water leakage.



Smooth and Quiet Gliding

Bottom guides hold the frame panels in place as they slide from one side to the other.

Image: A detailed view of the bottom guides and rollers, highlighting the smooth and quiet gliding mechanism that allows the shower door panels to slide effortlessly.



Steady & no Noise

Remains leak-proof magnet and seal strip.

Image: A close-up of the magnetic seal strip, demonstrating how it ensures a steady and leak-proof closure for the shower enclosure, preventing water from escaping.



High Quality Handle


304 stainless steel handles are strong and resistant to corrosion and rust.

Image: A close-up of the high-quality 304 stainless steel handles, emphasizing their strong and corrosion-resistant construction.

MAINTENANCE AND CARE

Regular cleaning and maintenance will ensure the longevity and pristine appearance of your SUNNY SHOWER Corner Shower Enclosure.

- **Glass Cleaning:** Use a soft cloth and a non-abrasive glass cleaner to wipe down the tempered glass panels after each use to prevent water spots and soap scum buildup.
- **Frame Cleaning:** Clean the chrome finish frame with a soft, damp cloth and mild soap. Avoid harsh chemicals or abrasive cleaners that could damage the finish.
- **Seal Strip Care:** Periodically inspect the magnetic seal strips for any signs of wear or damage. Clean them gently to maintain their effectiveness.
- **Quick Release Bottom Rollers:** The quick release bottom rollers allow for easy removal of the doors for thorough cleaning. Simply disengage the rollers as shown in the diagram to lift the door for cleaning the track and glass edges.



Quick Release Bottom Rollers

Easy to remove and clean

Image: A visual guide demonstrating the quick release bottom rollers, which allow for easy removal and cleaning of the shower door panels.

TROUBLESHOOTING

If you encounter any issues with your shower enclosure, refer to the following common troubleshooting tips. For more complex problems, please contact customer support.

| Problem | Possible Cause | Solution |
|---|---|---|
| Doors do not close completely or leave a gap. | Frame not perfectly level or plumb; magnetic seal strips misaligned or damaged. | Verify the frame is level and plumb using a spirit level. Adjust as necessary. Check the alignment and condition of the magnetic seal strips. Replace if damaged. |
| Doors are difficult to slide or make noise. | Rollers or tracks are dirty; rollers are worn or damaged; alignment issues. | Clean the rollers and tracks thoroughly. Inspect rollers for wear and replace if necessary. Check door alignment and adjust if loose. |

| Problem | Possible Cause | Solution |
|-----------------------------------|--|--|
| Water leakage from the enclosure. | Seal strips are not properly installed or damaged; gaps in silicone sealant; frame not sealed correctly. | Ensure all seal strips are correctly seated and undamaged. Reapply silicone sealant where necessary, especially along the base and wall connections. |

SPECIFICATIONS

- **Model Number:** BL-363672CC
- **Dimensions:** 36 inches (W) x 36 inches (W) x 72 inches (H)
- **Glass Thickness:** 1/4 inch (Clear Tempered Glass)
- **Frame Finish:** Chrome
- **Material:** Aluminum, Tempered Glass
- **Item Weight:** Approximately 119.04 Pounds
- **Assembly Required:** Yes
- **Number of Handles:** 2
- **Installation Method:** Screw-In
- **Walk-in Width:** 20 1/2 inches
- **Side Width Adjustment Range:** 20mm (13/16 inches)

WARRANTY AND SUPPORT

The SUNNY SHOWER Corner Shower Enclosure comes with a **2-year warranty**, ensuring peace of mind regarding product quality and performance.

For any questions, concerns, or assistance with installation or troubleshooting, please contact SUNNY SHOWER Customer Support. Our team is dedicated to providing attentive service and aims to respond to inquiries within 24 hours.

You can typically find contact information for customer support on the product packaging or through the retailer's website where the product was purchased. Please have your model number (BL-363672CC) and purchase details ready when contacting support.