

## Intex 26363EH

# INTEX Ultra XTR Deluxe Rectangular Above Ground Swimming Pool Set

Model: 26363EH | Brand: Intex

## PRODUCT OVERVIEW

---

The Intex Ultra XTR Deluxe Rectangular Above Ground Swimming Pool Set (Model 26363EH) offers a premium swimming experience with its robust construction and efficient filtration system. Designed for durability and ease of use, this pool is an excellent addition to any backyard.

- **Dimensions:** 24ft x 12ft x 52in (288"L x 144"W x 52"H)
- **Water Depth:** 45 inches
- **Water Capacity:** 8,403 gallons
- **Frame:** High-quality galvanized steel frame with precision-engineered locking system for enhanced durability and stability. Inner and outer powder coating provides superior rust resistance.
- **Liner:** Puncture-resistant 3-Ply PVC construction, offering 50% higher tear resistance compared to standard liners.
- **Filtration:** Includes a Krystal Clear Sand Filter System (SX2100) with 6 functions (Filtration, Backwash, Rinse, Recirculate, Drain, Close System) to keep water sparkling clean.




Figure 1: Complete Intex Ultra XTR Deluxe Rectangular Pool Set.

## SETUP GUIDE

Proper site preparation and assembly are crucial for the longevity and safety of your Intex pool. While the Easy Lock System allows for quick assembly, careful attention to detail during setup will ensure optimal performance.

### 1. Site Preparation

Select a perfectly level area for your pool. The actual pad dimensions required are approximately 20 feet by 11 feet. It is essential to dig out any high areas rather than building up low areas, as filled soil can settle and cause the pool to become unlevel. Remove all rocks, pebbles, roots, and any other non-dirt material from the chosen area to prevent liner punctures.

- Spray the ground with a weed and grass killer to prevent vegetation growth under the pool.
- Consider adding anti-fatigue mats under the pool base for added comfort and protection against punctures.

### 2. Frame Assembly

The pool frame utilizes an Easy Lock System, allowing components to snap together without the need for pins or

tools. While the manufacturer states a 90-minute assembly time, having at least two people will significantly ease the process.



**Easy-Lock System**  
Composite T-joints precisely engineered for strength, frame protection, and easy, tool-free setup



**Superior Frame Design**  
Galvanized steel frames for extra durability and rust-resistance



**INTEX®**

Figure 2: Easy-Lock System for tool-free frame assembly.

### 3. Leg Support

To prevent the pool legs from sinking and causing the pool to become unlevel, place sturdy support blocks under each leg. Pressure-treated wood blocks (e.g., 2"x12"x10") are recommended. Avoid lightweight concrete pavers, as they may crack under the pool's substantial weight (over 4 tons when full). Recess these blocks into the ground to be level with the pool base.

### 4. Liner and Cover Placement

Lay out the protective ground cloth (included) followed by the pool liner. Ensure the liner is smooth and free of wrinkles before filling. Once the pool is filled, use the included pool cover to keep the water clean when not in use.

# INCLUDED ACCESSORIES



Krystal Clear™  
Sand Filter Pump  
SX2100



Removable  
Ladder



Pool Frame



Pool Liner



Pool Cover



Ground Cover



INTEX®

Figure 3: All included accessories for your pool set.

## 5. Pump and Filter Setup

Position the Krystal Clear Sand Filter System on a stable, level platform (e.g., a 36"x18" sled/platform). Connect all hoses securely. The pump's power plugs are large; ensure you have a suitable GFCI-protected outlet within 20 feet and use a weatherproof box for any extension cord connections.

# KRYSTAL CLEAR™ SAND FILTER PUMP SX2100

- 6 Functions — Filtration, Backwash, Rinse, Recirculate, Drain, and Close System
- Sand lasts up to 5 years with regular backwashing
- Pump Flow Rate:  
**2100 GPH**



INTEX's patented HydroAeration® Technology is precision engineered to improve filtration, clarity and freshness in above ground pools.

Figure 4: The Krystal Clear Sand Filter Pump SX2100.

## OPERATING YOUR POOL

---

Once assembled and filled, operating your Intex pool involves managing the filtration system and maintaining water quality for a safe and enjoyable swimming environment.

### 1. Filtration System

The included Krystal Clear Sand Filter System (SX2100) is designed to keep your pool water clean and clear. It offers six functions: Filtration, Backwash, Rinse, Recirculate, Drain, and Close System. Regular operation of the filter is essential for water clarity.

- Sand in the filter can last up to 5 years with regular backwashing, reducing the need for frequent media replacement.

- The pump has a flow rate of 2100 GPH, ensuring efficient water circulation.



Figure 5: Pool dimensions and water capacity for optimal operation.

## 2. Water Chemistry

Maintaining proper water chemistry is vital. Consider using an Intex saltwater generator for easier maintenance and reduced chemical use. If using a saltwater system, you will need approximately 115 lbs of pool salt for this pool size. Additionally, add Cyanuric Acid (CYA) to protect chlorine from UV breakdown; approximately 1.1 lbs of CYA is needed initially.

## 3. Accessories for Convenience

Enhance your pool experience with additional accessories:

- A pool skimmer or net for surface debris removal.
- A pool vacuum for cleaning the bottom.
- A good test kit to regularly monitor water chemistry.
- A small kiddie pool as a foot bath at the ladder base to minimize dirt tracking into the pool.

- For colder climates or preferences, a solar heater can raise water temperature.

## MAINTENANCE

---

Regular maintenance ensures the longevity of your pool and the cleanliness of its water.

### 1. Filter Maintenance

Perform regular backwashing of your sand filter to remove trapped debris and maintain optimal filtration efficiency. This process helps extend the life of the sand media.

### 2. Water Treatment

Continuously monitor and adjust water chemistry. If shocking the pool, wait at least 24 hours before adding algaecide, as chlorine shock can neutralize its effects.

### 3. Cleaning

Regularly skim the surface for leaves and debris. Use a pool vacuum to clean the pool floor. The rectangular shape of this pool facilitates easy cleaning, similar to an in-ground pool.


### 4. Liner Care

The 3-Ply PVC liner is robust, but in case of minor damage, a patch is included for easy repairs.

INTEX®



## 3-PLY SIDE WALL LINER



High-strength  
polyester mesh

Extra-thick  
PVC layer

= 50% higher  
tear resistance



\*compared to standard INTEX® Metal Frame Pool Liner

Figure 6: The durable 3-Ply Side Wall Liner is designed for longevity.

## TROUBLESHOOTING

This section addresses common issues you might encounter with your Intex pool.

### 1. Pool Becoming Unlevel

If the pool becomes unlevel after filling, it is likely due to improper ground preparation or insufficient leg support. Ensure the ground is perfectly flat before assembly and that sturdy, recessed blocks are placed under each leg to distribute the weight evenly. An unlevel pool puts undue stress on the frame.

### 2. Water Clarity Issues

If your water is not sparkling clear, check the sand filter for proper operation and perform a backwash if needed.

Verify chemical levels using a test kit and adjust as necessary. Ensure adequate filtration time daily.

### 3. Punctures or Leaks

The liner is robust, but punctures can occur, often from sharp objects underneath or within the pool. Thoroughly inspect the ground before setup. For minor leaks, use the included patch kit. For larger issues, consult the full user manual or Intex support.

### 4. Cold Water

If the water temperature is too low for comfort, especially in cooler climates or during evenings, consider investing in a solar heater. The included pool cover helps retain heat but may not be sufficient for significant temperature increases.

## SPECIFICATIONS

Feature	Detail
Brand	Intex
Model Number	26363EH
Product Dimensions	288"L x 144"W x 52"H (24ft x 12ft x 52in)
Water Depth	45 inches
Water Capacity	8,403 Gallons (31,808 L)
Shape	Rectangular
Color	Gray
Material	Polyvinyl Chloride (PVC), Alloy Steel
Item Weight	350.9 Pounds
Manufacturer	Intex Recreation Corp.
UPC	078257263639
Assembly Required	Yes
Included Components	Pool liner, Pool frame, Krystal Clear Sand Filter Pump, Removable ladder, Pool cover, Ground cover

## WARRANTY INFORMATION

---

The Intex Ultra XTR Deluxe Rectangular Above Ground Swimming Pool Set includes a **2-year warranty**. Please refer to the full user manual for detailed terms and conditions regarding warranty coverage and claims.

## SUPPORT & RESOURCES

---

For further assistance, detailed instructions, or troubleshooting not covered in this manual, please utilize the following resources:

- **Official User Manual (PDF):** [Download PDF Manual](#)
- **Intex Customer Support:** For specific product inquiries, parts, or warranty claims, please contact Intex customer support directly. Contact information can typically be found on the product packaging or the official Intex website.