

Intex 26355EH

Intex 18' x 9' x 52" Ultra XTR Rectangular Frame Swimming Pool Set

Model: 26355EH

Brand: Intex

INTRODUCTION

This manual provides essential information for the setup, operation, and maintenance of your Intex 18' x 9' x 52" Ultra XTR Rectangular Frame Swimming Pool Set. Designed for durability and ease of use, this pool offers a refreshing backyard experience.

IMPORTANT SAFETY INFORMATION

- Never allow kids unsupervised swimming.
- Always supervise children and individuals with limited swimming abilities.
- Ensure the pool area is level and clear of debris before setup.
- Do not dive into the pool.
- Follow all chemical handling instructions carefully.

COMPONENTS AND WHAT'S INCLUDED

Your Intex Ultra XTR Rectangular Frame Pool Set includes the following:


- Pool Liner (3-Ply PVC material)
- Galvanized Steel Frame (rust-resistant)
- Krystal Clear Sand Filter Pump SX1200 (#26643EG)
- Removable Ladder (Hi-impact slip-resistant steps, coated corrosion resistant steel frame, max weight capacity 300 lbs)
- Ground Cloth
- Pool Cover

Ultra XTR Pool Set Features:



Rust Resistant Frame

Galvanized steel frame with inner and outer powder coating provides powerful rust protection




Innovative Frame Design

Unique shape is sturdy and durable



Hydro Aeration Technology

Provides better circulation and filtration and improves water clarity



Easy Lock System

Easily snaps together with push button connections



Durable Liner

Constructed with puncture-resistant 3-ply material



True Water Depth

45in true water depth provides plenty of room to splash and swim



Dual Suction Outlet Fittings

Improve water circulation for better water hygiene and clarity



Easy Set Up

Quick assembly with no additional tools - ready for water in 60 minutes

Image: A visual representation of all included accessories: Krystal Clear Sand Filter Pump SX1200, Removable Ladder, Pool Frame components, Pool Liner, Pool Cover, and Ground Cover.

SETUP INSTRUCTIONS

The Intex Ultra XTR pool is designed for easy assembly, typically ready for water in about 60 minutes. It is highly recommended to have at least two people for setup.

1. Site Preparation

Choose a perfectly level area for your pool. Uneven ground can cause structural issues once the pool is filled. Clear the area of all rocks, pebbles, roots, and debris. Consider using foam board insulation under the ground cloth for added protection and comfort.

2. Ground Cloth Placement


Lay out the included ground cloth on the prepared level surface. This provides an additional layer of protection for the pool liner.

3. Assemble the Frame

The Ultra XTR pools feature an Easy Lock System, where frame components snap together without the need for locking pins or additional tools. Follow the instructions provided in the physical manual for specific frame assembly steps.

Easy-Lock System

Composite T-joints precisely engineered for strength, frame protection, and easy, tool-free setup



Superior Frame Design

Galvanized steel frames for extra durability and rust-resistance

INTEX®

Image: A diagram illustrating the Easy-Lock System, where composite T-joints connect frame components for strength and tool-free setup. Place 15x15 inch boards (not included) under each leg of the pool to support the weight and prevent sinking, especially on softer ground.

4. Install the Liner

Carefully spread out the pool liner within the assembled frame. Ensure it is centered and smooth out any wrinkles on the bottom.



APPROX. SETUP
60 MIN.



WATER DEPTH
45 in.



WATER CAPACITY
4,545 gal.


Image: A cutaway view of the 3-ply side wall liner, highlighting its high-strength polyester mesh and extra-thick PVC layers for tear resistance.

5. Begin Filling the Pool

Start filling the pool with water. As the water level rises, the sides of the pool may bow inward slightly; this is normal and will straighten out as the water pressure increases.



SX1200



Water Capacity4545 Gallons (17,203 L)Water Depth45 inches (1.14 m)MaterialPolyvinyl Chloride (PVC)Item Weight277 PoundsAssembly RequiredYesSpecial FeaturePuncture Resistant

WARRANTY AND SUPPORT

This Intex pool set includes a 2-year warranty for peace of mind. For detailed warranty information, troubleshooting, or replacement parts, please refer to the official user manual (PDF) available for download or contact Intex customer support.

Official User Manual (PDF): [Download Here](#)

For further assistance, visit the [Intex Store on Amazon](#).

© 2024 Intex. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question