

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [Moen](#) /

> [Moen S1003 Rainshower Shower Head User Manual](#)

Moen S1003

Moen S1003 10" Razor Thin Rainshower Shower Head

Model: S1003 | Brand: Moen

PRODUCT OVERVIEW

The Moen S1003 Razor Thin Rainshower Shower Head provides a luxurious rainshower experience with its 10-inch diameter design, ensuring full-body water coverage. It features self-cleaning nubbins for easy maintenance and is designed to complement various bathroom styles with its mirror-like chrome finish.



Image: The Moen S1003 10-inch Razor Thin Rainshower Shower Head, showcasing its sleek, thin design and chrome finish.

Key Features:

- **Mirror-like Chrome Finish:** Designed to complement most bathroom styles, providing a sleek and modern aesthetic.
- **10-inch Showerhead:** Delivers expansive water coverage for a complete rainshower experience.
- **Immersion Technology:** Increases spray power for a thorough rinse.
- **Self-Cleaning Nubbins:** Reduces mineral build-up, simplifying maintenance.
- **Durable Construction:** Made from metal for long-lasting performance.

SETUP AND INSTALLATION

The Moen S1003 shower head is designed for easy installation, fitting most standard shower arms for

quick DIY setup. For optimal performance, ensure proper sealing and connection to your existing shower arm.

MOEN®

Easy Install

Fits most standard shower arms
for quick DIY installation.




Image: A close-up of hands applying plumber's tape to a shower arm, illustrating the "Easy Install" process for the shower head.

Installation Steps (General):

1. Ensure water supply to the shower is turned off.
2. Remove the old shower head (if applicable).
3. Clean any old sealant or tape from the shower arm threads.
4. Apply new plumber's tape (PTFE tape) clockwise around the threads of the shower arm.
5. Thread the Moen S1003 shower head onto the shower arm by hand until snug.
6. Tighten with a wrench, being careful not to overtighten, which could damage the threads.
7. Turn on the water supply and check for leaks.

OPERATING INSTRUCTIONS

The Moen S1003 Rainshower Shower Head provides a single, consistent rain spray pattern. To operate, simply turn on your shower's water supply. The Immersion technology ensures a powerful and consistent

flow for a satisfying shower experience.

Your browser does not support the video tag.

Video: An official Moen brand video showcasing various Moen products and their commitment to water experiences. This video highlights the quality and design philosophy behind Moen products, including shower heads.

This shower head is designed for a flow rate of 2.5 Gallons Per Minute (GPM), providing ample water for a luxurious rainshower. There are no adjustable settings; the design focuses on delivering a consistent, immersive rain spray.

MAINTENANCE

Regular maintenance will help ensure the longevity and optimal performance of your Moen S1003 shower head. The self-cleaning nubbins are a key feature designed to simplify this process.

Cleaning Instructions:

- To clean the chrome finish, use a soft, damp cloth and mild soap. Avoid abrasive cleaners, scouring pads, or harsh chemicals, as these can damage the finish.
- The self-cleaning nubbins (small rubber nozzles) can be easily cleaned by gently rubbing them with your finger or a soft brush while the water is running. This dislodges mineral deposits and ensures consistent spray patterns.
- For stubborn mineral build-up, a solution of equal parts white vinegar and water can be applied to the nubbins. Allow it to soak for a few minutes before gently rubbing and rinsing.

TROUBLESHOOTING

If you encounter any issues with your Moen S1003 Rainshower Shower Head, refer to the common troubleshooting tips below. For more complex problems, contact Moen customer support.

Problem	Possible Cause	Solution
Low Water Pressure	Mineral build-up in nozzles; partially closed shut-off valve; low household water pressure.	Clean self-cleaning nubbins. Ensure shut-off valves are fully open. Consult a plumber if household pressure is consistently low.
Uneven Spray Pattern	Clogged nozzles due to mineral deposits.	Gently rub the self-cleaning nubbins to dislodge deposits.
Leaking from Connection	Improperly applied plumber's tape; loose connection.	Ensure sufficient plumber's tape is applied and the connection is tightened properly (do not overtighten).

SPECIFICATIONS

Detailed technical specifications for the Moen S1003 10" Razor Thin Rainshower Shower Head.




Image: A diagram illustrating the 10-inch (25 cm) square dimensions of the shower head.

Attribute	Detail
Brand	Moen
Model Number	S1003
Style	2.5 GPM
Shape	Square
Material	Metal
Finish Type	Chrome
Setting Type	Rain
Installation Type	Ceiling Mounted
Flow Rate	2.5 Gallons Per Minute
Color	Chrome
Number of Settings	1
Item Weight	2.54 pounds
Product Dimensions	11.61 x 10.43 x 2.95 inches

WARRANTY AND SUPPORT

The Moen S1003 Rainshower Shower Head is backed by Moen's Limited Lifetime Warranty, providing assurance of quality and durability. For detailed warranty information, claims, or technical support, please refer to the official Moen website or contact their customer service.

Moen Customer Service: For assistance, visit the official Moen website or refer to the contact information

provided in your product packaging. You can also visit the [Moen Store on Amazon](#) for more product information and support resources.

© 2024 Moen Incorporated. All rights reserved.

This manual is for informational purposes only. Always consult a qualified professional for installation or complex issues.