

Okano 902

Okano Silicone Spray 902 Concentrated Type 420ml

Instruction Manual

1. INTRODUCTION

The Okano Silicone Spray 902 Concentrated Type is a high-performance lubricant designed to enhance the smooth operation of various tools and machinery. Its advanced formula ensures long-lasting effectiveness without leaving a sticky residue, making it ideal for applications requiring low friction and clean surfaces.

This manual provides essential information on the safe and effective use, maintenance, and specifications of your Okano Silicone Spray 902.

2. SAFETY INFORMATION

Please read and understand all safety warnings before using this product. Failure to follow these instructions may result in injury or damage.

- **Flammability:** This product is highly flammable. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.
- **Ventilation:** Use only in a well-ventilated area. Avoid breathing spray mist.
- **Eye Contact:** Avoid contact with eyes. In case of contact, rinse immediately with plenty of water and seek medical advice.
- **Skin Contact:** Avoid prolonged or repeated skin contact. Wash hands thoroughly after handling.
- **Ingestion:** Do not ingest. If swallowed, do not induce vomiting. Call a poison control center or doctor immediately.
- **Pressure Container:** Pressurized container: May burst if heated. Do not pierce or burn, even after use.
- **Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50°C (122°F). Keep out of reach of children and pets.

3. PRODUCT FEATURES

The Okano Silicone Spray 902 offers several key features designed for superior performance:

- **High-Concentration Formula:** Provides enhanced lubrication and protection with a smaller application amount.
- **Non-Sticky:** Dries quickly without leaving a greasy or sticky residue, ensuring clean operation.
- **Long-Lasting Effect:** Engineered for durability, maintaining its lubricating properties over extended periods.
- **Versatile Application:** Ideal for improving the sliding motion of woodworking machinery, electric tools, and various types of blades.

4. USAGE INSTRUCTIONS

4.1. Setup

1. Ensure the work area is well-ventilated.
2. Wear appropriate personal protective equipment (PPE), such as safety glasses and gloves.
3. Shake the can thoroughly for at least 30 seconds before use to ensure proper mixing of contents.

4.2. Operating

1. Hold the can upright, approximately 15-20 cm (6-8 inches) from the surface to be treated.
2. Apply a thin, even coat of the spray to the desired surface. For best results, apply in short bursts rather than a continuous spray.
3. Allow the spray to dry completely before operating machinery or tools. This typically takes a few minutes.
4. For hard-to-reach areas, use the included straw applicator (if provided) by inserting it into the nozzle.



An image showing the Okano Silicone Spray 902 Concentrated Type 420ml in a white and blue aerosol can. The label clearly indicates '902 SILICON SPRAY' and '高濃度特殊シリコーン' (High-Concentration Special Silicone).

5. MAINTENANCE AND STORAGE

5.1. Maintenance

- Regularly inspect treated surfaces for optimal lubrication. Reapply as needed based on usage frequency and environmental conditions.
- Clean any overspray immediately with a suitable solvent if necessary, though the non-sticky formula minimizes

this need.

5.2. Storage

- Store the can in a cool, dry place, away from direct sunlight and temperatures above 50°C (122°F).
- Keep the cap securely on the can when not in use to prevent accidental discharge and contamination.
- Store away from ignition sources and out of reach of children and animals.

6. TROUBLESHOOTING

If you encounter issues with your Okano Silicone Spray 902, refer to the following common troubleshooting tips:

Problem	Possible Cause	Solution
Spray not dispensing or weak spray	Clogged nozzle; low pressure; can too cold	Clean nozzle with a pin; shake can vigorously; warm can to room temperature (do not heat directly).
Surface remains sticky after application	Too much product applied; insufficient drying time	Apply a thinner coat; allow more time for drying in a well-ventilated area.
Effectiveness is short-lived	Heavy use; abrasive environment; improper application	Reapply more frequently; ensure surface is clean before application; consider environmental factors.

7. SPECIFICATIONS

Attribute	Detail
Brand	Okano
Model Number	902 (Concentrated Type)
Volume	420ml
Product Form	Spray
Main Ingredient	Silicone
Package Type	Can
ASIN	B07FDVR3HV

8. WARRANTY AND SUPPORT

For information regarding product warranty, returns, or technical support, please contact your point of purchase or refer to the official Okano website. Keep your purchase receipt as proof of purchase.

For general inquiries, you may visit the manufacturer's website or contact their customer service department. Specific warranty terms may vary by region and retailer.

