

NEC C861Q

NEC MultiSync C861Q 86-inch 4K UHD LED Display User Manual

Model: C861Q

1. INTRODUCTION

This manual provides essential information for the safe and efficient operation of your NEC MultiSync C861Q 86-inch 4K UHD LED Display. Please read this manual thoroughly before using the product and retain it for future reference. This display is designed for digital signage applications, offering a large 4K UHD resolution screen with advanced features.

2. SAFETY INFORMATION

Observe the following safety precautions to prevent damage to the display and ensure user safety:

- Always connect the power cord to a grounded outlet.
- Do not block ventilation openings. Ensure adequate space around the display for proper airflow.
- Avoid exposing the display to rain or moisture to prevent electric shock or fire.
- Do not open the display casing. Refer all servicing to qualified service personnel.
- Handle the display with care due to its size and weight. Always use appropriate lifting techniques and equipment.

3. PACKAGE CONTENTS

Verify that all items are present in the packaging:

- NEC MultiSync C861Q 86-inch LED Display
- Power Cord
- Remote Control with Batteries
- User Manual (this document)
- Signal Cables (may vary by region/bundle)

4. SETUP

4.1 Unpacking and Placement

Due to the size and weight of the 86-inch display, it is recommended that multiple individuals assist with unpacking and placement. Carefully remove the display from its packaging. Place the display on a stable, flat surface or mount it securely using a VESA-compatible mounting solution (sold separately). Ensure adequate ventilation space around the display.



Figure 4.1: The NEC MultiSync C861Q 86-inch LED Display, viewed from an angle, showcasing a vivid image of the Northern Lights over a body of water with ice formations. The display features a slim bezel design.

4.2 Connecting Cables

Connect the necessary cables to the display's input ports:

- **Power:** Connect the power cord to the AC inlet on the display and then to a grounded electrical outlet (100V AC).
- **Video Inputs:**
 - **HDMI:** Connect up to three HDMI sources (e.g., media player, computer) to the HDMI IN ports.
 - **DisplayPort:** Connect up to two DisplayPort sources to the DisplayPort IN ports.
- **Video Output:** Use the DisplayPort OUT for daisy-chaining to another display.
- **Network (LAN):** Connect an Ethernet cable for network control and content management.
- **OPS/RPi Slot:** Insert an optional Open Pluggable Specification (OPS) device or Raspberry Pi Compute Module into the dedicated slot for integrated computing capabilities.

4.3 Initial Power On

After connecting all cables, press the power button on the display or the remote control to turn on the unit. The display will power on and show the NEC logo, followed by the selected input source.

5. OPERATING THE DISPLAY

5.1 Basic Controls

The display can be controlled using the buttons on the display's frame or the included remote control.

- **Power Button:** Turns the display on or off.
- **Input Button:** Cycles through available input sources (HDMI 1, HDMI 2, HDMI 3, DisplayPort 1, DisplayPort 2, OPS/RPi).
- **Menu Button:** Accesses the On-Screen Display (OSD) menu.
- **Navigation Buttons:** Used to navigate through OSD menu options.
- **Enter Button:** Confirms selections in the OSD menu.

5.2 On-Screen Display (OSD) Menu

The OSD menu allows for detailed configuration of the display's settings. Press the Menu button to access it.

- **Picture Settings:** Adjust brightness, contrast, color temperature, sharpness, and aspect ratio. Enable or disable HDR (High Dynamic Range) and Local Dimming for enhanced image quality.
- **Audio Settings:** Control volume and audio input source.
- **Input Settings:** Manually select or configure input sources.
- **Advanced Settings:** Access network settings, power management options, and system information.

6. MAINTENANCE

6.1 Cleaning the Display

To clean the display screen, gently wipe it with a soft, lint-free cloth. For stubborn marks, slightly dampen the cloth with water or a mild, non-abrasive screen cleaner. Do not spray cleaning solutions directly onto the screen. For the casing, use a dry, soft cloth.

6.2 Firmware Updates

Periodically check the NEC support website for available firmware updates. Firmware updates can improve performance, add new features, or resolve issues. Follow the instructions provided with the update package carefully.

7. TROUBLESHOOTING

If you encounter issues with your display, refer to the following common problems and solutions:

- **No Power:**
 - Ensure the power cord is securely connected to both the display and a working electrical outlet.
 - Verify the outlet has power.
- **No Image/Signal:**
 - Check that the video cables (HDMI, DisplayPort) are securely connected to both the display and the source device.

- Verify the correct input source is selected on the display using the Input button or OSD menu.
- Ensure the source device is powered on and outputting a signal.

- **Poor Picture Quality:**

- Adjust picture settings (brightness, contrast, sharpness, color) in the OSD menu.
- Ensure the source resolution matches the display's native 4K UHD (3840x2160) resolution for optimal clarity.
- Check for damaged video cables.

- **Remote Control Not Working:**

- Replace the batteries in the remote control.
- Ensure there are no obstructions between the remote and the display's IR receiver.

If the problem persists, contact NEC customer support for further assistance.

8. SPECIFICATIONS

Feature	Specification
Model Number	C861Q
Screen Size	86 Inches
Resolution	3840 x 2160 (4K UHD)
Aspect Ratio	16:9
Brightness	350 cd/m ²
Screen Surface	Anti-Glare, Glossy
Video Inputs	3x HDMI, 2x DisplayPort
Video Output	1x DisplayPort
Special Features	HDR, Edge-Lit Local Dimming, OPS/RPi Slot Capable
Color	Black
Voltage	100V AC
Product Dimensions (LxWxH)	85 x 13 x 51 inches
Item Weight	161.8 pounds
Manufacturer	Nec Display Lfd
Date First Available	July 10, 2018

9. WARRANTY AND SUPPORT




The NEC MultiSync C861Q display comes with a **3-year commercial warranty**. This warranty covers defects in materials and workmanship under normal use. For specific terms and conditions, please refer to the warranty card included with your product or visit the official NEC Display Solutions website.


For technical support, service, or warranty claims, please contact NEC Display Solutions customer service. Have

your model number (C861Q) and serial number ready when contacting support.

NEC Display Solutions Contact Information: Please refer to the official NEC website or your product documentation for the most current contact details.

Related Documents - C861Q

	NEC MultiSync M321 User Manual: Large Format Display Guide This comprehensive user manual provides detailed instructions for the NEC MultiSync M321 Large Format Display, covering installation, operation, advanced features, troubleshooting, and technical specifications for optimal use.
	NEC MultiSync E224Wi and E243WMi Desktop Monitor User's Manual User's manual for NEC MultiSync E224Wi and E243WMi desktop monitors. Covers setup, operation, safety, specifications, troubleshooting, and energy saving features.
	NEC MultiSync LCD4010 / LCD4610 User's Manual User's manual for NEC MultiSync LCD4010 and LCD4610 LCD Colour Monitors, providing setup instructions, operation guides, safety precautions, and troubleshooting tips.
	NEC MultiSync P403, P463, P553 Large Format Display User's Manual Comprehensive user's manual for NEC MultiSync P403, P463, and P553 large format displays. Covers setup, operation, maintenance, safety, and specifications.

	NEC MultiSync P Series Large Format Displays Installation Guide Comprehensive installation guide for NEC MultiSync P Series large format displays (P435, P495, P555), covering product specifications, dimensions, mounting, ventilation, and connectivity options.
	NEC GT1150 LCD Projector User Manual - Setup, Operation, and Specifications Comprehensive user manual for the NEC GT1150 LCD Projector, covering installation, operation, maintenance, troubleshooting, and technical specifications. Learn how to set up and use your projector effectively.

Documents - NEC – C861Q



[\[pdf\]](#) User Manual

assetserver net assets nec c861q spec Nec C861q Manual |||

NEC Ultra High Definition Large Format Displays 75 , 86 and 98 Commercial Displays
Ideal for Digit ... remains under proper temperature thresholds. Location of Thermal
Management Cooling Fans 2 C751Q/**C861Q**/C981Q Anti-Glare Panel Aesthetically
Focused Design Each of the new large C series commerci...

lang:en score:41 filesize: 1.02 M page_count: 4 document date: 2018-09-27

SHARP

Sharp Electronics Corporation

MultiSync Sharp PN-MEXx2 Large Format Installation Guide

(Ver.1.0)

Contents:

Product Description and Notes

Page 1

Rotation

Page 2

Installation Recommendations

Page 3

Display Dimensions

Page 10

Optional Stand

Page 11

Optional Wall Mount

Page 12

Optional Speaker Dimensions

Page 13

Input Panel

Page 14

PD Comms Tool

Page 15

Cable Connections

Page 16

Connect Panel and Browser Control

Page 17

Product Description:

Type

LED Display

Resolution

8640 x 2160

Power Input

Class 2

Class

Class B

	Dimensions (mm)	Weight (kg)	Power Consumption (W)	BT/RS (mm)
PN-ME432	1016 (40.0)	10.5 (23.2)	1000	1000
PN-ME552	1396 (55.0)	15.5 (34.2)	1000	1000
PN-ME652	1596 (63.0)	18.5 (40.8)	1000	1000
PN-ME752	1796 (70.7)	21.5 (47.4)	1000	1000
PN-ME852	1996 (78.6)	24.5 (54.0)	1000	1000
PN-ME952	2196 (86.5)	27.5 (60.6)	1000	1000

*Measure size refers to when the display is in full brightness and volume at 100.

NOTES:

• This document is intended to be used as a reference guide to supply useful information for a design or installation. It is not intended to be a design or installation manual.

• Any wiring or cable must be done through the support and the installation must be in accordance with any local building codes. All wiring should be done in accordance with local codes.

• Display size is subject to millimeter rounding by 0.5. Therefore may vary slightly.

www.sharpusa.com

MultiSync Sharp PN-MEXx2 Large Format Installation Guide

Page 1 of 1

[\[pdf\]](#) Installation Guide Reference Guide Dimension Guide Guide

V864Q C861Q Installation Guide Ben Hardy NEC Solutions pn mexx2 installguidebusiness sharpusa
Portals Manuals installguide |||

Sharp Electronics Corporation MultiSync Sharp PN-MExx2 Large Format Installation
Guide Contents: Product Description and Notes Rotation Ventilation
Recommendations Display Dimensions Optional Stand Optional Wall Mount
Dimensions Optional Speaker Dimensions Input Panel PD Comms Tool Cable
Connectio...

lang:en score:39 filesize: 2.18 M page_count: 18 document date: 2024-03-26




[pdf] User Manual Installation Guide Guide Label

5 Kevin Heinloth NEC Display Solutions Europe GmbH User Manual Installation Guide Sharp

Collaboration Soundbar UserManual InstallationGuide MM24 m medientechnik24 de out media |||

User Manual Installation Guide NEC Soundbar SP-AS SP-AS2 SP-PS SP-PS2 NEC Collaboration Soundbar S ... E328 E438 E498 E558 E658 ME431 PG, IR ME501 IR ME551 PG, IR ME651 PG C750Q C751Q SST* C860Q **C861Q** SST* C981Q SST * V323-3 PG * V404 PG * V484 PG * V754Q PG * V864Q PG * V984Q PG * M321 ... lang:i-klnglon **score:35** filesize: 1.47 M page_count: 16 document date: 2022-03-07



NEC MultiSync P Series Large Format Displays Installation Guide

Comprehensive installation guide for NEC MultiSync P Series large format displays (P435, P495, P555), covering product specifications, dimensions, mounting, ventilation, and connectivity options.

lang:en **score:34** filesize: 2.88 M page_count: 16 document date: 2021-04-02

NEC

Руководство пользователя ЖК - монитор


MultiSync C651Q
MultiSync C751Q
MultiSync C861Q
MultiSync C981Q

NEC Display Solutions Ltd Руководство пользователяC651Q C751Q C861Q C981Q manual RU

v3sharp nec displays support webdl dl service data display en c751q C651Q v3 |||

- MultiSync C651Q MultiSync C751Q MultiSync **C861Q** MultiSync C981Q : C651Q, C751Q, **C861Q**, C981Q

lang:i-klnglon **score:33** filesize: 13.22 M page_count: 80 document date: 2018-12-17



[pdf] Installation Guide Reference Guide Specifications Dimension Guide Guide V864Q C861Q Installation Guide Ben Hardy NEC Solutions M751 Highlights Specifications m751 installation guide assets sharpnecdisplays us documents installationguides ||| NEC Display Solutions of America, Inc. MultiSync™ M751 Large Format Installation Guide Ver.1.0 Contents: Product Description and Notes Rotation Ventilation Recommendations Display Dimensions Optional Stand Dimensions Optional Wall Mount Dimensions Optional Speaker Dimensions Intel Smart Display... lang:en score:32 filesize: 2.89 M page_count: 12 document date: 2023-04-03



[pdf] User Manual Datasheet Guide Accessories Borchure NEC Ultra High Definition Large Format Displays Brochure New Key Guide function allows for easier access to buttons when manually controlling the unit via on back of display by adding a graphic c651q c751q c861q c981q brochure sharpnecdisplays us documents colorbrochures CD ROM User Manual OPTIONAL ACCESSORIES Table Top Stand ST 801 Optional Speakers SP TF1 All OPS Option Cards Raspberry Pi Compute Module 1 and 3 with optional Interface Board Wall Mount WMK 6598 Regular 3257 C651Q C751Q C861Q only Slim 3255S Human Sensor KT RC2 almo cdn prismic io 6cce98e4 6c17 4cbc bd7c 895d1b4c540c 65 75 86 98 Commercial Ideal Digital Signage Applications media howard docs PC4 av iq dataSheet C981Q NEC Ultra High Definition Large Format Displays 65 , 75 , 86 and 98 Commercial Displays Ideal for ... ns under proper temperature thresholds. Location of Thermal Management Cooling Fans 2 C651Q/C751Q/C861Q/C981Q Anti-Glare Panel Aesthetically Focused Design Each of the new large C series commerci... lang:en score:32 filesize: 1010.65 K page_count: 4 document date: 2019-12-04

NEC

사용 설명서 LCD 모니터

MultiSync C651Q
MultiSync C751Q
MultiSync C861Q
MultiSync C984Q


[pdf] User Manual NEC Display Solutions Ltd C651Q C751Q C861Q C981Q manual KR v2sharp nec displays support webdl dl service data display en c751q C651Q v2 ||| LCD MultiSync C651Q MultiSync C751Q MultiSync **C861Q** MultiSync C984Q : C651Q, C751Q, **C861Q**, C981Q lang:i-klngon score:32 filesize: 8.97 M page_count: 80 document date: 2018-12-17



[\[pdf\]](#) Borchure

NEC Ultra High Definition Large Format Displays Sharp easier access to buttons when manually controlling the unit via on back of display by adding a graphic screen that directs customer c751q c861q c981q brochure sharpnecdisplays us documents colorbrochures C751Q Brochure cdn docs av iq C861Q NEC Ultra High Definition Large Format Displays 75 , 86 and 98 Commercial Displays Ideal for Digit ... remains under proper temperature thresholds. Location of Thermal Management Cooling Fans 2 C751Q/**C861Q**/C981Q Anti-Glare Panel Aesthetically Focused Design Each of the new large C series commerci...


lang:en score:31 filesize: 1.12 M page_count: 4 document date: 2018-06-01



[NEC MultiProfiler Software User Guide: Display Calibration and Management](#)

This user guide provides comprehensive instructions for NEC MultiProfiler software, enabling users to calibrate, manage, and optimize NEC MultiSync displays for precise color accuracy and performance. Learn about picture mode configuration, color settings, and advanced features.


lang:en score:31 filesize: 6.77 M page_count: 63 document date: 2023-10-10



[\[pdf\]](#) Frequently Asked Questions Guide

Sharp NEC Display Solutions Ltd User s Guide prieš 1 dieną — MULTIPROFILER USER S GUIDE
Selecting Quick Edit allows the color gamut white point brightness and black level to be quickly adjusted without Users support nec display dl service data multiprofiler 4 40 01 |||
Version 1.4.40 User s Guide Software Updates Occasionally, updates and enhancements to the MultiPr ... amut UN462A standard color gamut C751Q standard color gamut UN462VA standard color gamut **C861Q** standard color gamut UN492S standard color gamut C971Q standard color gamut UN492VS ...

lang:en score:31 filesize: 6.76 M page_count: 63 document date: 2022-03-15



[\[pdf\]](#) User Manual Quick Start Guide Guide

22 Rebecca Holz Will Hollingworth NEC Large Screen Displays Raspberry Pi Compute Module The content of this manual is furnished for informational use only subject to change without notice and should not be construed as a commitment by Display Solutions Ltd assumes no responsibility or liability any errors inaccuracies that may appear in nec raspberry pi compute module setup guide sharpnecdisplays us documents installationguides Setup Guide

NEC Large-Screen Displays Raspberry Pi Compute Module Setup Guide Revision: 190405 Introduction Th ... goes low to signal shutdown Requirements Compatible NEC display o C651Q o P404 o C751Q o P484 o **C861Q** o P554 o C981Q o P654Q o P754Q o V404 o V404-T o V484 o V484-T o V554 o V554-T o V554Q o V654... lang:en **score:31** filesize: 2.33 M page_count: 74 document date: 2019-04-05




[\[pdf\]](#) User Manual Datasheet

C861Q Manual 156 KB SharpNecDisplaySolutions 60004031 NEC Multisync Display 86 UHD 24h 350cd 28% Haze OPSEOL Promo solange Vorrat — highdefinition ch 10 W optional externe Lautsprecher 15 Lieferumfang CD ROM Bedienungsanleitungen DisplayPort Kabel Fernbedienung USB Kabel Datenblatt de 158 Datenblatt fr Zeichnung 1745 MPC861Q mobilepro content orders Sharp Solutions manual ||| MultiSync **C861Q** LCD 86 Ultra-High Definition Large Format Display Datasheet Stunning visibility for presentations and digital signage Enhance your meeting and conferencing performance with stunning UHD resolution. Get high-end quality and reliability at a low total cost of ownership with long life-... lang:en **score:31** filesize: 156.66 K page_count: 4 document date: 0000-00-00



[\[pdf\]](#) User Manual

assetserver net assets nec c981q spec Nec C981q Manual ||| NEC Ultra High Definition Large Format Displays 75 , 86 and 98 Commercial Displays Ideal for Digit ... remains under proper temperature thresholds. Location of Thermal Management Cooling Fans 2 C751Q/**C861Q**/C981Q Anti-Glare Panel Aesthetically Focused Design Each of the new large C series commerci... lang:en **score:31** filesize: 1.02 M page_count: 4 document date: 2018-09-27



[\[pdf\]](#) Installation Guide Reference Guide Dimension Guide Guide

V864Q C861Q Installation Guide Ben Hardy NEC Solutions me series installationguide sharpnecdisplays us documents installationguides NEC Display Solutions of America, Inc. MultiSync ME Series Large Format Installation Guide Ver.1.0 Contents: Product Description and Notes Rotation Ventilation Recommendations Display Dimensions Optional Stand Dimensions Optional Wall Mount Dimensions Optional Speaker Dimensions Intel Smart Dis... lang:en **score:30** filesize: 3.4 M page_count: 18 document date: 2020-12-02




[pdf] Installation Guide Reference Guide Dimension Guide Guide

V864Q C861Q Installation Guide Ben Hardy NEC Solutions m321 installationguide assets

sharpnecdisplays.us documents installationguides |||

Sharp NEC Display Solutions of America, Inc. MultiSync M321 Large Format Installation Guide Ver.1.0 Contents: Product Description and Notes Rotation Ventilation Recommendations Display Dimensions Optional Stand Dimensions Optional Wall Mount Dimensions PD Comms Tool Cable Connection Browser Con... lang:en score:30 filesize: 1.61 M page_count: 10 document date: 2022-02-14



[pdf] User Manual

NEC Display Solutions Ltd Manual del usuario C651Q C751Q C861Q C981Q manual ES v3 sharp nec

displays support webdl dl service data display en c751q |||

Manual del usuario Pantalla de gran formato MultiSync C651Q MultiSync C751Q MultiSync **C861Q** MultiSync C981Q MODELO: C651Q, C751Q, **C861Q**, C981Q Consulte el nombre del modelo en la etiqueta que figura en la parte trasera del monitor. ndice Informacin de registro.....

lang:es score:30 filesize: 13.06 M page_count: 80 document date: 2018-12-17



[pdf] User Manual Label


PowerPoint Presentation Daniela Dexheimer User s Manual habarovsk pult ru C Series ShadowSense™


Touch MultiSync C651Q SST C751Q C861Q C981Q MONITOR MODEL

7937a785173d8a85380f9536ba5c2ee3 upload iblock 793 |||

User s Manual C Series ShadowSense™ Touch MultiSync C651Q SST MultiSync C751Q SST MultiSync **C861Q** SST MultiSync C981Q SST MONITOR MODEL: C651Q SST, C751Q SST, **C861Q** SST, C981Q SST Please find your model name on the label on rear side of the monitor. Index Addendum to User s Manuals of MultiSync C...

lang:en score:30 filesize: 2.1 M page_count: 29 document date: 2019-05-06






[\[pdf\]](#) User Manual Quick Start Guide Guide


18 NEC Display Solutions Ltd Large Screen Displays Raspberry Pi Compute Module 7 Using the Yodeck bootloader to overwrite current OS Connect host PC display via USB for programming module Setup Guide support nec dl service data manual raspberrypi 190307

NEC Large-Screen Displays Raspberry Pi Compute Module Setup Guide Revision: 190307 Introduction Th ... hutdown signal goes low to signal shutdown Requirements Compatible NEC display o C751Q o P404 o **C861Q** o P484 o C981Q o P554 o P654Q o P754Q o V404 o V404-T o V484 o V484-T o V554 o V554-T o V554Q... lang:en score:30 filesize: 2.2 M page_count: 74 document date: 2019-05-27



[\[pdf\]](#) User Manual Label

NEC Display Solutions Ltd C651Q C751Q C861Q C981Q manual EN v3 support nec display dl service data en c751q ||| User s Manual Large Format Display MultiSync C651Q MultiSync C751Q MultiSync **C861Q** MultiSync C981Q MODEL: C651Q, C751Q, **C861Q**, C981Q Please find your model name in the label on the rear side of monitor. Index Registration Information..... lang:en score:30 filesize: 13.07 M page_count: 80 document date: 2018-12-17



[\[pdf\]](#) Installation Guide Reference Guide Dimension Guide Guide

V864Q C861Q Installation Guide Ben Hardy NEC Solutions 1077128234assets grandandtoy assets Additional 1 10 77 1077128234 ||| NEC Display Solutions of America, Inc. MultiSync M751 Large Format Installation Guide Ver.1.0 Contents: Product Description and Notes Rotation Ventilation Recommendations Display Dimensions Optional Stand Dimensions Optional Wall Mount Dimensions Optional Speaker Dimensions Intel Smart Dis... lang:en score:29 filesize: 2.89 M page_count: 12 document date: 2023-04-03

SHARP/NEC

Sharp NEC Display Solutions of America, Inc.

MultiSync M321 Large Format Installation Guide

[Ver.1.0]

Contents:

Product Description and Notes	Page 1
Rotation Ventilation	Page 2
Recommendations	Page 3
Display Dimensions	Page 4
Optional Stand Dimensions	Page 5
Optional Wall Mount Dimensions	Page 6
Optional Tool	Page 7
Cable Connection	Page 8
Browser Control	Page 9

Product Description:

Model:	LED Display
Size:	32.1" (846mm)
Aspect Ratio:	16:9
Type:	LED

Model	Software Compatibility	Input	VESA Hole Pattern	Dimensions	Weight	Panel Connection	Panel Mounting	Panel Mounting	Panel Mounting
M321	Windows 7, Windows 8, Windows 10, Linux, macOS, Android, iOS	15-pin D-Sub, HDMI, DisplayPort, USB, RS-232C, RS-485, RS-422, RS-423, RS-421, RS-420, RS-419, RS-418, RS-417, RS-416, RS-415, RS-414, RS-413, RS-412, RS-411, RS-410, RS-409, RS-408, RS-407, RS-406, RS-405, RS-404, RS-403, RS-402, RS-401, RS-400, RS-399, RS-398, RS-397, RS-396, RS-395, RS-394, RS-393, RS-392, RS-391, RS-390, RS-389, RS-388, RS-387, RS-386, RS-385, RS-384, RS-383, RS-382, RS-381, RS-380, RS-379, RS-378, RS-377, RS-376, RS-375, RS-374, RS-373, RS-372, RS-371, RS-370, RS-369, RS-368, RS-367, RS-366, RS-365, RS-364, RS-363, RS-362, RS-361, RS-360, RS-359, RS-358, RS-357, RS-356, RS-355, RS-354, RS-353, RS-352, RS-351, RS-350, RS-349, RS-348, RS-347, RS-346, RS-345, RS-344, RS-343, RS-342, RS-341, RS-340, RS-339, RS-338, RS-337, RS-336, RS-335, RS-334, RS-333, RS-332, RS-331, RS-330, RS-329, RS-328, RS-327, RS-326, RS-325, RS-324, RS-323, RS-322, RS-321, RS-320, RS-319, RS-318, RS-317, RS-316, RS-315, RS-314, RS-313, RS-312, RS-311, RS-310, RS-309, RS-308, RS-307, RS-306, RS-305, RS-304, RS-303, RS-302, RS-301, RS-300, RS-299, RS-298, RS-297, RS-296, RS-295, RS-294, RS-293, RS-292, RS-291, RS-290, RS-289, RS-288, RS-287, RS-286, RS-285, RS-284, RS-283, RS-282, RS-281, RS-280, RS-279, RS-278, RS-277, RS-276, RS-275, RS-274, RS-273, RS-272, RS-271, RS-270, RS-269, RS-268, RS-267, RS-266, RS-265, RS-264, RS-263, RS-262, RS-261, RS-260, RS-259, RS-258, RS-257, RS-256, RS-255, RS-254, RS-253, RS-252, RS-251, RS-250, RS-249, RS-248, RS-247, RS-246, RS-245, RS-244, RS-243, RS-242, RS-241, RS-240, RS-239, RS-238, RS-237, RS-236, RS-235, RS-234, RS-233, RS-232, RS-231, RS-230, RS-229, RS-228, RS-227, RS-226, RS-225, RS-224, RS-223, RS-222, RS-221, RS-220, RS-219, RS-218, RS-217, RS-216, RS-215, RS-214, RS-213, RS-212, RS-211, RS-210, RS-209, RS-208, RS-207, RS-206, RS-205, RS-204, RS-203, RS-202, RS-201, RS-200, RS-199, RS-198, RS-197, RS-196, RS-195, RS-194, RS-193, RS-192, RS-191, RS-190, RS-189, RS-188, RS-187, RS-186, RS-185, RS-184, RS-183, RS-182, RS-181, RS-180, RS-179, RS-178, RS-177, RS-176, RS-175, RS-174, RS-173, RS-172, RS-171, RS-170, RS-169, RS-168, RS-167, RS-166, RS-165, RS-164, RS-163, RS-162, RS-161, RS-160, RS-159, RS-158, RS-157, RS-156, RS-155, RS-154, RS-153, RS-152, RS-151, RS-150, RS-149, RS-148, RS-147, RS-146, RS-145, RS-144, RS-143, RS-142, RS-141, RS-140, RS-139, RS-138, RS-137, RS-136, RS-135, RS-134, RS-133, RS-132, RS-131, RS-130, RS-129, RS-128, RS-127, RS-126, RS-125, RS-124, RS-123, RS-122, RS-121, RS-120, RS-119, RS-118, RS-117, RS-116, RS-115, RS-114, RS-113, RS-112, RS-111, RS-110, RS-109, RS-108, RS-107, RS-106, RS-105, RS-104, RS-103, RS-102, RS-101, RS-100, RS-99, RS-98, RS-97, RS-96, RS-95, RS-94, RS-93, RS-92, RS-91, RS-90, RS-89, RS-88, RS-87, RS-86, RS-85, RS-84, RS-83, RS-82, RS-81, RS-80, RS-79, RS-78, RS-77, RS-76, RS-75, RS-74, RS-73, RS-72, RS-71, RS-70, RS-69, RS-68, RS-67, RS-66, RS-65, RS-64, RS-63, RS-62, RS-61, RS-60, RS-59, RS-58, RS-57, RS-56, RS-55, RS-54, RS-53, RS-52, RS-51, RS-50, RS-49, RS-48, RS-47, RS-46, RS-45, RS-44, RS-43, RS-42, RS-41, RS-40, RS-39, RS-38, RS-37, RS-36, RS-35, RS-34, RS-33, RS-32, RS-31, RS-30, RS-29, RS-28, RS-27, RS-26, RS-25, RS-24, RS-23, RS-22, RS-21, RS-20, RS-19, RS-18, RS-17, RS-16, RS-15, RS-14, RS-13, RS-12, RS-11, RS-10, RS-9, RS-8, RS-7, RS-6, RS-5, RS-4, RS-3, RS-2, RS-1							

*Absolute Max refers to when the display is set in brightness with all data active and volume at 100.

NOTES:

- This document is intended to be used as a reference guide to supply useful information for a design or installation. It is not intended to be a step-by-step procedure for installation.
- Any wiring or work must be strong enough to support the monitor and the installation must be in accordance with any local building code. All wiring should make secure contact to avoid faults.
- Indicate the value to which the display is set in brightness with all data active and volume at 100.

www.sharpnecdisplay.com MultiSync M321 Large Format Display Page 1 of 10

[pdf] Installation Guide Reference Guide Dimension Guide Guide

V864Q C861Q Installation Guide Ben Hardy NEC Solutions MultiSync M321 Large Format GuideNEC

strongly recommends using size M4 screws 10 14mm the thickness of bracket and washers in

lengthm321 installationguidebusiness sharpusa Portals Manuals m321 installationguide lengthv1business

installationguidemedia howard CNET QUICK START GUID 574DB450 0D5C 4D9C A3A2

F7FF79AA6FBF ||| ||| Sharp NEC Display Solutions of America, Inc. MultiSync M321 Large Format

Installation Guide Ver.1.0 Contents: Product Description and Notes Rotation Ventilation

Recommendations Display Dimensions Optional Stand Dimensions Optional Wall Moun

Sharp NEC Display Solutions of America, Inc. MultiSync M321 Large Format

Installation Guide Ver.1.0 Contents: Product Description and Notes Rotation

Ventilation Recommendations Display Dimensions Optional Stand Dimensions


Optional Wall Mount Dimensions PD Comms Tool Cable Connection Browser Con...

lang:en score:29 filesize: 1.61 M page_count: 10 document date: 2022-02-14

Orchestrating a brighter world **NEC**

Product Information Sheet

C861Q - Ultra-High Definition Large Format Display



Stunning visibility for presentations and digital signage

Enhance your meeting and conferencing performance with stunning UHD resolution. Get highest quality and reliability at a low total cost of ownership with long life span.

Professional-grade built-in speakers provide excellent audio quality without distracting reflections - along with brightness of up to 350 cd/m², the NEC MultiSync C Series meets the demands of today's meeting environments. Slim bezels and a modern appearance complement state-of-the-art architecture to integrate perfectly into meeting rooms. With embedded office functionalities, set up and manage meetings without the hassle of setting up the display environment first. Wake-up on connection is just one of many features which make meetings more efficient.

With the NEC MultiSync C861Q, presentations will feel confident during meetings of up to 15 participants whilst enabling individually feature can boost sales through digital signage.

Benefits

- Reduce Risk with Smart Modular Intelligence Expansion - upgrade the power of your display at any time by seamlessly integrating one of NEC's options for CPU, Blu-ray/DVD, DisplayPort, RS-232C, RS-485 or RS-422 interfaces for content feed and computing.
- Reduce total cost of ownership - reduce yet elegant allowing for an individual integration into any application and environment.
- Modular and easy to install - the reduction in number of external cables components and cabling design focused on demanding usage scenarios accompany an impressive and continuous viewer experience.
- State-of-the-art operation - Smart installation, operation and maintenance functionality ensure accurate performance over the entire lifetime of the display saving time, effort and resources.
- Reduce power consumption and power usage - non-emission LED technology inputs with 60Hz refresh rate including DisplayPort, HDMI and an optional for CPU, Blu-ray/DVD, RS-232C, RS-485 or RS-422 for other signals, provide "green" free viewing in a large scale.
- Smart Scaling/Stretch Management - save effort whilst managing all connected NEC devices from a centralised location by using the MultiSync Administrator 2 software tool.

NEC Australia | Australia

[pdf] Datasheet

nec datasheet c861q au application files 7615 3318 2847

NEC Australia au.nec.com **C861Q** 1 Product Information Sheet **C861Q** - Ultra-High

Definition Large Format Display Stunning visibility for presentations and digital

signage Enhance your meeting and conferencing performance with stunning UHD

resolution. Get high-end quality and reliability at a low...

lang:en score:29 filesize: 252.77 K page_count: 4 document date: 2018-07-03



[pdf] Datasheet Borchure

C861Q NEC 86 LED 4K UHD Commercial Display Brochure 1 OnlyPOS c861q onlypos au pub media attachment file c 8 |||

MultiSync **C861Q** LCD 86 Ultra-High Definition Large Format Display Datasheet

Stunning visibility for presentations and digital signage Enhance your meeting and conferencing performance with stunning UHD resolution. Get high-end quality and reliability at a low total cost of ownership with long life-...

lang:en **score:28** filesize: 157.92 K page_count: 4 document date: 0000-00-00



[pdf] Catalog

C861Q DM 075 1806 0207 tw nec zh TW products img catalog |||

LCD x DisplayPort HDMI DisplayPort RS232C USB 100 - 240 x x x x x VESA Hole VESA Hole NFC mm **C861Q** : 1928.2 86 /2,174.3 mm 1,895.0 x 1,066.0 mm IPS ...

lang:tl **score:28** filesize: 1.46 M page_count: 2 document date: 2018-06-26

NEC

Gebruikershandleiding

Grootbeeldmonitor

MultiSync C651Q
MultiSync C751Q
MultiSync C861Q
MultiSync C981Q

[pdf] User Manual Label

NEC Display Solutions Ltd GebruikershandleidingC651Q C751Q C861Q C981Q manual NL v3sharp nec displays support webdl dl service data display en c751q C651Q v3 |||

Gebruikershandleiding Grootbeeldmonitor MultiSync C651Q MultiSync C751Q

MultiSync **C861Q** MultiSync C981Q MODEL: C651Q, C751Q, **C861Q**, C981Q Zoek

de modelnaam op het label achter op de monitor. Index

Registratiegegevens.....

lang:nl **score:28** filesize: 12.95 M page_count: 80 document date: 2018-12-17




[pdf] Datasheet

C861Q Specifikācija EN Download Display NEC MultiSync BBT bbt lv Store Displeji Cxx1Q |||

MultiSync **C861Q** LCD 86 Ultra-High Definition Large Format Display Datasheet

Stunning visibility for presentations and digital signage Enhance your meeting and conferencing performance with stunning UHD resolution. Get high-end quality and reliability at a low total cost of ownership with long life-...

lang:en **score:27** filesize: 158.06 K page_count: 4 document date: 0000-00-00



[\[pdf\]](#) Guide

Katalog Pocket Guide 2021 NEC MultiSync M651 Message 65 60005061 od PLN 10577 59 2022

Porównanie cen Cenowarka Polska 2293949bda609638fe654e2d0ca135608277 gzhl5 at blob ldb 5 e d

|||

Sharp NEC Display Solutions Large Format Displays CB-Serie Essential

Collaboration MultiSync Mo ... elle erhltlich fr 43 , 50 und 55 C-Serie Midrange

Displays MultiSync Modell C750Q C751Q C860Q **C861Q** C981Q Gre Zoll/cm 75 / 189 75 / 189 86 / 217 86 / 217 98 / 248 Helligkeit in cd/m 350 350 35...

lang:de **score:27** filesize: 1.96 M page_count: 6 document date: 2021-08-13



[\[pdf\]](#) Datasheet

nec product datasheet c861q sst au application files 2915 6878 7692


Product Information Sheet **C861Q**-SST ShadowSense™ LCD 86 Large Format

ShadowSense™ Touch Display Give your meeting room a bright new touch

Enhance your meeting and conferencing performance with stunning UHD resolution.

Get high-end quality and reliability at a low total cost of ownership, with I...

lang:en **score:27** filesize: 633.43 K page_count: 4 document date: 2019-09-17



[pdf] Frequently Asked Questions Guide

SpectraView II User s Guide Monitor Color Calibration Display Will Hollingworth Multi language Sharp
NEC Desktop and LCD Software UsersGuide 1 40 MultiLanguage update sharpnecdisplays us
spectraview |||

Version 1.1.40 User s Guide English / Franais / Italiano / Deutsch / Espaol / / Version
1.1.40 ... tion 8 NEC SPECTRAVIEW II - USER S GUIDE Large-Screen Models:
C751Q 75 Ultra-high-definition **C861Q** 86 Ultra-high-definition C981Q 98 Ultra-high-
definition LCD4020 40 LCD4620 46 LCD5...

lang:en **score:27** filesize: 18.09 M page_count: 461 document date: 2019-07-31



[pdf] Datasheet

C861Q Document NEC 86in Large Format Display Lello Business fus 529641 datasheet cdn3 evostore io
documents fusion |||

MultiSync **C861Q** LCD 86 Ultra-High Definition Large Format Display Datasheet
Stunning visibility for presentations and digital signage Enhance your meeting and
conferencing performance with stunning UHD resolution. Get high-end quality and
reliability at a low total cost of ownership with long life-...

lang:en **score:26** filesize: 158.06 K page_count: 4 document date: 0000-00-00



[pdf] User Manual

NEC Display Solutions Ltd Kaynak sayfaı görüntüle Kullanıcı Kılavuzu Görüntüler telif hakkına tabi
olabilir C651Q C751Q C861Q C981Q manual TR v3 support nec display dl service data en c751q |||
Kullanici Kılavuzu Byk Format Ekran MultiSync C651Q MultiSync C751Q MultiSync
C861Q MultiSync C981Q MODEL: C651Q, C751Q, **C861Q**, C981Q Model adinizi
grmek iin Itfen monitrn arkasında bulunan etikete bakın. indekiler Kayıt
Bilgisi.....

lang:af **score:26** filesize: 13.26 M page_count: 80 document date: 2018-12-17

NEC Display Solutions SpectraView II for Linux x64 Version 1.1.38

Installation Guide

[illegible][illegible]

Naviset Administrator2 Help 119 Copyright © 2014 NEC Display Solutions Ltd Installation Instructions

NEC Display Solutions SpectraView II for Linux x64 Version 1.1.38 Installation Guide

NEC Display Models C751Q 2 **C861Q** 2 C981Q 2 EA244UHD 1 EA245WMI 2

lang:en score:26 filesize: 492.09 K page count: 19 document date: 2018-09-10


MultiSync C861Q LCD 86 monitor wielkoformatowy UHD Karta produktu

lang:pl score:26 filesize: 159.66 K page_count: 4 document date: 2019-03-19

C861QSST specifikacije NEC MultiSync C861Q SST Interaktivni ekran 60004576 10 627b51a50cb6e

MultiSync **C861Q** SST ShadowSense LCD 86 Ultra-High Definition Large Format


lang:en score:26 filesize: 143.26 K page count: 4 document date: 0000-00-00



[\[pdf\]](#) User Manual

NEC Display Solutions Ltd Manuale utente Sharp monitor lampeggia in rosso Quando il è questa condizione non espellere la scheda di memoria microSD dal e spegnere l'alimentazione C651Q C751Q C861Q C981Q manual IT v3 sharp nec displays support webdl dl service data display en c751q ||| Manuale utente Schermo a formato grande MultiSync C651Q MultiSync C751Q MultiSync **C861Q** MultiSync C981Q MODELLO: C651Q, C751Q, **C861Q**, C981Q Il nome del modello riportato sull'etichetta sul retro del monitor. Indice Informazioni di registrazione.....

lang:it **score:26** filesize: 13.05 M page_count: 80 document date: 2018-12-17




[\[pdf\]](#) Frequently Asked Questions Guide

NEC Display Wall Calibrator User's Guide Rebecca Holz wall calibrator users guide 2 1 20 assets sharpnecdisplays us documents softwares wallcalibrator |||

Version 2.1.20 Powered by User's Guide Software Updates Occasionally, updates and enhancements to ... rmity Correction 2 C651Q RS232, LAN LAN LED 3 3 3 C751Q RS232, LAN LAN LED 3 3 3 **C861Q** RS232, LAN LAN LED 3 3 3 C981Q RS232, LAN LAN LED 3 3 3 E705 RS232, LAN N/A...

lang:en **score:26** filesize: 5.94 M page_count: 139 document date: 2021-01-14




[\[pdf\]](#) Frequently Asked Questions Guide

NEC Display Wall Calibrator User's Guide Rebecca Holz wall calibrator users guide 2 1 10 assets sharpnecdisplays us documents softwares wallcalibrator |||

Version 2.1.10 Powered by User's Guide Software Updates Occasionally, updates and enhancements to ... 2 Update Uniformity Correction 2 C651Q RS232, LAN LAN LED C751Q RS232, LAN LAN LED **C861Q** RS232, LAN LAN LED C981Q RS232, LAN LAN LED E705 RS232, LAN N/A LED E805...

lang:en **score:26** filesize: 5.9 M page_count: 138 document date: 2019-04-09



[\[pdf\]](#) Frequently Asked Questions Guide

NEC Display Wall Calibrator User's Guide Rebecca Holz wall calibrator users guide 2 1 00 assets
sharpnecdisplays.us/documents/software/wallcalibrator/|||

Version 2.1.00 Powered by User's Guide Software Updates Occasionally, updates and enhancements to ... 2 Update Uniformity Correction 2 C651Q RS232, LAN LAN LED C751Q RS232, LAN LAN LED **C861Q** RS232, LAN LAN LED C981Q RS232, LAN LAN LED E705 RS232, LAN N/A LED E805...

lang:en **score:26** filesize: 5.9 M page_count: 138 document date: 2019-02-21




[\[pdf\]](#) Guide

Katalog 2020 Large Format Displays Pocket Guide NEC MultiSync M651 Message 65 60005061 od
PLN 10577 59 2022 Porównanie cen Cenowarka Polska c17ce52006d8539595856999de74806a9306
gzhls at blob ldb 5 d c |||

NEC Display Solutions Large Format Displays E-Serie Entry Level Signage MultiSync
Modell E327 E ... ivitt Standalone Betrieb C-Serie Value Signage MultiSync Modell
C431 C501 C551 C651Q 1 C751Q 1 **C861Q** 1 C981Q 1 Gre Zoll/cm 43 / 109 50 / 127
55 / 140 65 / 165 75 / 189 86 / 217 98 / 248 Helligk...

lang:de **score:26** filesize: 1.41 M page_count: 6 document date: 2020-02-27




[\[pdf\]](#) Installation Guide Reference Guide Dimension Guide Guide

Microsoft Word C861Q V864Q IGv10 bhardy c861q v864q installguide assets sharpnecdisplays us documents installationguides |||

V864Q/**C861Q** Installation Guide NEC Display Solutions of America, Inc. Ver.1.0

Contents: Product Description and Notes Rotation Ventilation Recommendations Carrying Handle Positioning Display Dimensions Front, Top, Right Side, Left Side, Bottom Back Side Display Dimensions with stand Optional Sta...

lang:en **score:26** filesize: 8.58 M page_count: 13 document date: 2018-10-30



[\[pdf\]](#) User Manual Label

NEC Display Solutions Ltd C861Q C981Q 86 98 displaysInformation Technology Audio Visual Services Wytheville Community CollegeC651Q C751Q manual EN v3sharp nec displays support webdl dl service data display en c751q C651Q v3 |||

User s Manual Large Format Display MultiSync C651Q MultiSync C751Q MultiSync **C861Q** MultiSync C981Q MODEL: C651Q, C751Q, **C861Q**, C981Q Please find your model name in the label on the rear side of monitor. Index Registration Information.....

lang:en **score:26** filesize: 13.07 M page_count: 80 document date: 2018-12-17



[\[pdf\]](#)

C861Q 87823a5d62682f66407c38501ef27e65 Информационные панели для видео стен Nec

MultiSync купить в Галерее безупречной электроники Назаров 025faedff3e448e3fab70899026c1f5f nazarov gallery ru upload iblock 025 |||


MultiSync **C861Q** LCD 86 UHD. . 350 / , , MultiSync C NEC , . . . - , . NEC MultiSync **C861Q**, 13 , . Open Modular Intelligence NEC OPS, Raspberry Pi

lang:en **score:26** filesize: 171.29 K page_count: 4 document date: 0000-00-00

Unorchestrating a brighter world

MultiSync® C861Q
LCD 86" Ultra-High Definition Large Format Display

Datenblatt



Erstklassige Bilder für Präsentationen und Digital-Signage-Lösungen

Bereichern Sie Ihre Beiträge bei Besprechungen und Konferenzen mit hochauflösenden UHD-Bildern. Entscheiden Sie sich für hochwertige Qualität und Betriebssicherheit bei niedrigem Gesamtbesitzkosten und langer Lebensdauer.

Hier lässt der Profiklasse-Lösung für einen Mega-Datenblatt bei der virtuellen virtuellen Reflexion, und mit einer Helligkeit von bis zu 200 cd/m², zeigt die 86" MultiSync C861Q die Bildergalerie moderner Besprechungsplätze. Mit dem Panel und dem integrierten Touchscreen-Schnittstelle mit mehreren Touchpoints und Edge-Licht, bietet es die Ausgestaltung des Gesamteindrucks. Die Funktionen lassen sich schnell besprechen, sodass, ohne dass auch noch das Displaypanel aufgeben werden muss. Die erweiterte Steuerung, selbst eine Bedienung bietet, ist nur eine von zahlreichen Funktionen, die zum Erfolg bei Besprechungen beitragen.

Der NEC MultiSync C861Q eignet sich für verschiedene Präsentationen bei Besprechungen mit bis zu 12 Teilnehmern. Groß-Monitor und Erweiterungen des Panel- und Datenblattes können durch Digital-Signage-Lösungen Ihren Umsatz steigern.

Vorteile

Zukunftssicherheit, dank Erweiterungsfähigkeit (DVI-D, HDMI, DisplayPort, etc.) - Sie können die Leistungsfähigkeit Ihres Displays jederzeit erhöhen, indem Sie einfach einen der DVI-D-Ports, HDMI-Port oder DisplayPort-Port mit einem DisplayPort-Adapter oder DisplayPort-Kabel verbinden und einen Touchscreen hinzufügen.

Modulare und skalierbare Design - die robusten und dennoch für mehrere Geräte passen (bis zu 12) in jede Anwendung und in jeden Raum.

Für das Transformativ (DVI-D) in angeschlossenen Anzeigegeräten - sorgen ausgewählte, hochwertige Komponenten und das verfügbare Design sind auf einen Einsatz in angeschlossenen Anzeigegeräten ausgelegt und lassen den Datenblatt-Ausgang hervorheben.

Personalisierbarkeit - wird ganz individuell, Betriebs- und Wartungsfunktionen gesteuert über die gesamte Lebensdauer des Displays. Eine integrierte Steuerung und einen Touch, können eine Reihe von:

Zukunftssichere Anzeigegeräten und Hardware - zukünftige Erweiterungen mit einem Touchscreen und einer Bildschirmdicke von 10 Hz, darunter Touchscreen, HDMI und andere Optionen für DVI-D-Ports, Computer, sowie eine automatische Hochleistung anderer Signale und DVI-D-Ports für zukünftige Erweiterungen.

Personalisierbare Gerätemontage - alle angeschlossenen Geräte von NEC lassen sich von einem zentralen Standort

LCD 86 Ultra-High Definition Large Format Display - MultiSync® C861Q (1:1)

[pdf]

C861Q Datenblatt en NEC Digital Signage MultiSync LCD Display 217 cm 86 schwarz @ playox de
8690101 1 cdn assets media d0 c6 41 |||

MultiSync **C861Q** LCD 86 Ultra-High Definition Large Format Display Datenblatt
Erstklassige Bilder für Präsentationen und Digital-Signage-Lösungen Bereichern Sie Ihre
Beiträge bei Besprechungen und Konferenzen mit hochauflösenden UHD-Bildern.
Entscheiden Sie sich für hochwertige Qualität und Betriebssicherheit...
lang:de score:25 filesize: 160.11 K page_count: 4 document date: 0000-00-00