

Klipsch R-120SW

Klipsch R-120SW Subwoofer Instruction Manual

Model: R-120SW

1. IMPORTANT SAFETY INSTRUCTIONS

Please read all instructions carefully before operating your Klipsch R-120SW Subwoofer. Retain this manual for future reference.

- Do not expose this appliance to dripping or splashing.
- Do not place objects filled with liquids, such as vases, on the apparatus.
- Ensure proper ventilation. Do not block any ventilation openings.
- Place the subwoofer on a stable, level surface to prevent tipping.
- Unplug the apparatus during lightning storms or when unused for long periods.
- Refer all servicing to qualified service personnel.

2. PACKAGE CONTENTS

Verify that the following items are included in your package:

- Klipsch R-120SW Subwoofer
- Grille
- Power Cord
- Instruction Manual (this document)



Image 1: Klipsch R-120SW Subwoofer. This image displays the front and side of the subwoofer, highlighting its design and the exposed copper woofer cone.

3. SETUP

3.1 Placement

The placement of your subwoofer can significantly impact its performance. Experiment with different locations to find the optimal sound for your room. Generally, placing the subwoofer in a corner can enhance bass output, while placing it along a wall can provide a more balanced sound. Avoid placing it directly against a wall if possible, as this can sometimes lead to boomy or indistinct bass.



Image 2: Subwoofer in a living room environment. This image illustrates a typical placement of the subwoofer within a home audio system, demonstrating how it can blend with room decor.

3.2 Connections

Connect the subwoofer to your audio receiver or amplifier using an LFE (Low-Frequency Effects) RCA cable. Ensure all connections are secure before powering on the unit.

1. Locate the LFE output on your AV receiver.
2. Connect one end of a shielded subwoofer RCA cable to the LFE output of your receiver.
3. Connect the other end of the RCA cable to the **LINE IN (LFE)** jack on the rear panel of the Klipsch R-120SW Subwoofer.
4. Plug the supplied power cord into the subwoofer's power inlet and then into a suitable wall outlet.



Image 3: Rear panel connections and controls. This image provides a detailed view of the subwoofer's rear panel, including the power input, RCA line-in, and control knobs for Gain, Low Pass, and Phase.

3.3 Initial Settings

After connecting, adjust the following controls on the rear panel:

- **GAIN:** This control adjusts the subwoofer's volume level. Start with the gain set to approximately half-way. You can fine-tune this later using your receiver's calibration or by ear.
- **LOW PASS:** When using the LFE input, set the LOW PASS filter to its highest setting (LFE). Your AV receiver will manage the crossover frequency. If connecting via stereo RCA inputs, adjust this to blend with your main speakers (typically between 80Hz and 120Hz).
- **PHASE:** This switch (0°/180°) helps blend the subwoofer's output with your main speakers. Start at 0°. If the bass sounds weak or hollow, try switching to 180°.
- **POWER:** Set to 'AUTO' for the subwoofer to automatically power on when an audio signal is detected and enter standby mode after a period of inactivity. Alternatively, set to 'ON' for continuous operation.

4. OPERATION

Once connected and initial settings are applied, the subwoofer is ready for operation. The 'AUTO' power setting is recommended for convenience, allowing the subwoofer to manage its power state based on audio input.

4.1 Adjusting Sound

Fine-tune the **GAIN** control to achieve a balanced bass level that complements your main speakers without overpowering them. The goal is for the subwoofer to seamlessly integrate into your audio system, providing a foundation for low frequencies rather than drawing attention to itself.

5. MAINTENANCE

To ensure the longevity and optimal performance of your Klipsch R-120SW Subwoofer, follow these maintenance guidelines:

- **Cleaning:** Use a dry, soft cloth to clean the cabinet. Avoid using abrasive cleaners, solvents, or strong detergents.
- **Dust:** Regularly dust the woofer cone and cabinet to prevent buildup.
- **Environment:** Keep the subwoofer away from direct sunlight, heat sources, and excessive moisture. Ensure adequate airflow around the unit.
- **Grille:** The magnetic grille can be removed for cleaning or for a different aesthetic. Handle it carefully to avoid damage.

6. TROUBLESHOOTING

If you encounter issues with your subwoofer, refer to the following common problems and solutions:

- **No Sound:**
 - Ensure the power cord is securely plugged into both the subwoofer and the wall outlet.
 - Check that the power switch on the rear panel is set to 'ON' or 'AUTO'.
 - Verify that the RCA cable is properly connected to both the subwoofer's LFE input and your receiver's LFE output.
 - Confirm that your receiver's subwoofer output is enabled and the volume is not muted.
- **Distorted or Boomy Sound:**
 - Adjust the **GAIN** control to a lower setting.
 - Re-evaluate subwoofer placement. Moving it slightly away from corners or walls can reduce boominess.
 - Check the **LOW PASS** setting. If using LFE input, ensure it's set to LFE.
- **Weak or Unbalanced Bass:**
 - Increase the **GAIN** control.
 - Toggle the **PHASE** switch (0°/180°) to see which setting provides a stronger, more coherent bass response with your main speakers.
 - Ensure your receiver's subwoofer level is appropriately set.
- **Humming Noise:**
 - Ensure all audio cables are securely connected.
 - Try plugging the subwoofer into a different electrical outlet, preferably on a different circuit.
 - If the hum persists, a ground loop isolator may be necessary.

7. SPECIFICATIONS

The following are the technical specifications for the Klipsch R-120SW Subwoofer:

Feature	Specification
Speaker Type	Subwoofer
Woofer Diameter	12 Inches (Spun-Copper IMG Woofer)
Frequency Response	29 Hz – 120 Hz (+/- 3 dB)
Amplifier Power (Continuous/Peak)	200 Watts / 400 Watts (All-Digital Amplifier)
Maximum Acoustic Output	116 dB
Bass Reflex	Via Rear-Firing Port
Connectivity Technology	Wired (RCA)
Product Dimensions (D x W x H)	19.2" x 14" x 16.5" (48.8 cm x 35.6 cm x 41.9 cm)
Item Weight	31 Pounds (14.06 kg)
Material	Wood
Color	Black
Power Source	Corded Electric
Model Number	R-120SW
UPC	743878036213



Image 4: Subwoofer dimensions. This image clearly labels the depth, width, and height of the Klipsch R-120SW Subwoofer, aiding in placement and space planning.

8. WARRANTY INFORMATION

The Klipsch R-120SW Subwoofer comes with a limited warranty. For specific details regarding warranty coverage, duration, and terms, please refer to the warranty card included with your product or visit the official Klipsch website. Keep your proof of purchase for warranty claims.

9. CUSTOMER SUPPORT

For further assistance, technical support, or service inquiries regarding your Klipsch R-120SW Subwoofer, please contact Klipsch customer support through their official website or the contact information provided in your product documentation.

Official Klipsch Website: www.klipsch.com

User Manual of Product 1: Klipsch R-51PM Powered Bluetooth Speaker User Manual of Product 2: Klipsch R-120SW Subwoofer Book	Klipsch Reference R-51PM Powered Bluetooth Speaker & R-120SW Subwoofer User Manual Comprehensive user manual for Klipsch Reference R-51PM powered Bluetooth speakers and R-120SW subwoofers. Learn about setup, connections, features, and troubleshooting for your Klipsch audio system.
	Klipsch R-120SWi Reference Subwoofer User Manual User manual for the Klipsch R-120SWi Reference Subwoofer, covering inspection, positioning, controls, wired and wireless connections, care, and product registration. Learn how to set up and use your Klipsch subwoofer for optimal audio performance.
 Klipsch REFERENCE SUBWOOFERS	Klipsch Reference Subwoofers User Manual User manual for Klipsch Reference Subwoofers, covering setup, connections, controls, and care.
 Klipsch REFERENCE SUBWOOFERS	Klipsch Reference Subwoofers User Manual Official user manual for Klipsch Reference subwoofers (R-8SW, R-10SW, R-12SW). Learn about setup, connections, controls, positioning, and care for your Klipsch sound system.
 Klipsch REFERENCE SPEAKERS	Klipsch Reference R-51PM-1, R-15PM-1, R-50PM Powered Monitor Speakers User Manual Explore the Klipsch Reference R-51PM-1, R-15PM-1, and R-50PM Powered Monitor Speakers with this comprehensive guide. Learn about setup, various connection options (TV, computer, turntable), Bluetooth wireless technology, subwoofer output, LED indicators, remote control functions, care, and dynamic bass EQ. Optimize your audio experience with these versatile powered speakers.
 Klipsch R-10B SOUND BAR	Klipsch R-10B Soundbar and Subwoofer User Manual Comprehensive guide for setting up and operating the Klipsch R-10B Soundbar and Subwoofer, including connection options, remote control programming, and placement advice.

Documents - Klipsch – R-120SW




[\[pdf\]](#) User Manual

klipsch r120sw manual usuario KLIPSCH R 120SW Subwoofer klipsch subwoofer 12 pulgadas 400watos madridhifi crm documents produit 9 4 10143349 photos 2 |||

USER MANUAL SUBWOOFERS R E F E R E N C E n : 1 the standard, the benchmark, the point used for c ... plifier to an AC power outlet. S Sub L 6 - 15 TV C Y X Z S Optional Sub R X=Y=Z R-100SW **R-120SW** INSPECTION We want your new speaker system to look as good as it did leaving the factory P...


lang:en score:44 filesize: 1.94 M page_count: 28 document date: 2018-09-07



[\[pdf\]](#) User Manual

ManualsLib Makes it easy to find manuals online! Search through 700 000 online and instruction user service guides owners installation Provided By MANUALSLIB COM manualslib Open Klipsch R 120SW vs Polk Audio PSW505 comparison psw505 chooserator data manual subwoofers |||

Downloaded from www.Manualslib.com manuals search engine Downloaded from www.Manualslib.com manuals search engine Downloaded from www.Manualslib.com manuals search engine Downloaded from www.Manualslib.com manuals search engine Downl...
lang:es **score:42** filesize: 896.95 K page_count: 16 document date: 2014-08-18



[\[pdf\]](#) User Manual

klipsch r 120sw trovaprezzi it manuali |||

Questo manuale d istruzione fornito da trovaprezzi.it. Scopri tutte le offerte per Klipsch **R-120SW** o cerca il tuo prodotto tra le migliori offerte di Diffusori Audio USER MANUAL SUBWOOFERS R E F E R E N C E n : 1 the standard, the benchmark, the point used for comparison 2 the embodiment of th...

lang:en **score:38** filesize: 2.15 M page_count: 28 document date: 2018-04-02



[\[pdf\]](#) User Manual Instructions

Untitled USER MANUAL leurs instructions pour l évaluation eillez à conserver le carton d emballage origine du produit INSPECTION S TV C L R X Y Z FIGURE 1 POSITIONNEMENT DES ENCEINTES DANS LA ZONE D ÉCOUTE Cassion de Graves ptionnel Positionnement optionnel arrière DE VOTRE CAISSON GRAVES REFERENCE original media s-bol xO0XBNk5rqg SUBWOOFERS Bol Klipsch powered subwoofers are designed to reproduce deep bass the same recommended settings see receiver manual for additional speaker setup info

USER MANUAL SUBWOOFERS R E F E R E N C E n : 1 the standard, the benchmark, the point used for c ... plifier to an AC power outlet. S Sub L 6 - 15 TV C Y X Z S Optional Sub R X=Y=Z R-100SW **R-120SW** INSPECTION We want your new speaker system to look as good as it did leaving the factory P...

lang:en **score:36** filesize: 1.08 M page_count: 28 document date: 2020-04-30



[\[pdf\]](#) User Manual

Click here to 1065959 Klipsch R 120SW Subwoofer Schaefer s frlekfrlfnvq images webfronts cache |||

USER MANUAL SUBWOOFERS R E F E R E N C E n : 1 the standard, the benchmark, the point used for c ... plifier to an AC power outlet. S Sub L 6 - 15 TV C Y X Z S Optional Sub R X=Y=Z R-100SW **R-120SW** INSPECTION We want your new speaker system to look as good as it did leaving the factory P...

lang:en **score:35** filesize: 2.13 M page_count: 28 document date: 2018-10-31

[illegible][illegible][illegible]

[\[pdf\]](#)

Klipsch R 120SW subwoofer aktywny Audiopolis pl audiopolis modAudiopolis |||

R-120SW MIEDZIANE MEMBRANY IMG GLONIKA NISKOTONOWEGO Membrany glonikw niskotonowych wykonane w technologii IMG Injection Molded Graphite s wytkowo lekkie, a jednoczenie niezwykle sztywne - umoliwiajc przez to niespotykane szybki odpowied w zakresie niskich czstotliwoci przy minimalnym zniekształ...

lang:pl score:35 filesize: 459.82 K page_count: 1 document date: 2018-08-06

[\[pdf\]](#) Specifications

klipsch r120sw ficha tecnica producto KLIPSCH R 120SW Subwoofer madridhifi crm documents produit 9 4 10143349 photos 1 klipsch |||

R-120SW SPUN COPPER IMG WOOFER Injection Molded Graphite IMG woofers are exceptionally light while being extremely rigid providing remarkable low frequency response, with minimal cone breakup and distortion. ALL-DIGITAL AMPLIFIER The built-in, all-digital amplifier delivers ample power with high...

lang:en score:34 filesize: 312.83 K page_count: 1 document date: 2018-09-07

[\[pdf\]](#) Specifications

[Click here to 1065959 Klipsch R 120SW Subwoofer Schaefer s frdfevcdwkcx images webfronts cache |||](#)

R-120SW SPUN COPPER IMG WOOFER Injection Molded Graphite IMG woofers are exceptionally light while being extremely rigid providing remarkable low frequency response, with minimal cone breakup and distortion. ALL-DIGITAL AMPLIFIER The built-in, all-digital amplifier delivers ample power with high...

lang:en score:33 filesize: 318.92 K page count: 1 document date: 2018-10-31

[\[pdf\]](#) User Manual Owner's Manual Instructions

714R100SW Klipsch R 100SW CRUTCHFIELD COM JOSH N Reference 120SW owner s manual

Powered subwoofer at Crutchfield crutchfieldonline ImageBank v20180818132100 Manuals 714 ||

USER MANUAL SUBWOOFERS R E F E R E N C E n : 1 the standard, the benchmark, the point used for c ... on of Klipsch Reference. We are the Keepers of the Sound. ENGLISH REFERENCE SUBWOOFERS R-100SW **R-120SW** INSPECTION We want your new speaker system to look as good as it did leaving the factory P...

lang:en score:33 filesize: 104.48 K page count: 8 document date: 2018-08-18

The image shows the front cover of a Klipsch Reference Subwoofers manual. The top half of the cover is black, and the bottom half is a light gray. In the top left corner, there is a circular logo with a stylized 'KW' and the text 'EST. 1946 WOODBRIDGE, VA'. In the top right corner, the words 'USER MANUAL' are printed in white on a black rectangular background. The center of the cover features the 'Klipsch' logo in a large, bold, black serif font, with 'REFERENCE' in a smaller, black, sans-serif font directly below it, and 'SUBWOOFERS' in a black, sans-serif font at the bottom.

[\[pdf\]](#) User Manual Instructions Warranty Label

static fnac multimedia editorialUSER MANUAL USER images na ssl amazon cdn cnetcontent Abt Electronics Richer Sounds CNET Content cc SUBWOOFERS cloudfront net subwoofers Rackcdn English User Manual the same recommended settings see receiver manual for additional speaker setup info Level If your subwoofer is connected to a Subwoofer Output of surround first set volume level control in half way or 0 dB position Then increase will decrease amount bass output Experiment with number different placement options and find one that best suits particular room taste When choosing s location keep mind you need connect built amplifier an AC power outlet R 100SW 120SW SS vacuum should remove any dust from enclosure CARE AND CLEANING leurs instructions pour l'évaluation Veuillez à conserver le carton d'emballage origine du produit INSPECTION S TV C L X Y Z FIGURE 1 POSITIONNEMENT DES ENCEINTES DANS LA ZONE D'ÉCOUTE 6 15 Cassion de Graves Optionnel Positionnement optionnel arrière DE VOTRE CAISSON GRAVES allows operate both music sound movies refer In absence on 2 Insert two microSD cards labels facing battery t ASUS PROVIDES THIS AS IS WITHOUT WARRANTY OF ANY KIND EIT LOUD PROUD SINCE 1946 Paul W Klipsch revolutionized audio industry by creating our proprietary horn technology acoustic principles are driving force behind highly Page TM 3 RW 51M 34C REFERE 0743878036206 A1kFpScgRpL 88787C05673818ED5E38746EB8F2E8982CE80938 REFERENCESUBWOOFERS2018MANUALV02 source R100SW UserManual R120SW KLIP SW BLK Reference Subwoofers 2018 v02 mtime 20180706101942 focal none klipsch r 120sw editorial I syndication feeds SPAF inline content CB abt documents 91108 91313 richersounds media vcs F5 d2um2qdswy1tb0 product manuals f072605def1c9a5ef179 a0bc3fbf1884fc0965506ae2b946e1cd cf2 rackcdn coolblue nl 61 USER MANUAL SUBWOOFERS R E F E R E N C E n : 1 the standard, the benchmark, the point used for c ... plifier to an AC power outlet. S Sub L 6 - 15 TV C Y X Z S Optional Sub R X=Y=Z R-100SW **R-120SW** INSPECTION We want your new speaker system to look as good as it did leaving the factory P... lang:en score:32 filesize: 1.94 M page_count: 28 document date: 2018-04-02



[\[pdf\]](#) User Manual


R 100SW Subwoofer ManualReference Subwoofers 2018 Manual v02cdn shopify s files 1 0301 1257 Reference v02 v 1626682032 Click Here to Download ManualR Pure Audio WebR SubwooferReference KLIPSCH SRI LANKAReference 0600 4300 1926 LANKA 1714468555cdn v02Klipsch Speaker User Manualcdn 1626682032manual internal 2023 09 Klipsch ||| USER MANUAL SUBWOOFERS R E F E R E N C E n : 1 the standard, the benchmark, the point used for c ... plifier to an AC power outlet. S Sub L 6 - 15 TV C Y X Z S Optional Sub R X=Y=Z R-100SW **R-120SW** INSPECTION We want your new speaker system to look as good as it did leaving the factory P... lang:en score:31 filesize: 1.94 M page_count: 28 document date: 2018-04-02



[\[pdf\]](#) Guide Buyer's Guide Borchure

EMEA EDITION Klipsch Global Buyers Guide 2020 2021 HD low def content storefront7 co za stores homemation brands brochures EMEA EDITION 1 KLIPSCH BUYERS GUIDE 2020 Listeners appreciate a lack of distortion. --Paul W. K ... amp delivers 400 watts of dynamic power Front-firing driver Low pass crossover and phase control **R-120SW** 12 POWERED SUBWOOFER FREQUENCY RESPONSE 29Hz - 120Hz /- 3dB MAXIMUM ACOUSTIC OUTPUT 116... lang:en score:30 filesize: 4.13 M page_count: 25 document date: 2020-10-07





[Klipsch Reference R-51PM Powered Bluetooth Speaker & R-120SW Subwoofer User Manual](#)

Comprehensive user manual for Klipsch Reference R-51PM powered Bluetooth speakers and R-120SW subwoofers. Learn about setup, connections, features, and troubleshooting for your Klipsch audio system.

lang:it **score:29** filesize: 7.46 M page_count: 73 document date: 0000-00-00



[\[pdf\] User Manual Catalog](#)

Reference Subwoofers 2018 Manual v02 ru ред cdr lenovo САБВУФЕРЫ Salon Hi Fi R 100SW 120SW Сабвуферы от Klipsch позволяют воспроизводить глубокие басы и Keepers of the Sound являются зарегистрированными торговыми марками salonhifi UFiles catalogs |||

R E F E R E N C E n : 1 , , 2 Klipsch 1946 . 1946 . , . . - , PWK, . . . , Klipsch Reference. , Keepers of the Sound. REFERENCE R-100SW **R-120SW** , . . . , . . . , . . . , ...
lang:en **score:29** filesize: 3.13 M page_count: 6 document date: 2018-08-30



[\[pdf\] User Manual](#)

USER MANUAL the same recommended settings see receiver manual for additional speaker setup info Level If your subwoofer is connected to a Subwoofer Output of surround first set volume level control in half way or 0 dB position Then increase 041a7c6a aaba 4b97 a91a 5598e80fb916 cs rodel audio cz ew USER MANUAL SUBWOOFERS R E F E R E N C E n : 1 the standard, the benchmark, the point used for c ... plifier to an AC power outlet. S Sub L 6 - 15 TV C Y X Z S Optional Sub R X=Y=Z R-100SW **R-120SW** INSPECTION We want your new speaker system to look as good as it did leaving the factory P...

lang:en **score:29** filesize: 1.94 M page_count: 28 document date: 2020-01-07



[Klipsch Reference Subwoofers User Manual](#)

User manual for Klipsch Reference Subwoofers, covering setup, connections, controls, and care.

lang:en **score:28** filesize: 1.08 M page_count: 28 document date: 2020-04-30



[\[pdf\] User Manual Label](#)

USER MANUAL images na ssl amazon CONNECTIONS AND CONTROLS CAUTION Ensure that the subwoofer is unplugged from AC wall outlet before making any connections LINE IN Connection Most of today s surround receivers and pre amplifiers have a line level output labeled Subwoofer A1DLr8Hr4 L I m media same recommended settings see receiver manual for additional speaker setup info Level If your connected to Output first set volume control in half way or 0 dB position Then increase USER MANUAL SUBWOOFERS R E F E R E N C E n : 1 the standard, the benchmark, the point used for c ... plifier to an AC power outlet. S Sub L 6 - 15 TV C Y X Z S Optional Sub R X=Y=Z R-100SW **R-120SW** INSPECTION We want your new speaker system to look as good as it did leaving the factory P...

lang:en **score:27** filesize: 1.94 M page_count: 28 document date: 2019-12-13

[\[pdf\]](#)

Onkyo 20200306 PR Klipsch Reference jp onkyo news newproducts importaudio klipsch

2020 3 6 Klipsch Reference 10 Reference R-820F/R-620F/R-610F R-51M/R-41M R-52C R-41SA R-34C **R-120SW**/R-100SW 3 4 Klipsch Reference 3 2 2 2 Dolby Atmos1 Reference 1999 Reference Klipsch TractrixLTS Tractrix 1 3 6 ONKYO BASE 1 Tractrix KlipschTractrix Kl...

lang:i-klingon score:26 filesize: 1.27 M page count: 5 document date: 2020-03-06

[pdf]

R-120SW / 29Hz - 120Hz /-3dB 116 dB 200W/400W , , , 30.48 cm IMG MDF D - RCA
35.6 cm x 41.9 cm x 48.8 cm 14.1 kg IMGInjection Molded Graphite IMG D D
ReferenceMDF LINE IN / LFE LED IP050-3388-6835 10:00 18:00 20203 2020 Onkyo
Corporation All Rights Rese...

AVAILABLE AT
DIGITAL CINEMA

R-120SW



SPUN COPPER IMG WOOFER
Spun copper IMG woofer (160 watts) are exceptionally light while being extremely rigid, providing remarkable low frequency response, with minimal cone breakup and distortion.

ALL-DIGITAL AMPLIFIER
The built-in digital amplifier delivers ample power with high efficiency and low thermal distortion. It provides strong bass and tight, clean, punchy results.

FRONT-FIRING DRIVER
The high excursion driver provides strong bass and tight, clean, punchy results.

LOW PASS CROSSEOVER AND PHASE CONTROL
Controls the subwoofer's low frequency tones blend with other digital speakers and controls the phase shift for your room.

LINE/LEVEL INPUTS
Connects seamlessly with home theater receivers.

NEW CABINET WITH SCRATCH-RESISTANT, TESTERED WOOD GRAIN VINYL
Our scratch-resistant vinyl provides durability that results in a consistent, long-lasting look.

FRONT-MOUNTED LED POWER INDICATOR
Indicates when the system is on or off.

LOW PROFILE CABLE
Sleek, unobtrusive look that is completely transparent.

SPECIFICATIONS	
FREQUENCY RESPONSE	29Hz - 120Hz 3dB
MAXIMUM ACOUSTIC OUTPUT	116 dB
AMPLIFIER	All Digital
AMPLIFIED POWER CONT	200W/400W
DRIVER COMPONENTS	12" high excursion spun copper IMG woofer
ENCLOSURE MATERIAL	MDF
ENCLOSURE TYPE	Bass Reflex via rear firing port
INPUTS	Line level LFE RCA jacks
HEIGHT	16 5/8" (419 mm)
WIDTH	16 1/2" (417 mm)
DEPTH	12 1/4" (312 mm)
WEIGHT	23 lbs (10.4 kg)
FINISH	Black Scratch-Resistant Vinyl
NET WEIGHT	25 lbs

Klipsch
KEEPER OF THE SOUND

© 2019 Klipsch Corporation. All rights reserved. Klipsch is a registered trademark of Klipsch Corporation. R-120SW is a registered trademark of Klipsch Corporation. All other trademarks are the property of their respective owners.

[pdf] Specifications

Download Spec Sheet Klipsch R Series 120SW 12 Inch Subwoofer Digital Cinema digitalcinema au media product spec |||

R-120SW SPUN COPPER IMG WOOFER Injection Molded Graphite IMG woofers are exceptionally light while being extremely rigid providing remarkable low frequency response, with minimal cone breakup and distortion. **ALL-DIGITAL AMPLIFIER** The built-in, all-digital amplifier delivers ample power with high...

lang:en score:22 filesize: 349.33 K page_count: 1 document date: 2019-06-12

AVAILABLE AT
DIGITAL CINEMA

R-120SW



SPUN COPPER IMG WOOFER
Spun copper IMG woofer (160 watts) are exceptionally light while being extremely rigid, providing remarkable low frequency response, with minimal cone breakup and distortion.

ALL-DIGITAL AMPLIFIER
The built-in digital amplifier delivers ample power with high efficiency and low thermal distortion. It provides strong bass and tight, clean, punchy results.

FRONT-FIRING DRIVER
The high excursion driver provides strong bass and tight, clean, punchy results.

LOW PASS CROSSEOVER AND PHASE CONTROL
Controls the subwoofer's low frequency tones blend with other digital speakers and controls the phase shift for your room.

LINE/LEVEL INPUTS
Connects seamlessly with home theater receivers.

NEW CABINET WITH SCRATCH-RESISTANT, TESTERED WOOD GRAIN VINYL
Our scratch-resistant vinyl provides durability that results in a consistent, long-lasting look.

FRONT-MOUNTED LED POWER INDICATOR
Indicates when the system is on or off.

LOW PROFILE CABLE
Sleek, unobtrusive look that is completely transparent.

SPECIFICATIONS	
FREQUENCY RESPONSE	29Hz - 120Hz 3dB
MAXIMUM ACOUSTIC OUTPUT	116 dB
AMPLIFIER	All Digital
AMPLIFIED POWER CONT	200W/400W
DRIVER COMPONENTS	12" high excursion spun copper IMG woofer
ENCLOSURE MATERIAL	MDF
ENCLOSURE TYPE	Bass Reflex via rear firing port
INPUTS	Line level LFE RCA jacks
HEIGHT	16 5/8" (419 mm)
WIDTH	16 1/2" (417 mm)
DEPTH	12 1/4" (312 mm)
WEIGHT	23 lbs (10.4 kg)
FINISH	Black Scratch-Resistant Vinyl
NET WEIGHT	25 lbs

Klipsch
KEEPER OF THE SOUND

© 2018 Klipsch Corporation. All rights reserved. Klipsch is a registered trademark of Klipsch Corporation. R-120SW is a registered trademark of Klipsch Corporation. All other trademarks are the property of their respective owners.

[pdf] Specifications

R 120SW FREQUENCY RESPONSE 29Hz 120Hz 3dB **MAXIMUM ACOUSTIC OUTPUT** 116 dB **AMPLIFIER** All Digital **POWER CONT** PEAK 200W 400W **FEATURES** Volume Low pass 0 180 phase Auto Power On **DRIVER COMPONENTS** 12 high excursion spun copper IMG woofer **ENCLOSURE MATERIAL** MDF **TYPE** Bass Reflex via rear firing port **INPUTS** Line level LFE RCA jacks **HEIGHT** 16 5 419 mm **Spec Sheet** v01 f072605def1c9a5ef179 a0bc3fbf1884fc0965506ae2b946e1cd ssl cf2 rackcdn product specsheets mtime 20180706105434 focal none d2um2qdswy1tb0 cloudfront net

R-120SW SPUN COPPER IMG WOOFER Injection Molded Graphite IMG woofers are exceptionally light while being extremely rigid providing remarkable low frequency response, with minimal cone breakup and distortion. **ALL-DIGITAL AMPLIFIER** The built-in, all-digital amplifier delivers ample power with high...

lang:en score:22 filesize: 311.62 K page_count: 1 document date: 2018-06-19

AVAILABLE AT
DIGITAL CINEMA

R-120SW



SPUN COPPER IMG WOOFER
Spun copper IMG woofer (160 watts) are exceptionally light while being extremely rigid, providing remarkable low frequency response, with minimal cone breakup and distortion.

ALL-DIGITAL AMPLIFIER
The built-in digital amplifier delivers ample power with high efficiency and low thermal distortion. It provides strong bass and tight, clean, punchy results.

FRONT-FIRING DRIVER
The high excursion driver provides strong bass and tight, clean, punchy results.

LOW PASS CROSSEOVER AND PHASE CONTROL
Controls the subwoofer's low frequency tones blend with other digital speakers and controls the phase shift for your room.

LINE/LEVEL INPUTS
Connects seamlessly with home theater receivers.

NEW CABINET WITH SCRATCH-RESISTANT, TESTERED WOOD GRAIN VINYL
Our scratch-resistant vinyl provides durability that results in a consistent, long-lasting look.

FRONT-MOUNTED LED POWER INDICATOR
Indicates when the system is on or off.

LOW PROFILE CABLE
Sleek, unobtrusive look that is completely transparent.

SPECIFICATIONS	
FREQUENCY RESPONSE	29Hz - 120Hz 3dB
MAXIMUM ACOUSTIC OUTPUT	116 dB
AMPLIFIER	All Digital
AMPLIFIED POWER CONT	200W/400W
DRIVER COMPONENTS	12" high excursion spun copper IMG woofer
ENCLOSURE MATERIAL	MDF
ENCLOSURE TYPE	Bass Reflex via rear firing port
INPUTS	Line level LFE RCA jacks
HEIGHT	16 5/8" (419 mm)
WIDTH	16 1/2" (417 mm)
DEPTH	12 1/4" (312 mm)
WEIGHT	23 lbs (10.4 kg)
FINISH	Black Scratch-Resistant Vinyl
NET WEIGHT	25 lbs

Klipsch
KEEPER OF THE SOUND

© 2018 Klipsch Corporation. All rights reserved. Klipsch is a registered trademark of Klipsch Corporation. R-120SW is a registered trademark of Klipsch Corporation. All other trademarks are the property of their respective owners.

[pdf] Specifications

R 120SW Rackcdn FREQUENCY RESPONSE 29Hz 120Hz 3dB **MAXIMUM ACOUSTIC OUTPUT** 116 dB **AMPLIFIER** All Digital **POWER CONT** PEAK 200W 400W **FEATURES** Volume Low pass 0 180 phase Auto Power On **DRIVER COMPONENTS** 12 high excursion spun copper IMG woofer **ENCLOSURE MATERIAL** MDF **TYPE** Bass Reflex via rear firing port **INPUTS** Line level LFE RCA jacks **HEIGHT** 16 5 419 mm **SPUN COPPER WOOFER** Injection Molded Graphite woofers are exceptionally light while being extremely rigid providing remarkable low frequency **GM Spec Sheet** v01 mtime 20180821204304 focal none **Specification** f072605def1c9a5ef179 a0bc3fbf1884fc0965506ae2b946e1cd ssl cf2 rackcdn product specsheets d2um2qdswy1tb0 cloudfront net retailspecs files attachment 36696

R-120SW SPUN COPPER IMG WOOFER Injection Molded Graphite IMG woofers are exceptionally light while being extremely rigid providing remarkable low frequency response, with minimal cone breakup and distortion. **ALL-DIGITAL AMPLIFIER** The built-in, all-digital amplifier delivers ample power with high...

lang:en score:21 filesize: 310.77 K page_count: 1 document date: 2018-06-19




[pdf] Dimension Guide

Click here to 1065959 Klipsch R 120SW Subwoofer Schaefer s frbphpsedqm images webfronts cache |||

1-800-275-3872 www.duralee.com MAXWELL 10-659-59 Boxed Back Twin Sleeper with Buttoned Bench Seat, Wood Plinth Base and 2 Square Throw Pillows Overall Dimensions - W59 x D39 x H33 Inside Dimensions - SW49 x SD21 x SH19 Arm Height - 29 COM - 19 yards ADDITIONAL SIZES: 10-659-59 - W59 SW...

lang:en score:16 filesize: 662.06 K page_count: 1 document date: 2018-10-31



Regulamin Promocji Media Expert: 10% Rabatu na Zestawy Stereo i Kina Domowego

Poznaj szczegółowy regulamin promocji Media Expert, która oferuje 10% rabatu na wybrane zestawy stereo i kina domowego. Sprawdź warunki, zasady i listę produktów objętych promocją z kodem rabatowym P-25111-1.

lang:pl score:16 filesize: 215.99 K page_count: 5 document date: 2025-07-23




[pdf]

Cenik KLIPSCH Home Audio velkoobchodní r klan 5 cenik klipsch home audio maloobchodní cptpraha cz 80 soubory brand pricelist

CPT Praha, spol. s r.o. U Pekaky 484/1a, 180 00 Praha 8 Tel: 283 842 120, 283 842 121 Email: cpt cpt ... aktivn, bassreflex-slot 200 - 450 27 - 125 - - 16,8 42,1 x 35,6 x 45,1 Ebony 15 590 Kc - **R-120SW** Subwoofer s vkonom az 400W ve spicce, vhodn nap. k sestavm s reproduktory Reference R-820F...

lang:it score:15 filesize: 331.05 K page_count: 3 document date: 2021-09-07



[pdf] Guide

v0 1 Klipsch R E F N C SUBWOOFER 100SW 120SW

1

ReferenceSW QuickStartGuide v1 klipsch.jp products

SUBWOOFER R-100SW **R-120SW** S L N N TV C S R Y X Z X=Y=Z S S -*/ - 46#800

313 065-- LINE IN L/LFE R OR LINE IN L/LFE R R L PRE OUT LFE OUTPUT E# -3 -
08 1 44 0 6500/ 650 d 0/0 - - *1 00LZP PSQPSBUJPO MM...

lang:it **score:14** filesize: 216.68 K page_count: 3 document date: 2020-05-26




[pdf]

Untitled 548207e04817be29ed53bb10aa659341 on off ru upload iblock 548 |||

1 KLIPSCH 2020/2021 . -- , 70 , , 1946 -- -- , ... EREFERENCE Reference -- , , .

Reference , , . 400 **R-120SW** 12 29 - 120 /-3 116 ./ 200/400 , , 0/180, 12- ...

lang:de **score:13** filesize: 6.11 M page_count: 90 document date: 2022-01-06



[pdf]

Natalia Mordaka Regulamin promocji „Zyskaj nawet 100 zł rabatu! kody rabatowe890882 Smartfon

HAMMER Blade 2 Pro Czarny 50 883371 HONOR 10 64GB 883372 Srebrny 882364 regulamin k 1001

zyskaj 100zł rabatuelectro pl lp electro regulaminy regulamin rabatu |||

Regulamin promocji „Zyskaj nawet 100 zł rabatu - kody rabatowe 1 Definicje

Okrelenia uyte w ninie ... EER AVH-Z7000DAB 100 891741 Radio Samochodowe

SONY XAV AX100C 2 DIN 50 888101 Subwoofer KLIPSCH **R-120SW** 50 367082

Telewizor HYUNDAI LED FLR48TS511SMART 50 888274 Telewizor JVC LED

75VU10K 100...

lang:pl **score:10** filesize: 547.54 K page_count: 25 document date: 2018-11-29