

[Manuals.plus](#) /

› [U`King](#) /

› U`King 36LED 72W UV Stage Black Light Instruction Manual

U`King ZQ01087

U`King 36LED 72W UV Stage Black Light Instruction Manual

Model: ZQ01087

Brand: U`King

1. INTRODUCTION

This manual provides detailed instructions for the safe and efficient operation of your U`King 36LED 72W UV Stage Black Light. Please read this manual thoroughly before use and retain it for future reference.

2. SAFETY INFORMATION

- Ensure the power supply voltage matches the product's requirements (110 Volts).
- Do not look directly into the UV light source to avoid eye strain.
- Keep the device away from water or high humidity environments.
- Ensure proper ventilation to prevent overheating.
- Disconnect power before cleaning or maintenance.
- This product is for indoor use only.

3. PACKAGE CONTENTS

- 1 x U`King 36LED UV Black Light
- 1 x Remote Control (with 1 LR44 battery included)
- Mounting Brackets
- User Manual

4. PRODUCT FEATURES

- **High Power UV Blacklight:** Equipped with 36 premium quality UV LEDs, wavelength: 395-400nm (UVA level).
- **Flexible Control:** Easily controlled by the included remote or any DMX controller.

- **Multi-Purpose Modes:** Features 6 effect modes: Strobe, Static Color, Fade, Auto, DMX, and Sound Activated. Speed control is available.
- **Easy Installation:** Includes 360° adjustable brackets for versatile positioning.
- **Durable Construction:** Made from aluminum for robust performance.

5. SETUP

5.1 Attaching Mounting Brackets

1. Identify the two mounting brackets provided. One has a slightly concave shape, and the other is flat.
2. Align the holes on the brackets with the mounting points on the sides of the black light unit.
3. Secure the brackets using the provided screws and knobs. Ensure they are tightened firmly to prevent movement.
4. The brackets allow for 360° adjustment. Loosen the knobs to adjust the angle, then tighten to secure.

REMOTE CONTROL

Description of remote control




Image: The U'King 36LED Black Light shown with its adjustable mounting brackets attached, illustrating its compact design and the array of UV LEDs.

5.2 Power Connection

1. Connect the power cord to the "POWER" input on the back of the unit.
2. Plug the power cord into a standard 110V AC outlet.

6. OPERATING MODES

The U'King 36LED Black Light offers multiple operating modes, controllable via the remote or the onboard digital display.



Image: Diagram of the remote control for the U'King 36LED Black Light, detailing buttons for ON/OFF, Strobe, Jump, Sound Activated, Fade, speed adjustment, color adjustment, brightness, and DMX.

6.1 Remote Control Functions

- **ON/OFF:** Quickly turn the LED light on or off.
- **Strobe Mode:** Creates a flashing light effect.
- **Jump Mode:** Lights change patterns with abrupt transitions.
- **Sound Activated Mode:** Lights react to music rhythms.
- **Fade Mode:** Lights transition smoothly between patterns.
- **Speed Control:** Use the left/right arrow keys to change the speed of effects in any mode.
- **Color Adjustment (U1-U4):** Select different color combinations.
- **Brightness Adjustment (+/-):** Increase or decrease the light intensity.
- **DMX Adjustment:** For DMX control settings.

6.2 Onboard Digital Display Functions

The back panel features a digital display and control buttons (MENU, UP, DOWN, ENTER) for direct configuration.

UV Blacklight Control Mode



Image: Close-up of the black light's rear panel, showing the digital display, menu buttons, DMX IN/OUT ports, and power input.

- **MENU:** Access different modes and settings.
- **UP/DOWN:** Navigate through options or adjust values.
- **ENTER:** Confirm selection.

7. DMX CONTROL

For advanced lighting control, the U`King 36LED Black Light supports DMX512 protocol. Connect your DMX controller to the "DMX IN" port and use the "DMX OUT" port to daisy-chain multiple units.

Refer to the DMX Control Parameter Chart in the included user manual for specific channel assignments and functions.

8. MAINTENANCE

- Clean the lens and housing regularly with a soft, dry cloth to maintain optimal light output.

- Do not use harsh chemicals or abrasive materials.
- Ensure all connections are secure before and after use.
- Store the unit in a dry, cool place when not in use.

9. TROUBLESHOOTING

- **No Power:** Check the power cable connection and ensure the outlet is functional. Verify the ON/OFF switch on the unit is in the 'ON' position.
- **Remote Not Responding:** Ensure the remote control battery (LR44) is correctly inserted and has sufficient charge. Point the remote directly at the unit's IR receiver.
- **Lights Not Changing Modes:** Check the selected mode on the digital display or remote. If using DMX, ensure the DMX signal is active and correctly configured.

10. SPECIFICATIONS

Feature	Detail
Model Number	ZQ01087
Light Source	36 LED UV (395-400nm UVA)
Wattage	72 Watts
Voltage	110 Volts
Material	Aluminum
Item Weight	1.68 pounds
Product Dimensions	8.66 x 5.91 x 5.91 inches
Beam Angle	25 Degrees
Control Modes	Strobe, Static Color, Fade, Auto, DMX, Sound Activated
Control Interface	Remote, Onboard Digital Display, DMX512
Batteries Required	1 LR44 (included for remote)

11. WARRANTY AND SUPPORT

U`King products are designed for reliability and performance. For any questions, technical support, or warranty inquiries, please contact U`King customer service through the retailer where the product was purchased. Please retain your proof of purchase for warranty claims.

Extended protection plans may be available for purchase separately. Refer to your retailer for details.

12. PRODUCT IN ACTION

12.1 Official Product Video

Your browser does not support the video tag.

Video: An official U`King video demonstrating the 36LED Black Light in various stage lighting and party environments, highlighting its sound-activated and DMX capabilities.

12.2 Product Unboxing and Features Overview

Your browser does not support the video tag.

Video: A short preview video showcasing the unboxing of the U`King 36LED Black Light and a quick demonstration of its features, including the remote control and different light modes.

© 2023 U`King. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B07FMNLFSH>

More documents and user manuals: <https://manuals.plus/>