

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Keter](#) /
- › [Keter 237790 Tool Chest Instruction Manual](#)

Keter 237790

Keter 237790 Tool Chest Instruction Manual

Model: 237790 | Brand: Keter

1. INTRODUCTION

Thank you for choosing the Keter 237790 Tool Chest. This robust and versatile storage solution is designed to help organize your tools efficiently in various environments such as basements, garages, workshops, and hobby rooms. This manual provides essential information for the proper setup, operation, maintenance, and safe use of your new tool chest.



Figure 1: Front view of the Keter 237790 Tool Chest.

2. PRODUCT FEATURES

- **Durable Construction:** Made from high-quality plastic for long-lasting use.
- **Compact Design:** Measures 22.13"D x 11.38"W x 10.31"H (56.2 cm x 28.9 cm x 26.2 cm).

- **Integrated Drawers:** Features two smooth-gliding drawers for organized storage of smaller items.
- **Top Storage Compartment:** A spacious top compartment for larger tools or frequently accessed items.
- **Compatibility:** Designed to be compatible with Keter drawer systems or Keter tool trolleys for expandable storage solutions.
- **Adjustable Dividers:** Drawers may include adjustable dividers for customized organization.



Figure 2: Top drawer of the tool chest with various tools.



Figure 3: Adjustable drawer dividers for custom organization.

3. SETUP

The Keter 237790 Tool Chest comes pre-assembled and ready for use. Simply unbox the unit and place it in your desired location. If integrating with other Keter Stack 'N' Roll systems, ensure proper alignment and secure the latches on the sides of the units.

Your browser does not support the video tag.

Video 1: Demonstrates how to stack and secure the Keter 2-Drawer Toolbox with other Stack 'N' Roll system components.

4. OPERATING INSTRUCTIONS

- **Opening the Top Lid:** Lift the handle on the front of the lid to access the main storage compartment.
- **Opening Drawers:** Pull the handles on the front of each drawer to slide them open. The drawers are designed for smooth operation.
- **Closing Drawers:** Push the drawers firmly until they click into their closed position.
- **Securing Stacked Units:** If stacked, ensure all side latches are engaged to prevent accidental separation during transport.



Figure 4: Bottom drawer of the tool chest with various tools.

5. MAINTENANCE AND CARE

- **Cleaning:** Wipe the tool chest with a dry cloth to remove dust and debris. Avoid harsh chemicals that may damage the plastic.
- **Storage:** Store the tool chest in a cool, dry place away from direct sunlight and extreme temperatures.
- **Inspection:** Periodically check all latches and moving parts for wear and tear.

6. SAFETY INFORMATION

- Always keep the toolbox away from heat sources and flammable materials.
- Use caution when opening and closing the drawers to avoid pinch points.
- Wear appropriate safety gear when using tools near the toolbox.
- Keep the toolbox clean and free of debris to prevent fire hazards.
- Do not exceed the maximum recommended load of 4.53 kg (10 lbs) for the drawers or top compartment.

7. SPECIFICATIONS

Feature	Detail
Brand	Keter
Model Number	237790
Color	Black

Material	Plastic
Product Dimensions (D x W x H)	22.13" x 11.38" x 10.31" (56.2 cm x 28.9 cm x 26.2 cm)
Item Weight	4 Pounds (1.81 kg)
Maximum Recommended Load	20 Kilograms (44 lbs)
Number of Drawers	2
Compatibility	Keter drawer systems or Keter tool trolley



Figure 5: Keter Tool Chest with key dimensions.

8. TROUBLESHOOTING

For a product of this nature, troubleshooting is generally minimal. If you experience any issues with the drawers sticking, ensure they are not overloaded and that no debris is obstructing the slides. For any structural damage or manufacturing defects, please refer to the warranty and support section.

9. WARRANTY AND SUPPORT

For warranty information or product support, please contact Keter customer service directly. Refer to the product packaging or the official Keter website for the most up-to-date contact details and warranty terms.