

[Manuals.plus](#) /

› [Skywalker Trampolines](#) /

› Skywalker Trampolines 9x15 Rectangle Jump Mat (CK7024) Instruction Manual

Skywalker Trampolines CK7024

Skywalker Trampolines 9x15 Rectangle Jump Mat (CK7024) Instruction Manual

Model: CK7024

INTRODUCTION

This manual provides essential information for the proper installation, safe use, and maintenance of your Skywalker Trampolines 9x15 Rectangle Jump Mat, model CK7024. Please read all instructions carefully before proceeding with installation or use to ensure safety and product longevity. This jump mat is designed as a replacement part for specific Skywalker Trampolines models.

SAFETY INFORMATION

Your safety is paramount. All Skywalker Trampolines products are tested for safety and durability to meet or exceed all ASTM standards. Adhere to the following safety guidelines:

- Always inspect the jump mat and entire trampoline structure for damage or wear before each use.
- Ensure the jump mat is securely attached to the trampoline frame with all springs properly installed.
- Do not use the trampoline if the jump mat is torn, frayed, or has any missing V-rings or D-rings.
- Only one person should use the trampoline at a time to prevent collisions.
- Adult supervision is required at all times for children using the trampoline.



Image: The ASTM safety standards logo, indicating that the product meets or exceeds all quality and safety requirements. This signifies the product's adherence to international industry standards for safety.

PRODUCT OVERVIEW

The Skywalker Trampolines 9x15 Rectangle Jump Mat (CK7024) is a high-quality replacement component designed to revitalize your trampoline. It is constructed from UV-protected polypropylene, engineered for durability and resistance to weather elements. The mat features a woven surface to prevent slipping during use. It includes 68 reinforced V-rings and 4 D-rings for secure attachment to the trampoline springs and enclosure net.



Image: A view of the Skywalker Trampolines 9x15 Rectangle Jump Mat, showcasing its rectangular shape and the numerous V-rings around its perimeter. The mat is black and appears durable.



Image: A hexagonal logo with the text 'GENUINE REPLACEMENT PARTS' and 'SKYWALKER TRAMPOLINES' at the bottom, indicating the authenticity of the product as an official replacement part.

COMPATIBILITY

This jump mat is specifically designed for Skywalker Trampolines model STRC915. To ensure proper fit and safety, verify your trampoline's model number before installation. The model number can typically be found on a white tag located on the underside of your original jump mat, on the enclosure net tag, or on your spring pad tag.

WHAT'S IN THE BOX

The package for model CK7024 contains:

- 1 x Skywalker Trampolines 9x15 Rectangle Jump Mat with 68 V-rings and 4 D-rings

Note: Springs are not included with this replacement jump mat and must be purchased separately if needed.

SETUP AND INSTALLATION

Replacing your trampoline jump mat requires careful attention to detail. It is recommended that two adults perform this task.

1. **Preparation:** Ensure the trampoline frame is stable and on a level surface. Remove all existing springs and the old jump mat.
2. **Positioning the New Mat:** Carefully unroll the new jump mat and center it on the trampoline frame. Ensure the D-rings (if applicable for enclosure attachment) are correctly oriented.
3. **Attaching Springs:** Begin attaching the springs from the frame to the V-rings on the jump mat. It is crucial to attach springs evenly around the perimeter to distribute tension. A common method is to attach springs at 12, 3, 6, and 9 o'clock positions first, then fill in the gaps by attaching springs opposite each other. This ensures even tension and prevents overstretching one side of the mat.
4. **Final Check:** Once all springs are attached, visually inspect the entire mat and spring assembly to ensure all connections are secure and the mat is taut and evenly stretched.




Image: A diagram showing a trampoline frame with an arrow pointing to a folded replacement jump mat, illustrating the component to be installed. This image helps visualize the product in context of a trampoline.

OPERATING INSTRUCTIONS

Once the jump mat is correctly installed and all safety checks are complete, the trampoline is ready for use. Always follow the general safety guidelines provided with your trampoline frame and enclosure system. Ensure the area around the trampoline is clear of obstacles. The jump mat is designed for recreational bouncing and exercise.

MAINTENANCE

Regular maintenance will extend the life of your jump mat and ensure continued safety.

- **Cleaning:** Clean the jump mat periodically with mild soap and water. Rinse thoroughly and allow to air dry completely before

use. Avoid harsh chemicals or abrasive cleaners.

- **Inspection:** Regularly inspect the jump mat for any signs of wear, tears, holes, or fraying. Check the V-rings and D-rings for bending, rust, or detachment. Inspect the stitching around the perimeter.
- **UV Protection:** While the mat is UV-protected, prolonged exposure to direct sunlight can still cause degradation over many years. Consider using a trampoline cover when not in use for extended periods to further protect the mat.
- **Storage:** If storing the trampoline for the off-season, it is recommended to remove the jump mat and store it in a dry, protected area to prevent damage from extreme weather conditions.

TROUBLESHOOTING

If you encounter issues with your jump mat, consider the following:

- **Mat Does Not Fit:** Double-check your trampoline's model number against the compatible model (STRC915). Ensure you have a 9x15 foot rectangular trampoline. Incorrect sizing is the most common reason for a mat not fitting.
- **Uneven Tension:** If the mat appears uneven or too loose/tight in certain areas, re-check the spring installation. Ensure springs are attached evenly and symmetrically around the frame.
- **Damaged V-rings/D-rings:** If any V-rings or D-rings are bent or detached, the mat should be replaced immediately to prevent further damage or injury.
- **Tears or Holes:** Any tears or holes in the jump mat compromise its integrity and safety. The mat must be replaced if damaged.

SPECIFICATIONS

Model Number	CK7024
Brand	Skywalker Trampolines
Material	UV Protected Polypropylene
Shape	Rectangular
Compatible Trampoline Frame Size	9' x 15'
Number of V-rings	68
Number of D-rings	4

WARRANTY

This Skywalker Trampolines Jump Mat (CK7024) comes with a **1 Year Manufacturer Warranty** on parts. Please retain your proof of purchase for warranty claims. The warranty covers defects in materials and workmanship under normal use and service. It does not cover damage resulting from misuse, abuse, accident, alteration, or lack of proper maintenance.



Image: A graphic indicating '3 Years on Frame' and '1 Year on Parts' warranty, highlighting the warranty period for components.

SUPPORT

For further assistance, questions, or to purchase additional replacement parts, please visit the official Skywalker Trampolines store or contact their customer support. You can find more information and products at the [Skywalker Trampolines Store](#).

© 2026 Skywalker Trampolines. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question

and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B07G4HJ2MV>

More documents and user manuals: **<https://manuals.plus/>**