

[Manuals.plus](#) /

> [vidaXL](#) /

> vidaXL Outdoor Roller Blind Instruction Manual - 140x140 cm Striped Anthracite and White

vidaXL Outdoor Roller Blind 140x140 cm Striped Anthracite and White

vidaXL Outdoor Roller Blind Instruction Manual

Model: 140x140 cm Striped Anthracite and White

1. INTRODUCTION

Thank you for choosing the vidaXL Outdoor Roller Blind. This manual provides essential information for the safe and efficient installation, operation, and maintenance of your new roller blind. Designed for outdoor use, this 140x140 cm blind features a modern striped anthracite and white design, made from high-density polyethylene (HDPE) to block up to 90% of UV light. Please read these instructions carefully before assembly and use.




Image 1.1: The vidaXL Outdoor Roller Blind in its fully extended position, showcasing its anthracite and white striped fabric.

2. SAFETY INFORMATION

Always follow these safety guidelines to prevent injury or damage:

- Keep children and pets away from the installation area.
- Ensure all mounting hardware is securely fastened to a stable surface.
- Do not hang or pull on the blind or its operating chain.

- Avoid operating the blind in strong winds to prevent damage.
- If any parts are damaged, do not attempt to use the blind. Contact customer support.
- Dispose of packaging materials responsibly.

3. PACKAGE CONTENTS

Please verify that all components are present before beginning installation:

- 1 x vidaXL Outdoor Roller Blind (140x140 cm, Striped Anthracite and White)
- 2 x Mounting Brackets
- 1 x Operating Chain with Child Safety Clip
- 1 x Bottom Bar Weight
- Screws and Wall Plugs (suitable for general masonry, specific fixings may be required for other surfaces)
- Installation Guide (this document)

4. SETUP AND INSTALLATION

This roller blind is designed for exterior mounting. Ensure you have the necessary tools (drill, screwdriver, measuring tape, pencil, level) before starting.

4.1. Choose Mounting Location

Select a flat, stable surface on your balcony, patio, or garden structure. Ensure there is enough clearance for the blind to roll up and down freely, and that the chosen location can support the weight of the blind.

4.2. Mark Drilling Points

1. Hold the roller blind in the desired position and mark the outer edges of the roller tube.
2. Position the mounting brackets at these marks, ensuring they are level. Mark the screw holes for each bracket.

4.3. Install Mounting Brackets

1. Drill pilot holes at the marked points. Insert wall plugs if mounting into masonry.
2. Securely fasten the mounting brackets using the provided screws.




Image 4.1: Detail of the roller mechanism and how it connects to the mounting bracket.

4.4. Mount the Roller Blind

1. Insert the roller blind into the installed brackets. Ensure the operating chain hangs freely and is not obstructed.
2. Test the blind by gently pulling the chain to ensure it rolls up and down smoothly.

4.5. Install Child Safety Clip

For safety, attach the child safety clip to the wall or frame, ensuring the chain is taut and out of reach of small children. This prevents entanglement hazards.

5. OPERATING INSTRUCTIONS

The vidaXL Outdoor Roller Blind operates manually using a chain mechanism.

- **To Lower the Blind:** Gently pull the front side of the operating chain downwards. The blind will unroll. Release the chain when the desired height is reached.

- **To Raise the Blind:** Gently pull the back side of the operating chain downwards. The blind will roll up. Release the chain when the desired height is reached.

Always operate the blind smoothly and avoid sudden, forceful movements to ensure longevity of the mechanism.



Image 5.1: The bottom bar of the blind, showing the chain mechanism for manual operation.

6. MAINTENANCE

Regular maintenance will extend the life of your outdoor roller blind.

6.1. Cleaning the Fabric

- Wipe the HDPE fabric with a damp cloth and mild soap solution.
- Rinse thoroughly with clean water.
- Allow the blind to air dry completely before rolling it up to prevent mildew.
- Do not use harsh chemicals, abrasive cleaners, or high-pressure washers.




Image 6.1: A close-up view of the high-density polyethylene (HDPE) fabric with anthracite and white stripes.

6.2. Inspecting Components

- Periodically check the mounting brackets and screws for tightness.
- Inspect the operating chain for any signs of wear or damage.
- Ensure the roller mechanism is free of debris and operates smoothly.

7. TROUBLESHOOTING

If you encounter issues with your roller blind, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Blind does not roll up/down smoothly.	Obstruction in mechanism; chain tangled; brackets misaligned.	Check for obstructions. Untangle chain. Realign or re-install brackets.
Blind sags or is uneven.	Mounting brackets are not level.	Adjust mounting brackets to ensure they are perfectly level.

Problem	Possible Cause	Solution
Chain is difficult to pull.	Mechanism dirty; chain worn; excessive tension.	Clean the mechanism. Inspect chain for damage. Ensure child safety clip is not too tight.
Blind damaged by wind.	Blind left extended during strong winds.	Always retract the blind in windy conditions. Damage may require replacement.

If the problem persists after attempting these solutions, please contact vidaXL customer support.

8. SPECIFICATIONS

- **Brand:** vidaXL
- **Model:** Outdoor Roller Blind
- **Dimensions:** 140 x 140 cm (Width x Height)
- **Color:** Striped Anthracite and White
- **Material:** High-Density Polyethylene (HDPE)
- **UV Protection:** Blocks up to 90% of UV light
- **Operation:** Manual (Chain mechanism)
- **Mounting Type:** Exterior mounting
- **Recommended Use:** Outdoor, Balcony, Patio, Garden
- **Special Feature:** Easy to Install

9. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the purchase documentation or contact vidaXL customer service directly. Keep your proof of purchase for any warranty claims.

You can find more information and contact details on the official vidaXL website: www.vidaxl.com