

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Crivit](#) /

› [Crivit LED Bike Light Set - Instruction Manual](#)

Crivit 2

Crivit LED Bike Light Set - Instruction Manual

Model: 2

1. INTRODUCTION

Thank you for choosing the Crivit LED Bike Light Set. This manual provides essential information for the safe and effective use, installation, and maintenance of your new bike lights. Please read this manual thoroughly before first use and retain it for future reference.

This set includes a front light and a rear light, designed to enhance your visibility and safety during cycling, especially in low-light conditions or at night.

2. SAFETY INFORMATION

- Always ensure lights are securely mounted before riding. Loose lights can fall off and cause distraction or damage.
- Do not look directly into the LED light beam, as it can cause temporary vision impairment.
- Regularly check the battery level and replace/recharge as needed to ensure consistent illumination.
- While the lights are waterproof, avoid prolonged submersion in water.
- Clean the lights with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- These lights are designed to increase visibility, but they do not replace the need for cautious riding and adherence to traffic laws.

3. PACKAGE CONTENTS

Verify that all items are present in the package:

- 1 x Crivit LED Front Bike Light (White/Clear)
- 1 x Crivit LED Rear Bike Light (Red)
- Integrated Silicone Mounting Straps



Figure 3.1: Crivit LED Bike Light Set as packaged, featuring the black rear light and the white front light, ready for installation.

4. SETUP AND INSTALLATION

The Crivit LED Bike Light Set is designed for quick and tool-free installation.

1. **Identify Lights:** The white/clear light is for the front of your bicycle, and the red light is for the rear.
2. **Front Light Installation:**
 - Wrap the integrated silicone strap of the front light around your bicycle's handlebar.
 - Hook the strap onto the designated notch on the light unit, ensuring a snug and secure fit.
 - Adjust the light's angle so it illuminates the path ahead without blinding oncoming traffic.
3. **Rear Light Installation:**
 - Wrap the integrated silicone strap of the rear light around your bicycle's seat post.
 - Hook the strap onto the designated notch on the light unit, ensuring it is firmly attached.
 - Ensure the rear light is visible from behind and not obstructed by bags or clothing.
4. **Removal:** To remove the lights, simply unhook the silicone strap from its notch. The compact design allows for easy removal to prevent theft when parking your bike.

5. OPERATING INSTRUCTIONS

Each light operates independently with a single button control.

1. **Power On/Off:** Press the button located on the top of the light unit once to turn the light on. Press and hold the button for approximately 2-3 seconds to turn the light off.
2. **Change Modes:** With the light on, press the button repeatedly to cycle through the available lighting modes. The Crivit LED Bike Light Set features three functions:
 - **Constant:** Provides a steady beam of light.
 - **Flashing:** Emits a regular, intermittent flash.
 - **Interval Flashing:** Offers a varied flashing pattern.

Choose the mode that best suits your visibility needs and local regulations.

6. MAINTENANCE

- Cleaning:** Wipe the lights with a soft, slightly damp cloth to remove dirt and grime. Do not use harsh chemicals or abrasive materials, as they may damage the silicone housing or lens.
- Battery Replacement:** (Note: Specific battery type and replacement instructions are not provided. Refer to product packaging or manufacturer's website for details if needed.) Ensure batteries are replaced with the correct type and polarity. Dispose of old batteries responsibly.
- Storage:** Store the lights in a cool, dry place when not in use. If storing for an extended period, it is advisable to remove the batteries to prevent leakage.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Light does not turn on.	Dead or low batteries.	Replace batteries. Ensure correct polarity.
Light is dim or flickers.	Low battery power.	Replace batteries.
Light falls off during ride.	Improper installation; strap not secure.	Re-install light, ensuring the silicone strap is tightly hooked onto the notch.
Water inside light casing.	Prolonged exposure to heavy rain or submersion.	Open casing (if possible), dry thoroughly. Avoid extreme water exposure.

8. SPECIFICATIONS

Feature	Detail
Brand	Crivit
Model Number	2
Color	Black (Rear Light), White/Clear (Front Light)
Material	Silicone
Water Resistance Level	Waterproof
Mounting Type	Handlebar Mount (Front), Seat Post Mount (Rear)
Number of Settings	3 (Constant, Flashing, Interval Flashing)
Auto Part Position	Front (Headlight)

9. WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the original product packaging or contact the manufacturer directly. Keep your purchase receipt as proof of purchase.

