

NEC C981Q

NEC C981Q 98-inch LCD Display User Manual

Model: C981Q

- [Introduction](#)
- [Safety](#)
- [Contents](#)
- [Setup](#)
- [Operation](#)
- [Maintenance](#)
- [Troubleshooting](#)
- [Specifications](#)
- [Warranty](#)
- [& Support](#)

1. INTRODUCTION

This manual provides essential information for the safe and efficient use of your NEC C981Q 98-inch LCD Display. Please read this manual thoroughly before operating the product and retain it for future reference. This display is designed for professional and commercial applications, offering a large 4K UHD resolution screen for various viewing needs.



Image 1.1: Front view of the NEC C981Q 98-inch LCD Display, showcasing its large screen size and narrow bezel.

2. SAFETY INFORMATION

Observe the following safety precautions to prevent damage to the product and ensure user safety:

- **Power Source:** Connect the display only to a grounded power outlet with the correct voltage.
- **Ventilation:** Ensure adequate ventilation around the display. Do not block ventilation openings.
- **Placement:** Place the display on a stable, level surface or mount it securely according to installation guidelines. Avoid direct sunlight, heat sources, and excessive moisture.
- **Cleaning:** Disconnect power before cleaning. Use a soft, dry cloth. Avoid liquid cleaners or aerosols.
- **Servicing:** Do not attempt to service this product yourself. Refer all servicing to qualified service personnel.
- **Heavy Object:** This product is heavy (approximately 205 lbs). Exercise extreme caution during transport and installation. Always use appropriate lifting equipment and personnel.

3. WHAT'S IN THE BOX

Upon unpacking, please verify that all components are present and undamaged. If any items are missing or damaged, contact your vendor immediately.

- NEC C981Q 98-inch LCD Display
- Power Cord
- Remote Control (with batteries)
- User Manual (this document)
- Other accessories (e.g., signal cables, mounting hardware) may vary by region or package.

Note: The provided product information indicates 'unknown' for 'whats_in_the_box'. The list above is based on typical display product inclusions.

4. SETUP

4.1 Unpacking and Placement

Due to the size and weight of the NEC C981Q (205 lbs), it is highly recommended that multiple individuals assist with unpacking and placement. Carefully remove the display from its packaging. Choose a stable location that can support the display's weight and dimensions (3.7 x 86.4 x 49.2 inches).

4.2 Connecting Power

1. Ensure the display's power switch is in the OFF position.
2. Connect the provided power cord to the AC inlet on the display.
3. Plug the other end of the power cord into a grounded electrical outlet.

4.3 Connecting Input Sources

The NEC C981Q supports various input sources, including DisplayPort. Connect your source device (e.g., computer, media player) to the appropriate input port on the display using a compatible cable.

- **DisplayPort:** For high-resolution video and audio transmission.
- *Other ports (e.g., HDMI, DVI, VGA) may be available depending on the specific model variant. Consult the port labels on your display.*

5. OPERATING INSTRUCTIONS

5.1 Powering On/Off

- **To Power On:** Press the power button on the display or the remote control. The power indicator light will illuminate.
- **To Power Off:** Press the power button again. The display will enter standby mode. For complete power disconnection, unplug the power cord.

5.2 Input Source Selection

Use the 'Input' button on the remote control or the display's control panel to cycle through available input sources (e.g., DisplayPort). Select the input corresponding to your connected device.

5.3 Menu Navigation

The On-Screen Display (OSD) menu allows you to adjust various settings. Use the navigation buttons on the remote control or display to:

- Access the main menu.
- Navigate through menu options.
- Adjust values (e.g., brightness, contrast, color settings).
- Confirm selections.

5.4 Resolution and Display Settings

The NEC C981Q supports a native resolution of 3840 x 2160 (4K UHD). Ensure your source device is configured to output at this resolution for optimal image quality. Adjust aspect ratio and other display settings via the OSD menu as needed.

6. MAINTENANCE

6.1 Cleaning the Display

Regular cleaning helps maintain optimal performance and appearance.

- **Screen:** Gently wipe the screen with a soft, lint-free cloth. For stubborn marks, lightly dampen the cloth with water or a specialized screen cleaner (non-ammonia based) and wipe carefully. Do not spray liquid directly onto the screen.
- **Cabinet:** Wipe the display cabinet with a soft, dry cloth.

Caution: Always disconnect the power cord before cleaning.

6.2 Storage

If storing the display for an extended period, power it off completely, unplug all cables, and store it in a cool, dry environment, preferably in its original packaging to protect it from dust and physical damage.

7. TROUBLESHOOTING

Before contacting customer support, please refer to the following common issues and solutions:

Problem	Possible Cause	Solution
No image on screen	Power cable disconnected; Incorrect input source selected; Source device not powered on or connected.	Check power connections; Select correct input source; Ensure source device is on and connected.
Image is distorted or blurry	Incorrect resolution setting; Loose video cable connection; Cable quality issue.	Set source device to 3840 x 2160 resolution; Secure video cable connections; Try a different high-quality cable.

Problem	Possible Cause	Solution
No sound	Volume muted or too low; Incorrect audio output selected on source; Audio cable not connected (if applicable).	Adjust volume; Check audio settings on source device; Ensure audio cables are connected if not using DisplayPort audio.
Remote control not working	Batteries depleted; Obstruction between remote and display sensor.	Replace batteries; Remove any obstructions; Ensure remote is pointed at the display's sensor.

8. SPECIFICATIONS

Key technical specifications for the NEC C981Q LCD Display:

Feature	Detail
Brand	NEC
Model Number	C981Q
Screen Size	98 Inches (249 cm)
Resolution	3840 x 2160 (4K UHD)
Aspect Ratio	16:9
Image Brightness	350 cd/m ² (nits)
Contrast Ratio	1,300:1
Response Time	8 ms
Product Dimensions	3.7 x 86.4 x 49.2 inches
Item Weight	205 pounds
Connectivity	DisplayPort (and potentially others depending on configuration)
Screen Surface	Glossy
Country Of Origin	China

9. WARRANTY AND SUPPORT

9.1 Warranty Information

This NEC C981Q display comes with a standard manufacturer's warranty. Please refer to the warranty card included with your product or visit the official NEC website for detailed terms and conditions, including warranty duration and coverage.




9.2 Customer Support


For technical assistance, troubleshooting beyond this manual, or warranty claims, please contact NEC customer support. Have your model number (C981Q) and serial number ready when contacting support.

NEC Support Website: www.necdisplay.com/support (Example link, please verify official NEC support page)

Phone Support: Refer to the NEC website for regional contact numbers.

Related Documents - C981Q

	NEC VT650 LCD Projector User's Manual User's manual for the NEC VT650 LCD Projector, covering setup, operation, maintenance, troubleshooting, and specifications. Includes warranty information and product registration details.
	NEC VT45 LCD Projector User's Manual A comprehensive user's manual for the NEC VT45 LCD Projector, detailing setup, operation, maintenance, troubleshooting, and specifications. Includes warranty information and product registration details.
	NEC MultiSync M321 User Manual: Large Format Display Guide This comprehensive user manual provides detailed instructions for the NEC MultiSync M321 Large Format Display, covering installation, operation, advanced features, troubleshooting, and technical specifications for optimal use.
	NEC LCD TV User's Manual - Models E328, E438, E498, E558, E658 Comprehensive user manual for NEC LCD TVs, models E328, E438, E498, E558, and E658. Covers installation, operation, maintenance, troubleshooting, and specifications for these displays.
	NEC MultiSync E224Wi and E243Wmi Desktop Monitor User's Manual User's manual for NEC MultiSync E224Wi and E243Wmi desktop monitors. Covers setup, operation, safety, specifications, troubleshooting, and energy saving features.
	NEC GT1150 LCD Projector User Manual - Setup, Operation, and Specifications Comprehensive user manual for the NEC GT1150 LCD Projector, covering installation, operation, maintenance, troubleshooting, and technical specifications. Learn how to set up and use your projector effectively.




NEC

Руководство пользователя ЖК - монитор

MultiSync C651Q
MultiSync C751Q
MultiSync C861Q
MultiSync C981Q

Модели C651Q, C751Q, C861Q, C981Q
Названия моделей указаны на табличке на задней панели монитора.



NEC

사용 설명서 LCD 모니터

MultiSync C651Q
MultiSync C751Q
MultiSync C861Q
MultiSync C984Q

모델명: C651Q, C751Q, C861Q, C981Q
표시된 사양에 있는 제품에서 사양을 확인하십시오.

[pdf] Quick Start Guide Installation Guide Reference Guide Dimension Guide Guide

Microsoft Word C981Q V984Q IGv10 bhardy NEC Quick Start Guide MultiSync 98 Diagonal Class LED backlight LCD display digital signage 4K UHD 2160p 3840 x 2160 HDR D Backlight 7ee4bc81 c365 4fa6 bde4 df6d135a8476 cdn cnetcontent 7e e4 |||

V984Q/C981Q Installation Guide NEC Display Solutions of America, Inc. Ver.1.0 Contents: Product Description and Notes Rotation Ventilation Recommendations Carrying Handle Positioning Display Dimensions Front, Top, Right Side, Left Side, Bottom Back Side Display Dimensions with stand Optional Sta...

lang:en score:34 filesize: 9.14 M page_count: 12 document date: 2018-06-01

[pdf] User Manual

NEC Display Solutions Ltd Руководство пользователя C651Q C751Q C861Q C981Q manual RU v3sharp nec displays support webdl dl service data display en c751q C651Q v3 |||

- MultiSync C651Q MultiSync C751Q MultiSync C861Q MultiSync **C981Q** : C651Q, C751Q, C861Q, **C981Q**

lang:i-klngon score:33 filesize: 13.22 M page_count: 80 document date: 2018-12-17

[pdf] User Manual Datasheet Guide Accessories Borchure

NEC Ultra High Definition Large Format Displays Brochure New Key Guide function allows for easier access to buttons when manually controlling the unit via on back of display by adding a graphic c651q c751q c861q c981q brochure sharpnecdisplays us documents colorbrochures CD ROM User Manual OPTIONAL ACCESSORIES Table Top Stand ST 801 Optional Speakers SP TF1 All OPS Option Cards Raspberry Pi Compute Module 1 and 3 with optional Interface Board Wall Mount WMK 6598 Regular 3257 C651Q C751Q C861Q only Slim 3255S Human Sensor KT RC2 almo cdn prismic io 6cce98e4 6c17 4cbc bd7c 895d1b4c540c 65 75 86 98 Commercial Ideal Digital Signage Applications media howard docs PC4 av iq dataSheet C981Q NEC Ultra High Definition Large Format Displays 65 , 75 , 86 and 98 Commercial Displays Ideal for ... er proper temperature thresholds. Location of Thermal Management Cooling Fans 2 C651Q/C751Q/C861Q/C**981Q** Anti-Glare Panel Aesthetically Focused Design Each of the new large C series commercial dis...

lang:en score:32 filesize: 1010.65 K page_count: 4 document date: 2019-12-04


NEC

[pdf] User Manual

NEC Display Solutions Ltd C651Q C751Q C861Q C981Q manual KR v2sharp nec displays support webdl dl service data display en c751q C651Q v2 |||

LCD MultiSync C651Q MultiSync C751Q MultiSync C861Q MultiSync C984Q : C651Q, C751Q, C861Q, **C981Q**

lang:i-klngon score:32 filesize: 8.97 M page_count: 80 document date: 2018-12-17




[\[pdf\]](#) User Manual Quick Start Guide Guide

22 Rebecca Holz Will Hollingworth NEC Large Screen Displays Raspberry Pi Compute Module The content of this manual is furnished for informational use only subject to change without notice and should not be construed as a commitment by Display Solutions Ltd assumes no responsibility or liability any errors inaccuracies that may appear in nec raspberry pi compute module setup guide sharpnecdisplays us documents installationguides Setup Guide

NEC Large-Screen Displays Raspberry Pi Compute Module Setup Guide Revision: 190405
Introduction Th ... gnal shutdown Requirements Compatible NEC display o C651Q o P404 o C751Q o P484 o C861Q o P554 o **C981Q** o P654Q o P754Q o V404 o V404-T o V484 o V484-T o V554 o V554-T o V554Q o V654Q o V754Q o V86...

lang:en **score:31** filesize: 2.33 M page_count: 74 document date: 2019-04-05



[NEC MultiProfiler Software User Guide: Display Calibration and Management](#)

This user guide provides comprehensive instructions for NEC MultiProfiler software, enabling users to calibrate, manage, and optimize NEC MultiSync displays for precise color accuracy and performance. Learn about picture mode configuration, color settings, and advanced features.

lang:en **score:31** filesize: 6.77 M page_count: 63 document date: 2023-10-10



[\[pdf\]](#) Frequently Asked Questions Guide

Sharp NEC Display Solutions Ltd User s Guide prieš 1 dieną — MULTIPROFILER USER S GUIDE Selecting Quick Edit allows the color gamut white point brightness and black level to be quickly adjusted without Users support nec display dl service data multiprofiler 4 40 01 |||

Version 1.4.40 User s Guide Software Updates Occasionally, updates and enhancements to the MultiPr ... d to use a 3D LUT for Print Emulation Windows only or a Custom 3D LUT.

Note: C651Q, C751Q, C861Q, **C981Q**, MA431, MA491, MA551, P435, P495, P555, P654Q, P754Q, PA271Q, PA311D, UN462A, UN492S, UN552, U...

lang:en **score:31** filesize: 6.76 M page_count: 63 document date: 2022-03-15




[\[pdf\]](#) User Manual

assetserver net assets nec c861q spec Nec C861q Manual |||

NEC Ultra High Definition Large Format Displays 75 , 86 and 98 Commercial Displays Ideal for Digit ... ns under proper temperature thresholds. Location of Thermal Management Cooling Fans 2 C751Q/C861Q/**C981Q** Anti-Glare Panel Aesthetically Focused Design Each of the new large C series commercial dis...

lang:en **score:31** filesize: 1.02 M page_count: 4 document date: 2018-09-27




[\[pdf\]](#) User Manual Label

NEC Display Solutions Ltd C651Q C751Q C861Q C981Q manual EN v3 support nec display dl service data en c751q |||

User s Manual Large Format Display MultiSync C651Q MultiSync C751Q MultiSync C861Q MultiSync **C981Q** MODEL: C651Q, C751Q, C861Q, **C981Q** Please find your model name in the label on the rear side of monitor. Index Registration Information.....

lang:en **score:30** filesize: 13.07 M page_count: 80 document date: 2018-12-17




[\[pdf\]](#) User Manual

NEC Display Solutions Ltd Manual del usuario C651Q C751Q C861Q C981Q manual ES v3 sharp nec displays support webdl dl service data display en c751q |||

Manual del usuario Pantalla de gran formato MultiSync C651Q MultiSync C751Q MultiSync C861Q MultiSync **C981Q** MODELO: C651Q, C751Q, C861Q, **C981Q** Consulte el nombre del modelo en la etiqueta que figura en la parte trasera del monitor. ndice Informacin de registro.....

lang:es **score:30** filesize: 13.06 M page_count: 80 document date: 2018-12-17



[\[pdf\]](#) User Manual Quick Start Guide

18 NEC Display Solutions Ltd Large Screen Displays Raspberry Pi Compute Module 7 Using the Yodeck bootloader to overwrite current OS Connect host PC display via USB for programming module Setup Guide support nec dl service data manual raspberrypi 190307

NEC Large-Screen Displays Raspberry Pi Compute Module Setup Guide Revision: 190307
Introduction Th ... goes low to signal shutdown Requirements Compatible NEC display o C751Q o P404 o C861Q o P484 o **C981Q** o P554 o P654Q o P754Q o V404 o V404-T o V484 o V484-T o V554 o V554-T o V554Q o V654Q o V754...

lang:en **score:30** filesize: 2.2 M page_count: 74 document date: 2019-05-27



[\[pdf\]](#) User Manual Label

PowerPoint Presentation Daniela Dexheimer User s Manual habarovsk pult ru C Series ShadowSense™ Touch MultiSync C651Q SST C751Q C861Q C981Q MONITOR MODEL 7937a785173d8a85380f9536ba5c2ee3 upload iblock 793 |||

User s Manual C Series ShadowSense™ Touch MultiSync C651Q SST MultiSync C751Q SST MultiSync C861Q SST MultiSync **C981Q** SST MONITOR MODEL: C651Q SST, C751Q SST, C861Q SST, **C981Q** SST Please find your model name on the label on rear side of the monitor. Index Addendum to User s Manuals of MultiSync C...

lang:en **score:29** filesize: 2.1 M page_count: 29 document date: 2019-05-06



[\[pdf\]](#) Borchure

NEC Ultra High Definition Large Format Displays Sharp easier access to buttons when manually controlling the unit via on back of display by adding a graphic screen that directs customer c751q c861q c981q brochure sharpnecdisplays us documents colorbrochures C751Q Brochure cdn docs av iq C861Q

NEC Ultra High Definition Large Format Displays 75 , 86 and 98 Commercial Displays Ideal for Digit ... ns under proper temperature thresholds. Location of Thermal Management Cooling Fans 2 C751Q/C861Q/**C981Q** Anti-Glare Panel Aesthetically Focused Design Each of the new large C series commercial dis...

lang:en **score:29** filesize: 1.12 M page_count: 4 document date: 2018-06-01



NEC Ultra High Definition Large Format Displays: C651Q, C751Q, C861Q, C981Q Series

Discover NEC's Ultra High Definition Large Format Displays (65", 75", 86", 98") designed for seamless integration into commercial environments. Featuring an aesthetically-focused design, integrated MediaPlayer, and scalable computing power, these displays are ideal for retail, education, and corporate applications.

lang:en score:29 filesize: 948.98 K page_count: 4 document date: 2020-10-01



[pdf] Catalog

C981Q Спецификация market av ru image catalog nec |||

MultiSync **C981Q** LCD 98 UHD. . 350 / , , MultiSync C NEC , . . , NEC MultiSync **C981Q**, 15 , . Open Modular Intelligence NEC OPS, Raspberry Pi . . .

lang:en score:29 filesize: 171.25 K page_count: 4 document date: 0000-00-00



[pdf] Datasheet

nec datasheet c981q au application files 9115 5046 9649

NEC Australia au.nec.com **C981Q** 1 Product Information Sheet **C981Q** - Ultra-High Definition Large Format Display Stunning visibility for presentations and digital signage Enhance your meeting and conferencing performance with stunning UHD resolution. Get high-end quality and reliability at a low...

lang:en score:28 filesize: 252.94 K page_count: 4 document date: 2018-07-03



[\[pdf\]](#) Datasheet Borchure

C981Q NEC 98 LED 4K UHD Commercial Display Brochure 1 OnlyPOS c981q onlypos au pub media attachment file c 9 |||

MultiSync **C981Q** LCD 98 Ultra-High Definition Large Format Display Datasheet Stunning visibility for presentations and digital signage Enhance your meeting and conferencing performance with stunning UHD resolution. Get high-end quality and reliability at a low total cost of ownership with long life-...

lang:en **score:28** filesize: 157.9 K page_count: 4 document date: 0000-00-00

NEC

Gebruikershandleiding

Grootbeeldmonitor

MultiSync C651Q
MultiSync C751Q
MultiSync C861Q
MultiSync C981Q

[\[pdf\]](#) User Manual Label

NEC Display Solutions Ltd GebruikershandleidingC651Q C751Q C861Q C981Q manual NL v3sharp nec displays support webdl dl service data display en c751q C651Q v3 |||

Gebruikershandleiding Grootbeeldmonitor MultiSync C651Q MultiSync C751Q MultiSync C861Q MultiSync **C981Q** MODEL: C651Q, C751Q, C861Q, **C981Q** Zoek de modelnaam op het label achter op de monitor. Index

Registratiegegevens.....

lang:nl **score:28** filesize: 12.95 M page_count: 80 document date: 2018-12-17



[\[pdf\]](#)

Datenblatt für NEC MultiSync® C981Q Sharp Display Solutions file o 98 Ultra High Definition c981q pik de shop23 sites 7 2021 02 |||

NEC MultiSync **C981Q** LCD 98 Midrange Large Format Display Datenblatt Erstklassige Bilder fr Prsentationen und Digital-Signage-Lsungen Bereichern Sie Ihre Beitrge bei Besprechungen und Konferenzen mit hochauflsenden UHD-Bildern. Entscheiden Sie sich fr hochwertige Qualitt und Betriebssicherheit bei n...

lang:de **score:27** filesize: 167.22 K page_count: 4 document date: 0000-00-00



[\[pdf\]](#)

Sharp NEC Display Solutions Herunterladen MultiSync® C981Q LCD 98 Midrange Large Format c981q gastroshop xxl de index dispatch attachments getfile attachment id 1207 |||

NEC MultiSync **C981Q** LCD 98 Midrange Large Format Display Datenblatt Erstklassige Bilder fr Prsentationen und Digital-Signage-Lsungen Bereichern Sie Ihre Beitrge bei Besprechungen und Konferenzen mit hochauflsenden UHD-Bildern. Entscheiden Sie sich fr hochwertige Qualitt und Betriebssicherheit bei n...

lang:de **score:27** filesize: 166.73 K page_count: 4 document date: 0000-00-00

[\[pdf\]](#) Guide

Large Format Displays HWEC Available for NEC MultiSync® M MA P Series Document Name Pocket Guide Revision Edition 12 2023 Date 2 23 PocketGuide hwec pl 06 |||

Sharp NEC Display Solutions Large Format Displays NEC E Series Essential Displays MultiSync Mod ... red touch models available for 43 , 50 and 55 NEC C Series Midrange Displays MultiSync Model **C981Q** Size Brightness Haze Orientation** inch/cm in cd/m Level* 98 / 248 350 P L, P Video Signa...


lang:en **score:27** filesize: 1.64 M page_count: 6 document date: 2023-02-16

[\[pdf\]](#) Datasheet

Údajový list pro NEC MultiSync® C981Q Sharp Display Solutions datasheet 597461 edshop edsystem pl fileshare products nec |||

NEC MultiSync **C981Q** LCD 98 Midrange Large Format Display Produktov list zasn viditelnost pro prezentace a digitln npisy Vylepsete svj vkon na zasednch a konferencch s zasnm rozlisenm UHD. Dosahujte vysokou kvalitu a spolehlivost za nzk cenov nkklady na vlastnictv s dlouhoudu zivotnost. Profesionln r...

lang:it **score:27** filesize: 166.85 K page_count: 4 document date: 0000-00-00



[\[pdf\]](#) User Manual Declaration of Conformity Label

User s Manual NEC Display Please find your model name in the label on rear side of monitor MODEL C751Q C861Q C981Q Large Format MultiSync c751q c861q c981q usermanual english sharpnecdisplays us documents usermanuals UserManual cdn docs av iq other

User s Manual Large Format Display MultiSync C751Q MultiSync C861Q MultiSync**C981Q** MODEL: C751Q, C861Q, **C981Q** Please find your model name in the label on the rear side of monitor. Index DECLARATION OF CONFORMITY.....

lang:en **score:27** filesize: 11.41 M page_count: 79 document date: 2018-06-01



[\[pdf\]](#) Catalog

C981Q NEC Display 350cd 24 7 LED Back 98 Schwarz Media Player UHD Webshop Telion AG 5nc c981q 10045 de telion ch data catalog documents |||

MultiSync **C981Q** LCD 98 Ultra-High Definition Large Format Display Datenblatt Erstklassige Bilder fr Prsentationen und Digital-Signage-Lsungen Bereichern Sie Ihre Beitrge bei Besprechungen und Konferenzen mit hochauflsenden UHD-Bildern. Entscheiden Sie sich fr hochwertige Qualitt und Betriebssicherh...

lang:de **score:27** filesize: 160.1 K page_count: 4 document date: 0000-00-00




[\[pdf\]](#) Datasheet

nec product datasheet c981q sst au application files 8415 6878 7692

Product Information Sheet **C981Q-SST** ShadowSense™ LCD 98 Large Format ShadowSense™ Touch Display Give your meeting room a bright new touch Enhance your meeting and conferencing performance with stunning UHD resolution. Get high-end quality and reliability at a low total cost of ownership, with I...

lang:en **score:27** filesize: 825.36 K page_count: 4 document date: 2019-09-17



[\[pdf\]](#) Guide

Katalog Pocket Guide 2021 NEC MultiSync M651 Message 65 60005061 od PLN 10577 59 2022 Porównanie cen
Cenowarka Polska 2293949bda609638fe654e2d0ca135608277 gzhls at blob ldb 5 e d |||

Sharp NEC Display Solutions Large Format Displays CB-Serie Essential Collaboration
MultiSync Mo ... rhlitlich fr 43 , 50 und 55 C-Serie Midrange Displays MultiSync Modell C750Q
C751Q C860Q C861Q **C981Q** Gre Zoll/cm 75 / 189 75 / 189 86 / 217 86 / 217 98 / 248
Helligkeit in cd/m 350 350 350 350 ...

lang:de **score:27** filesize: 1.96 M page_count: 6 document date: 2021-08-13




[\[pdf\]](#)

C981Q TÄ©IÄ©chargement NEC UHD MONITEUR Ä LCD 350cd 24 7 Telion AG 5nc c981q 10045 fr telion ch
media Artikelstamm Medien 5NM380 |||

MultiSync **C981Q** LCD 98 Ultra-High Definition Large Format Display Fiche produit Une
visibilit poustouflante dans le domaine des prsentations et de la signalisation numrique
Boostez les performances de vos runions et confrences grce une rsolution UHD stupfiante.
Profitez d une qualit et d une fiabi...

lang:fr **score:27** filesize: 160.16 K page_count: 4 document date: 0000-00-00




[\[pdf\]](#) User Manual Label

NEC Display Solutions Ltd C861Q C981Q 86 98 displaysInformation Technology Audio Visual Services Wytheville
Community CollegeC651Q C751Q manual EN v3sharp nec displays support webdl dl service data display en
c751q C651Q v3 |||

User s Manual Large Format Display MultiSync C651Q MultiSync C751Q MultiSync C861Q
MultiSync **C981Q** MODEL: C651Q, C751Q, C861Q, **C981Q** Please find your model name in
the label on the rear side of monitor. Index Registration
Information.....

lang:en **score:27** filesize: 13.07 M page_count: 80 document date: 2018-12-17




[\[pdf\]](#) User Manual

NEC Display Solutions Ltd Kaynak sayfa: görüntüle Kullanıcı Kılavuzu Görüntüler telif hakkına tabi olabilir C651Q C751Q C861Q C981Q manual TR v3 support nec display dl service data en c751q |||

Kullanıcı Kılavuzu Byk Format Ekran MultiSync C651Q MultiSync C751Q MultiSync C861Q MultiSync **C981Q** MODEL: C651Q, C751Q, C861Q, **C981Q** Model adınızı grmek için ltfen monitörün arkasında bulunan etikete bakın. indekiler Kayıt

Bilgisi.....

lang:af **score:27** filesize: 13.26 M page_count: 80 document date: 2018-12-17



[\[pdf\]](#) Frequently Asked Questions Guide

SpectraView II User's Guide Monitor Color Calibration Display Will Hollingworth Multi language Sharp NEC Desktop and LCD Software UsersGuide 1 40 MultiLanguage update sharpnecdisplays us spectraview |||

Version 1.1.40 User's Guide English / Français / Italiano / Deutsch / Español / / Version 1.1.40 ... R S GUIDE Large-Screen Models: C751Q 75 Ultra-high-definition C861Q 86 Ultra-high-definition **C981Q** 98 Ultra-high-definition LCD4020 40 LCD4620 46 LCD5220 52 LCD6520 65 M40, M40B,...

lang:en **score:27** filesize: 18.09 M page_count: 461 document date: 2019-07-31



[\[pdf\]](#) User Manual

NEC Display Solutions Ltd Manuale utente Sharp monitor lampeggia in rosso Quando il è questa condizione non espellere la scheda di memoria microSD dal e spegnere l'alimentazione C651Q C751Q C861Q C981Q manual IT v3 sharp nec displays support webdl dl service data display en c751q |||

Manuale utente Schermo a formato grande MultiSync C651Q MultiSync C751Q MultiSync C861Q MultiSync **C981Q** MODELLO: C651Q, C751Q, C861Q, **C981Q** Il nome del modello riportato sull'etichetta sul retro del monitor. Indice Informazioni di registrazione.....

lang:it **score:26** filesize: 13.05 M page_count: 80 document date: 2018-12-17



[\[pdf\]](#) Datasheet

C981QSST Specificação EN Lejuplādēt Interaktīvs ekrāns NEC MultiSync C981Q SST BBT bbt Iv Store Displeji |||

MultiSync **C981Q** SST ShadowSense LCD 98 Ultra-High Definition Large Format Touch Display Datasheet Give your meeting room a bright new touch Enhance your meeting and conferencing performance with stunning UHD resolution. Get high-end quality and reliability at a low total cost of ownership, with I...

lang:en **score:26** filesize: 143.22 K page_count: 4 document date: 0000-00-00



[pdf] Datasheet

C981Q arrow downwardNEC MultiSync Display Datasheet english NEC Monitors Beamers ARP nl

5bb1ea59154fe22e9985875f arp webmedias datasheet |||

MultiSync **C981Q** LCD 98 Ultra-High Definition Large Format Display Datasheet Stunning visibility for presentations and digital signage Enhance your meeting and conferencing performance with stunning UHD resolution. Get high-end quality and reliability at a low total cost of ownership with long life-...

lang:en **score:26** filesize: 157.94 K page_count: 4 document date: 0000-00-00



[pdf] Specifications Datasheet Catalog

C981Q specifications NEC MultiSync Professional display 60004516 16 specifikacije 624adf70c4142 teksel si

upload catalog product 1839 |||

MultiSync **C981Q** LCD 98 Ultra-High Definition Large Format Display Datasheet Stunning visibility for presentations and digital signage Enhance your meeting and conferencing performance with stunning UHD resolution. Get high-end quality and reliability at a low total cost of ownership with long life-...

lang:en **score:26** filesize: 156.65 K page_count: 4 document date: 0000-00-00



[pdf] Datasheet

C981Q arrow downwardNEC MultiSync Display Datasheet german NEC Monitors Beamers ARP nl

5b223e992f5ba90f0874582e arp webmedias datasheet |||

MultiSync **C981Q** LCD 98 Ultra-High Definition Large Format Display Datenblatt Erstklassige Bilder fr Prsentationen und Digital-Signage-Lsungen Bereichern Sie Ihre Beitrge bei Besprechungen und Konferenzen mit hochauflsenden UHD-Bildern. Entscheiden Sie sich fr hochwertige Qualitt und Betriebssicherh...

lang:de **score:26** filesize: 170.61 K page_count: 4 document date: 0000-00-00

NEC Display Solutions
SpectraView II for Linux x64
Version 1.1.38

Installation Guide

[\[pdf\]](#) Installation Guide Instructions Troubleshooting Guide Guide

Naviset Administrator2 Help 119 Copyright © 2014 NEC Display Solutions Ltd Installation Instructions Sharp
Desktop and LCD Monitor Software SpectraView for Linux 1 38 x64 update sharpnecdisplays us spectraview |||
NEC Display Solutions SpectraView II for Linux x64 Version 1.1.38 Installation Guide
SpectraView I ... 2-bit versions of Linux are not supported. 5 2.2 Supported NEC Display
Models C751Q 2 C861Q 2 **C981Q** 2 EA244UHD 1 EA245WMI 2 EA245WMI-2 EA271F 1
EA271Q 1 EA271U 1 EA241WU 1 EA275UHD 1 EA...

lang:en **score:26** filesize: 492.09 K page_count: 19 document date: 2018-09-10



[\[pdf\]](#) Guide

Katalog 2020 Large Format Displays Pocket Guide NEC MultiSync M651 Message 65 60005061 od PLN 10577 59
2022 Porównanie cen Cenowarka Polska c17ce52006d8539595856999de74806a9306 gzhl5 at blob ldb 5 d c |||
NEC Display Solutions Large Format Displays E-Serie Entry Level Signage MultiSync Modell
E327 E ... tandalone Betrieb C-Serie Value Signage MultiSync Modell C431 C501 C551
C651Q 1 C751Q 1 C861Q 1 **C981Q** 1 Gre Zoll/cm 43 / 109 50 / 127 55 / 140 65 / 165 75 /
189 86 / 217 98 / 248 Helligkeit in c...

lang:de **score:26** filesize: 1.41 M page_count: 6 document date: 2020-02-27



[\[pdf\]](#) Datasheet

C981Q Data Sheet Дисплей NEC 98 248 92 ниска цена от JAR Computers 1558356115 jarcomputers images
custom docs |||


MultiSync **C981Q** LCD 98 Ultra-High Definition Large Format Display Datasheet Stunning
visibility for presentations and digital signage Enhance your meeting and conferencing
performance with stunning UHD resolution. Get high-end quality and reliability at a low total
cost of ownership with long life-...

lang:en **score:26** filesize: 158.05 K page_count: 4 document date: 0000-00-00

Unleashing a brighter world.**NEC**

MultiSync® C981Q
LCD 98" Ultra-High Definition Large Format Touchscreen

Спецификация



Впечатление захватывает зрителей и цифровой контент

Потрясающее изображение и потрясающая интерактивность. NEC MultiSync C981Q обеспечивает потрясающую картинку UHD. Благодаря большому размеру экрана и яркости в три раза выше, чем у обычных дисплеев, изображение выглядит более живым.

Профессиональный дизайн и мощный корпус. С момента своего появления на рынке до 2018 года MultiSync C981Q был признан одним из лучших дисплеев для презентаций. Благодаря своему дизайну, который сочетает в себе стиль и функциональность, он идеально подходит для использования в деловых помещениях. Благодаря своему дизайну, который сочетает в себе стиль и функциональность, он идеально подходит для использования в деловых помещениях.

Внедрение NEC MultiSync C981Q позволяет легко интегрировать его в существующую инфраструктуру. Благодаря своему дизайну, который сочетает в себе стиль и функциональность, он идеально подходит для использования в деловых помещениях.

Преимущества

Впечатление захватывает зрителей и цифровой контент - возможность получения потрясающей картинки UHD. Благодаря большому размеру экрана и яркости в три раза выше, чем у обычных дисплеев, изображение выглядит более живым.

Профессиональный дизайн и мощный корпус - возможность получения потрясающей картинки UHD. Благодаря большому размеру экрана и яркости в три раза выше, чем у обычных дисплеев, изображение выглядит более живым.

Внедрение NEC MultiSync C981Q позволяет легко интегрировать его в существующую инфраструктуру. Благодаря своему дизайну, который сочетает в себе стиль и функциональность, он идеально подходит для использования в деловых помещениях.

LCD 98" Ultra-High Definition Large Format Touchscreen - MultiSync® C981Q (1 / 4)

[pdf]

C981Q 4c22b4ad704f278116се38596са65abb Информационные панели для видео стен Nec MultiSync купить в Галерее безупречной электроники Назаров dc75аае207b59с865а22962b3е6727с1 nazarov gallery ru upload iblock dc7 |||

MultiSync **C981Q** LCD 98 UHD. . 350 / , , MultiSync C NEC , . . - , . NEC MultiSync **C981Q**, 15 , . Open Modular Intelligence NEC OPS, Raspberry Pi

lang:en score:26 filesize: 171.26 K page_count: 4 document date: 0000-00-00

Unleashing a brighter world.**NEC**

MultiSync® C981Q SST (ShadowSense)
LCD 98" Ultra-High Definition Large Format Touchscreen

Datasheet



Give your meeting room a bright new look

Enhance your meeting and conferencing performance with stunning UHD resolution. Get high-end quality and reliability at a low total cost of ownership, with long life-times.

The Professional Touchscreen gives you the freedom to interact with digital content and digital signage with your meeting room. It's the perfect way to enhance your meeting room and conferencing performance. It's the perfect way to enhance your meeting room and conferencing performance.

With the Professional Touchscreen, you can interact with digital content and digital signage with your meeting room. It's the perfect way to enhance your meeting room and conferencing performance. It's the perfect way to enhance your meeting room and conferencing performance.

Benefits

Seamless Touch Integration - work hand-in-hand with multi-touch applications while using the 10 touch points of ShadowSense™ touch technology in meeting collaboration.

Simple Plug & Play - easy set-up without the need to install any drivers or the host PC. For all major operating systems.

Anti-Flicker Technology - built-in anti-flicker technology to protect your eyes from eye strain and headaches.

Anti-Static Technology - built-in anti-static technology to protect your eyes from eye strain and headaches.

Anti-Static Technology - built-in anti-static technology to protect your eyes from eye strain and headaches.

LCD 98" Ultra-High Definition Large Format Touch Display - MultiSync® C981Q SST (ShadowSense) (1 / 4)

[pdf] Specifications Datasheet Catalog

C981QSST specifications NEC MultiSync C981Q SST specifikacije Interactive display Interaktivni ekran 60004577 13 627b5251558ab tekse si upload catalog product 2767 |||


MultiSync **C981Q** SST ShadowSense LCD 98 Ultra-High Definition Large Format Touch Display Datasheet Give your meeting room a bright new touch Enhance your meeting and conferencing performance with stunning UHD resolution. Get high-end quality and reliability at a low total cost of ownership, with I...

lang:en score:25 filesize: 143.21 K page_count: 4 document date: 0000-00-00

SHARP / NEC

NEC MultiSync® C981Q
LCD 98" Midrange Large Format Display

Datasheet



Stunning visibility for presentations and digital signage

Enhance your meeting and conferencing performance with stunning UHD resolution. Get high-end quality and reliability at a low total cost of ownership with long life-times.

Professional face levels ensure great visibility without distracting reflections - along with brightness of up to 350 cd/m², NEC MultiSync C Series meets the demands of today's meeting environments. Slim bezels and a modern appearance complement state-of-the-art architecture to integrate perfectly into interior designs. With embedded office functionalities, start up ad-hoc meetings without the hassle of setting up the display environment first. Wake-up on connection is just one of many features which make meetings more efficient.

With the NEC MultiSync C981Q, presenters will feel confident during meetings of up to 10 participants whilst visitors and hospitality facilities can boost sales through digital signage.

Benefits

Future Ready with Open Modular Intelligence Expansion - upgrade the power of your display at any time by seamlessly integrating one of NEC's optional for OPS (Open PC) Raspberry Pi compute modules or signal interfaces for content feed and computing.

Modular-Ready 2017 ready operation - the meticulous selection of industrial-grade components and careful design focused on demanding usage experience accounts an impressive and continuous.

[pdf] Datasheet

Datasheet for NEC MultiSync® C981Q Sharp Display Solutions Product Group LCD 98" Midrange Large Format Order Code 60004516 Panel Technology IPS with Direct LED backlights c981q sharpnecdisplays eu p datasheet en rp |||

NEC MultiSync **C981Q** LCD 98" Midrange Large Format Display Datasheet Stunning visibility for presentations and digital signage Enhance your meeting and conferencing performance with stunning UHD resolution. Get high-end quality and reliability at a low total cost of ownership with long life-times. Pr...

lang:en score:25 filesize: 156.98 K page_count: 6 document date: 0000-00-00




[pdf] Datasheet

C981Q leaflet NEC MultiSync Digitaalinen litteä infotaulu 2 49 m 98 LED 4K Ultra HD Musta 23057 store teknavi fi
img object 2305 |||

MultiSync **C981Q** LCD 98 Ultra-High Definition Large Format Display Datasheet Stunning visibility for presentations and digital signage Enhance your meeting and conferencing performance with stunning UHD resolution. Get high-end quality and reliability at a low total cost of ownership with long life-...

lang:en **score:25** filesize: 157.89 K page_count: 4 document date: 0000-00-00



[pdf] User Manual Declaration of Conformity Label

User s Manual Sharp NEC Display Solutions Please find your model name in the label on rear side of monitor
MODEL C751Q C861Q C981Q Large Format MultiSync 1048735662 content etilize 405b8a02 1799 44e9 b4ec
2ce9a86025f5 cdn cnetcontent 40 5b

User s Manual Large Format Display MultiSync C751Q MultiSync C861Q MultiSync**C981Q**
MODEL: C751Q, C861Q, **C981Q** Please find your model name in the label on the rear side of monitor. Index DECLARATION OF
CONFORMITY.....

lang:en **score:25** filesize: 12.98 M page_count: 79 document date: 2018-03-05




[pdf] Datasheet

Hoja de datos para NEC MultiSync® C981Q Sharp Display Solutions sharpnecdisplays eu p datasheet es rp |||

NEC MultiSync **C981Q** LCD 98 Midrange Large Format Display Hoja de especificaciones Una visibilidad impresionante para las presentaciones y para la seailizacin digital Mejore el resultado en sus reuniones y en sus conferencias con una resolucin UHD impresionante. Obtenga una calidad y una fiabilidad e...

lang:es **score:25** filesize: 158.32 K page_count: 6 document date: 0000-00-00



[pdf] Borchure

NEC UHD Large Format Displays Brochure C981Q 98 Ultra High Definition Commercial Display Full Compass Systems 36923 NECUHDLargeFormatDisplaysBrochure fullcompass common files |||

NEC Ultra High Definition Large Format Displays 65 , 75 , 86 and 98 Commercial Displays Ideal for ... er proper temperature thresholds. Location of Thermal Management Cooling Fans 2 C651Q/C751Q/C861Q/**C981Q** Anti-Glare Panel Aesthetically Focused Design Each of the new large C series commercial dis...

lang:en **score:25** filesize: 1010.67 K page_count: 4 document date: 2019-02-12

Orchestration a digital world

MultiSync® C981Q

LCD 98" Ultra-High Definition Large Format Display

Datenblatt

Erstklassige Bilder für Präsentationen und Digital-Signage-Lösungen

Bestimmen Sie Ihre Beiträge für Besprechungen und Konferenzen mit hochauflösenden UHD-Bildern. Erreichen Sie sich für hochwertige Qualität und Betriebsicherheit bei niedrigsten Gesamtbetriebskosten und langer Lebensdauer.

Heute und die Profis legen großen Wert auf eine hohe Bildqualität, die Inhalte ohne Verzerrungen darstellt, und mit einer Helligkeit von bis zu 350 cd/m². MultiSync® C981Q ist die Lösung für diese Anforderungen. Vollständiges Kalibrieren und ein eingebauter Kalibrierungsprozess gewährleisten eine konstante Bildqualität. Das LCD-Panel ist die Hauptkomponente, die durch die eingebauten Bildfunktionen besser sich gegen Beschädigungen schützen, ohne dass sonst das Displaysystem aufwendig repariert werden muss. Die automatische Bildreinigung ist selbst eine Selbstreinigungsfunktion, die nur eine minimale Wartung, die durch die Kamera bei Beschädigungen besteht.

Das NEC MultiSync® C981Q eignet sich für verschiedene Präsentationen bei Besprechungen mit bis zu 12 Teilnehmern. Bildwandler und Einstellungen des Tonals und Lautsprecher können durch Digital-Signage-Lösungen besser integriert werden.

Vorteile

Zukunftssicherheit, dank Erweiterungsfähigkeit (Open Module Interface) - Sie können die Leistungsfähigkeit Ihres Displays jederzeit erhöhen, indem Sie es aufrüsten. Dank der OpenModule-Technologie von NEC, die Hardware- und Software-Updates ermöglicht, für die Erweiterung von Funktionen und mehr Performance-Optionen.

Bedienung und Lebensdauer - Das intuitive und bewährte Konzeptions-Design sowie eine Bild-Kalibrierung und -in-jeweils-Lösung.

Für den Brancheneinsatz (B2B) in geschäftlichen Anwendungsbereichen - geeignet für hochwertige Kommunikation und das vollständige Design sind auf einen Einsatz in geschäftlichen Anwendungsbereichen ausgelegt und helfen den Betreibern die Leistungsfähigkeit zu erhöhen.

Anwendungsbereich - Intelligente Installationen, Betriebs- und Wartungsfunktionen gewährleisten über die gesamte Lebensdauer des Displays eine hohe Leistung und einen Lärm, während diese Ressourcen.

Zukunftssichere Anschlussmöglichkeiten und Veranlagung - zahlreiche Eingänge mit hoher Auflösung und einer Bildschirmauflösung von 4K bis 8K, sowie Funktionen, die es Ihnen ermöglichen, für UHD-Entwicklungsprojekte, sowie eine automatische Nachbearbeitung anderer Signale auf HD, sorgen für großformatige, professioneller Bilder.

Benutzer-orientiertes Gesamtsystem - die ergonomischen Größe von NEC lassen sich von einem zentralen Standort aus steuern. Sie steuern Ihre mobile oder statische Bildwandlung über 2 den Prozess einleitet.

LCD 98 Ultra-High Definition Large Format Display - MultiSync® C981Q (1 / 4)

[pdf]

C981Q Datenblatt en NEC Digital Signage MultiSync LED Display 248 9 cm 98 schwarz @ OFFICE Partner

8690102 1 cdn assets office partner de media 19 3e 04 |||

MultiSync **C981Q** LCD 98 Ultra-High Definition Large Format Display Datenblatt Erstklassige Bilder fr Prsentationen und Digital-Signage-Lsungen Bereichern Sie Ihre Beitrge bei Besprechungen und Konferenzen mit hochauflsenden UHD-Bildern. Entscheiden Sie sich fr hochwertige Qualitt und Betriebssicherh...

lang:de score:24 filesize: 162.02 K page_count: 4 document date: 2019-08-29

NEC MultiSync® C981Q

LCD 98" Midrange Large Format Display

Datenblatt

Erstklassige Bilder für Präsentationen und Digital-Signage-Lösungen

Bestimmen Sie Ihre Beiträge für Besprechungen und Konferenzen mit hochauflösenden UHD-Bildern. Erreichen Sie sich für hochwertige Qualität und Betriebsicherheit bei niedrigsten Gesamtbetriebskosten und langer Lebensdauer.

Heute und die Profis legen großen Wert auf eine hohe Bildqualität, die Inhalte ohne Verzerrungen darstellt, und mit einer Helligkeit von bis zu 350 cd/m². Das NEC MultiSync® C981Q ist die Lösung für diese Anforderungen. Vollständiges Kalibrieren und ein eingebauter Kalibrierungsprozess gewährleisten eine konstante Bildqualität. Das LCD-Panel ist die Hauptkomponente, die durch die eingebauten Bildfunktionen besser sich gegen Beschädigungen schützen, ohne dass sonst das Displaysystem aufwendig repariert werden muss. Die automatische Bildreinigung ist selbst eine Selbstreinigungsfunktion, die nur eine minimale Wartung, die durch die Kamera bei Beschädigungen besteht.

Das NEC MultiSync® C981Q eignet sich für verschiedene Präsentationen bei Besprechungen mit bis zu 12 Teilnehmern. Bildwandler und Einstellungen des Tonals und Lautsprecher können durch Digital-Signage-Lösungen besser integriert werden.

Vorteile

Zukunftssicherheit, dank Erweiterungsfähigkeit (Open Module Interface) - Sie können die Leistungsfähigkeit Ihres Displays jederzeit erhöhen, indem Sie es aufrüsten. Dank der OpenModule-Technologie von NEC, die Hardware- und Software-Updates ermöglicht, für die Erweiterung von Funktionen und mehr Performance-Optionen.

Bedienung und Lebensdauer - Das intuitive und bewährte Konzeptions-Design sowie eine Bild-Kalibrierung und -in-jeweils-Lösung.

Für den Brancheneinsatz (B2B) in geschäftlichen Anwendungsbereichen - geeignet für hochwertige Kommunikation und das vollständige Design sind auf einen Einsatz in geschäftlichen Anwendungsbereichen ausgelegt und helfen den Betreibern die Leistungsfähigkeit zu erhöhen.

Anwendungsbereich - Intelligente Installationen, Betriebs- und Wartungsfunktionen gewährleisten über die gesamte Lebensdauer des Displays eine hohe Leistung und einen Lärm, während diese Ressourcen.

Zukunftssichere Anschlussmöglichkeiten und Veranlagung - zahlreiche Eingänge mit hoher Auflösung und einer Bildschirmauflösung von 4K bis 8K, sowie Funktionen, die es Ihnen ermöglichen, für UHD-Entwicklungsprojekte, sowie eine automatische Nachbearbeitung anderer Signale auf HD, sorgen für großformatige, professioneller Bilder.

Benutzer-orientiertes Gesamtsystem - die ergonomischen Größe von NEC lassen sich von einem zentralen Standort aus steuern. Sie steuern Ihre mobile oder statische Bildwandlung über 2 den Prozess einleitet.

LCD 98 Midrange Large Format Display - NEC MultiSync® C981Q (1 / 4)

[pdf]

Datenblatt für NEC MultiSync® C981Q Sharp Display Solutions Download Digital Signage MultiSync 98 UHD 24 7

350cd m² SECOMP AG 05430041 de data 2022 secomp ch i2cmsdata s05 |||

NEC MultiSync **C981Q** LCD 98 Midrange Large Format Display Datenblatt Erstklassige

Bilder fr Prsentationen und Digital-Signage-Lsungen Bereichern Sie Ihre Beitrge bei Besprechungen und Konferenzen mit hochauflsenden UHD-Bildern. Entscheiden Sie sich fr hochwertige Qualitt und Betriebssicherheit bei n...

lang:de score:24 filesize: 167.21 K page_count: 4 document date: 0000-00-00