

[Manuals.plus](#) /

› [SRAM](#) /

› SRAM Red eTap Blip Dummy Plug Shifter & BlipBox Control Module Pair User Manual

SRAM 11.7018.049.000

SRAM Red eTap Blip Dummy Plug Shifter & BlipBox Control Module Pair User Manual

Model: 11.7018.049.000

INTRODUCTION

This manual provides essential information for the installation, operation, and maintenance of your SRAM Red eTap Blip Dummy Plug Shifter and BlipBox Control Module Pair. These components are designed to integrate seamlessly with your SRAM Red eTap system, offering a clean and aerodynamic solution for triathlon and time trial bicycles.

The system utilizes SRAM's advanced wireless AIREA communication protocol for precise and reliable gear changes.

PACKAGE CONTENTS

The SRAM Red eTap Blip Dummy Plug Shifter & BlipBox Control Module Pair package includes:

- Two (2) SRAM Red eTap Blip Dummy Plugs (Red)
- Two (2) SRAM Red eTap BlipBox Dummy Plugs (Black)



Image 1: Contents of the SRAM Red eTap Blip Dummy Plug Shifter & BlipBox Control Module Pair. Shown are two red Blip dummy plugs and two black BlipBox dummy plugs.

SETUP AND INSTALLATION

These dummy plugs are designed for use with SRAM Red eTap Blip remote shifters and the BlipBox control module. They serve to protect electronic interfaces and maintain a clean aesthetic when Blips are not in use or during specific installations.

1. **Identify Components:** Distinguish between the smaller red Blip dummy plugs and the larger black BlipBox dummy plugs.
2. **Blip Dummy Plug Installation:**
 - Locate the unused Blip port on your SRAM Red eTap Blip remote shifter.
 - Gently insert the red Blip dummy plug into the port until it is seated securely. Ensure the O-ring provides a snug fit.

- These plugs protect the port from dirt and moisture.

3. BlipBox Dummy Plug Installation:

- Identify the unused port on your SRAM Red eTap BlipBox control module.
- Carefully push the black BlipBox dummy plug into the port. It should fit firmly to prevent dislodgement.
- These plugs are crucial for maintaining the integrity of the BlipBox and preventing debris ingress.

4. **Verification:** After installation, ensure all dummy plugs are securely in place and do not interfere with other components.

Note: These are dummy plugs and do not provide shifting functionality. They are for protection and aesthetic purposes only.

OPERATING INSTRUCTIONS

The SRAM Red eTap Blip Dummy Plugs and BlipBox Control Module Pair are passive components. They do not require active operation. Their function is to protect open ports on your SRAM Red eTap system.

- **Protection:** When installed, the dummy plugs prevent dust, dirt, and moisture from entering the electronic ports of your Blip shifters and BlipBox.
- **Aerodynamics:** They contribute to a cleaner, more aerodynamic cockpit by filling unused ports.

MAINTENANCE

Proper maintenance ensures the longevity and effectiveness of your dummy plugs.

- **Cleaning:** Wipe the dummy plugs with a clean, damp cloth to remove any accumulated dirt or grime. Avoid harsh chemicals.
- **Inspection:** Periodically inspect the dummy plugs for any signs of wear, cracking, or damage. Ensure the O-rings on the Blip dummy plugs are intact and providing a good seal.
- **Storage:** If removed, store the dummy plugs in a clean, dry place to prevent loss or damage.

TROUBLESHOOTING

As passive components, troubleshooting for dummy plugs is minimal.

Problem	Possible Cause	Solution
Dummy plug falls out easily.	Incorrect installation, worn O-ring (Blip plug), or damaged port.	• Ensure the plug is fully seated. • Inspect the O-ring on the Blip dummy plug for damage; replace if necessary. • Check the port for any damage or debris.

Problem	Possible Cause	Solution
Dummy plug is difficult to insert.	Debris in port, incorrect plug type, or manufacturing tolerance.	• Clean the port thoroughly. • Ensure you are using the correct dummy plug for the specific port (Blip vs. BlipBox). • Do not force the plug; contact SRAM support if issues persist.

SPECIFICATIONS

Feature	Detail
Brand	SRAM
Model Number	11.7018.049.000
Color	Red (Blip Plugs), Black (BlipBox Plugs)
Material	Plastic
Item Weight	Approximately 0.04 Pounds (total package)
Product Dimensions (Package)	9"L x 5.5"W x 1"H
UPC	710845782053
Compatibility	SRAM Red eTap Blip remote shifters and BlipBox control modules

WARRANTY INFORMATION

This product comes with a Limited Warranty provided by SRAM. For detailed information regarding warranty terms, conditions, and claim procedures, please refer to the official SRAM website or contact SRAM customer support.
Important: Keep your proof of purchase for warranty claims.

SUPPORT AND CONTACT

For further assistance, technical support, or inquiries regarding your SRAM Red eTap Blip Dummy Plug Shifter & BlipBox Control Module Pair, please contact SRAM directly.

- **SRAM Official Website:** www.sram.com
- **Customer Service:** Refer to the "Support" or "Contact Us" section on the official SRAM website for regional contact information.

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B07GJX564G>

More documents and user manuals: **<https://manuals.plus/>**