

ATEN CE820

ATEN CE820 USB HDMI HDBaseT 2.0 KVM Extender User Manual

Model: CE820

1. INTRODUCTION

The ATEN CE820 USB HDMI HDBaseT 2.0 KVM Extender is designed to extend HDMI video, stereo audio, USB, Ethernet, and RS-232 signals over a single Cat6 or 2L-2910 Cat 6 cable. Utilizing HDBaseT 2.0 technology, it provides reliable transmission for distances up to 100 meters for 4K resolution and up to 150 meters for 1080P resolution in Long-Reach mode. This extender is suitable for applications requiring remote access, such as control centers, medical facilities, and industrial environments.

2. PACKAGE CONTENTS

Verify that all components are present and in good condition. If any items are missing or damaged, contact your dealer.

- 1x CE820L USB HDMI HDBaseT 2.0 KVM Extender (Local Unit)
- 1x CE820R USB HDMI HDBaseT 2.0 KVM Extender (Remote Unit)
- 1x HDMI KVM Cable Set (HDMI, USB, Audio; 1.8m/6ft)
- 2x Power Adapters
- 2x Mounting Kits
- 1x User Instructions (this document)

3. HARDWARE OVERVIEW

The ATEN CE820 KVM Extender consists of a Local Unit (CE820L) and a Remote Unit (CE820R). Below is an image illustrating the ports and indicators on the units.



Image 3.1: Rear view of the ATEN CE820 KVM Extender units, showing various ports including DC power, HDBaseT In/Out, Ethernet, HDMI, USB, audio jacks, RS-232, and DIP switches for mode selection.

Local Unit (CE820L) Ports:

- **DC5V Power Input:** Connects to the included power adapter.
- **HDBaseT Out:** Connects to the Remote Unit via Cat6/6a cable.
- **Ethernet:** RJ-45 port for network connection.
- **HDMI In:** Connects to the video source (e.g., computer).
- **USB Type B:** Connects to the computer's USB port for KVM functionality.
- **Audio In/Out:** 3.5mm jacks for audio input and output.
- **RS-232:** Serial port for control.

Remote Unit (CE820R) Ports:

- **DC5V Power Input:** Connects to the included power adapter.
- **HDBaseT In:** Connects to the Local Unit via Cat6/6a cable.
- **Ethernet:** RJ-45 port for network connection.
- **HDMI Out:** Connects to the display device (e.g., monitor).
- **USB Type A (x2):** Connects to USB peripherals (e.g., keyboard, mouse).
- **Audio In/Out:** 3.5mm jacks for audio input and output.
- **RS-232:** Serial port for control.
- **DIP Switches:** For selecting operating modes (e.g., Long-Reach mode).

4. SETUP AND INSTALLATION

Follow these steps to set up your ATEN CE820 KVM Extender system:

1. **Power Off Devices:** Ensure all devices, including the computer, monitor, and KVM extender units, are powered off and unplugged.
2. **Connect Local Unit (CE820L):**
 - Connect the HDMI KVM cable set's HDMI connector to the **HDMI In** port on the CE820L and to the HDMI output of your computer.
 - Connect the USB connector from the KVM cable set to the **USB Type B** port on the CE820L and to a USB port on your computer.
 - (Optional) Connect the audio jacks from the KVM cable set to the **Audio In/Out** ports on the CE820L and to your computer's audio ports.

- (Optional) Connect an Ethernet cable from your network router/switch to the **Ethernet** port on the CE820L.
- (Optional) Connect an RS-232 cable for serial control.

3. Connect Remote Unit (CE820R):

- Connect an HDMI cable from the **HDMI Out** port on the CE820R to the HDMI input of your display device (monitor).
 - Connect your USB keyboard and mouse to the **USB Type A** ports on the CE820R.
 - (Optional) Connect speakers/microphone to the **Audio In/Out** ports on the CE820R.
 - (Optional) Connect an Ethernet cable from your network device to the **Ethernet** port on the CE820R.
 - (Optional) Connect an RS-232 cable for serial control.
4. **Connect Extender Units:** Connect a single Cat6 or 2L-2910 Cat 6 cable from the **HDBaseT Out** port on the CE820L to the **HDBaseT In** port on the CE820R. Ensure the cable is properly terminated and meets HDBaseT specifications for optimal performance.
 5. **Apply Power:** Connect the two included power adapters to the **DC5V Power Input** ports on both the CE820L and CE820R units, then plug them into power outlets.
 6. **Power On Devices:** Power on your display device, then your computer. The KVM extender system should now be operational.

DIP Switch Configuration (Remote Unit)

The Remote Unit (CE820R) features DIP switches for selecting operating modes. Refer to the labels on the unit for specific switch functions. For example, to enable Long-Reach mode (1080P up to 150m), you may need to set a specific DIP switch to the 'ON' position. Ensure both units are powered off before changing DIP switch settings.

5. OPERATION

Once properly set up, the ATEN CE820 operates automatically. The KVM extender transparently passes video, audio, USB, Ethernet, and RS-232 signals between the local and remote units.

Video Transmission

- **Standard Mode:** Supports resolutions up to 4K (3840 x 2160) at 30Hz over 100 meters.
- **Long-Reach Mode:** Supports resolutions up to 1080P (1920 x 1080) over 150 meters. This mode is typically enabled via DIP switches on the remote unit.
- The extender is HDCP 2.2 compliant.

USB Functionality

The USB 2.0 full-speed ports allow for the connection of a keyboard, mouse, and other USB peripherals at the remote location, providing seamless control of the computer connected to the local unit.

Audio and RS-232

The extender supports 2-channel stereo audio transmission and RS-232 serial communication for device control.

6. MAINTENANCE

To ensure the longevity and optimal performance of your ATEN CE820 KVM Extender, follow these maintenance guidelines:

- **Cleaning:** Use a soft, dry cloth to clean the exterior of the units. Do not use liquid or aerosol cleaners.
- **Ventilation:** Ensure the units are placed in a well-ventilated area to prevent overheating. Do not block ventilation openings.

- **Cable Management:** Keep cables neatly organized and avoid sharp bends or excessive tension, which can damage cables and connectors.
- **Power Supply:** Use only the power adapters provided with the unit.

7. TROUBLESHOOTING

If you encounter issues with your ATEN CE820 KVM Extender, refer to the following common troubleshooting steps:

- **No Video Display:**
 - Check all HDMI cable connections between the source, local unit, remote unit, and display.
 - Ensure both local and remote units are powered on.
 - Verify the Cat6/6a cable connection between the local and remote units is secure and undamaged.
 - Confirm the display is set to the correct input source.
 - If using Long-Reach mode, ensure the DIP switch on the remote unit is correctly set.
 - Try a different HDMI cable or display to rule out faulty components.
- **No USB Functionality (Keyboard/Mouse):**
 - Ensure the USB cable from the computer to the local unit is securely connected.
 - Verify the USB peripherals are correctly plugged into the USB Type A ports on the remote unit.
 - Test the USB peripherals directly with the computer to confirm they are functional.
- **No Audio:**
 - Check all 3.5mm audio cable connections.
 - Ensure the computer's audio output and the display's audio input are correctly configured.
- **Intermittent Signal:**
 - Inspect the Cat6/6a cable for damage or poor termination. A high-quality, certified Cat6/6a cable is crucial for stable HDBaseT transmission.
 - Ensure the cable length does not exceed the specified maximum for the resolution being used (100m for 4K, 150m for 1080P).
 - Minimize electromagnetic interference by keeping the Cat6/6a cable away from power lines or other sources of interference.

8. SPECIFICATIONS

Feature	Description
Model Number	CE820
Connectivity Protocol	Ethernet, HDBaseT 2.0
Video Input	1x HDMI Female (Local Unit)
Video Output	1x HDMI Female (Remote Unit)
USB Ports	1x USB Type B Female (Local Unit), 2x USB Type A Female (Remote Unit)
Audio Ports	2x Mini Stereo Jack (Local Unit), 2x Mini Stereo Jack (Remote Unit)
Ethernet Ports	1x RJ-45 Female (Local Unit), 1x RJ-45 Female (Remote Unit)

Feature	Description
Serial Port	1x RS-232 Female (Local Unit), 1x RS-232 Female (Remote Unit)
Max. Resolution / Distance (Standard Mode)	4K (3840 x 2160) @ 30Hz up to 100m (Cat6/6a/2L-2910)
Max. Resolution / Distance (Long-Reach Mode)	1080P (1920 x 1080) up to 150m
HDCP Compliance	HDCP 2.2 Compatible
Power Consumption	87 watts (total for both units, typical)
Dimensions (L x W x H)	8 x 4 x 2 inches (per unit, approximate)
Item Weight	1.39 pounds (per unit, approximate)
International Protection Rating	IP54

9. WARRANTY AND SUPPORT

ATEN is committed to providing high-quality products and customer support.

Warranty Information

This product comes with a standard manufacturer's warranty. Extended warranty services and variable value-added service packages may be available. Please refer to the official ATEN website or contact your local dealer for detailed warranty terms and conditions.



Technical Support


ATEN offers free technical support for its products. For assistance, you can typically expect a response within 4 hours. Support services include localized repair centers for RMA (Return Merchandise Authorization) service.



Image 9.1: Illustration of ATEN's support services, including localized repair centers, extended warranty options, and free technical support with a 4-hour response time.

For further support, please visit the official ATEN website: www.aten.com


	ATEN CE920 USB DisplayPort HDBaseT 2.0 KVM Extender Quick Start Guide Quick start guide for the ATEN CE920 USB DisplayPort HDBaseT 2.0 KVM Extender, detailing hardware overview, installation, rack mounting, and LED status indicators. Includes multilingual support information.
	ATEN CE980/CE990 USB True 4K DisplayPort/HDMI Optical KVM Extender Quick Start Guide This guide provides hardware overview and installation instructions for the ATEN CE980/CE990 USB True 4K DisplayPort/HDMI Optical KVM Extender, enabling remote control of a computer via DisplayPort, HDMI, and USB over optical fiber.
	ATEN CE801 USB True 4K HDMI Cat 6 KVM Extender User Manual User manual for the ATEN CE801, a USB True 4K HDMI Cat 6 KVM Extender. Covers installation, hardware setup, operation, specifications, safety, and technical support. Supports resolutions up to 3840x2160 @ 60Hz (4:4:4) over Cat 6 cable up to 70m, or 1080p up to 100m in Long Reach Mode.
	ATEN CE980 / CE990 USB True 4K DisplayPort / HDMI Optical KVM Extender User Manual This user manual provides comprehensive information on the ATEN CE980 / CE990 USB True 4K DisplayPort / HDMI Optical KVM Extender, covering installation, configuration, and operation. It details features, requirements, hardware setup, and operational aspects, including LED indicators and USB control modes.
	ATEN CE980/CE990 USB True 4K DisplayPort/HDMI Optical KVM Extender User Manual User manual for the ATEN CE980/CE990, a USB True 4K DisplayPort/HDMI Optical KVM Extender. Learn about installation, features, operation, and specifications for extending KVM signals over fiber optic cables.
	ATEN CE801 USB True 4K HDMI Cat 6 KVM Extender Quick Start Guide Quick start guide for the ATEN CE801 USB True 4K HDMI Cat 6 KVM Extender, detailing hardware overview, installation, USB control modes, and EDID settings.



[\[pdf\]](#) Quick Start Guide Instructions Specifications Documentation Guide

ce820 kvm extender qsg indd USB HDMI HDBaseT 2.0 KVM Extender Quick Start Guide assets aten product quick start guide

A Hardware Review **CE820L** Front View 1 **CE820L** Rear View 23 ATEN VanCryst™ **CE820** USB HDMI HDBaseT 2.0 KVM Extender Quick Start Guide Copyright 2017 ATEN International Co., Ltd. ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd. All rights reserved. All other trademarks are the...
lang:en score:44 filesize: 1.79 M page_count: 2 document date: 2017-11-17




[\[pdf\]](#) User Manual

ce820 ce920 user manual w kr assets aten product manual |||

CE820 / CE920 HDBaseT 2.0 KVM **CE820** / CE920 FCC Part 15 Class A . . . , . . . , .
FCC Part15 . : 1 , 2 . FCC . . Achtung Der Gebrauch dieses Gerts in Wohnumgebung kann...

lang:i-klnglon score:41 filesize: 672.88 K page_count: 42 document date: 2023-09-01



[\[pdf\]](#) User Manual

ce820 ce920 um w book iansun CE820 CE920 HDBaseT 2.0 KVM Extender User Manual ATEN www
aten com oss cn beijing aliyuncs ® product user manual |||

CE820 / CE920 HDBaseT 2.0 KVM Extender User Manual **CE820** / CE920 User
Manual Compliance Statements FEDERAL COMMUNICATIONS COMMISSION
INTERFERENCE STATEMENT This equipment has been tested and found to comply
with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules.
These l...

lang:en score:41 filesize: 2.7 M page_count: 42 document date: 2025-04-18



HDBaseT 2.0 KVM 연장기
CE820 / CE920
사용자 설명서



www.aten.com

[\[pdf\]](#) User Manual

USER HOME ce820 ce920 um w 2018 08 03 assets aten product manual kr manual

HDBaseT 2.0 KVM **CE820** / CE920 www.aten .co.kr **CE820** / CE920 EMC : Class A
FCC 15 . . , . . . FCC 15 . 2 . 1 2 . FCC : . : CISPR 32 Class A . . : FCC CE ST...
lang:i-klngon **score:39** filesize: 594.23 K page_count: 34 document date: 2019-03-19



ATEN VanCryst™
CE820 / CE920
HDBaseT 2.0 KVM Extender
User Manual

[\[pdf\]](#) User Manual

ce820 ce920 um w book iansun ATEN VanCryst™ CE820 CE920 User Manual iii Industry Canada
Statement This Class A digital apparatus complies with Canadian ICES 003 HDMI Trademark The terms
High Definition Multimedia Interface and the 2022 01 11 assets aten product manual |||
ATEN VanCryst™ **CE820** / CE920 HDBaseT 2.0 KVM Extender User Manual **CE820**
/ CE920 User Manual Compliance Statements FEDERAL COMMUNICATIONS
COMMISSION INTERFERENCE STATEMENT This equipment has been tested and
found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FC...

lang:en **score:39** filesize: 2.23 M page_count: 36 document date: 2022-01-11



HDBaseT 2.0 KVM Extender
CE820 / CE920
User Manual



www.aten.com

[\[pdf\]](#) User Manual

ce820 ce920 um w book christinechen HDBaseT 2 0 KVM Extender CE820 CE920 User Manual aten
original media s bol zL5AEv9qLwZ

HDBaseT 2.0 KVM Extender **CE820** / CE920 User Manual www.aten.com **CE820** /
CE920 User Manual Preface EMC Information FEDERAL COMMUNICATIONS
COMMISSION INTERFERENCE STATEMENT: This equipment has been tested and
found to comply with the limits for a Class A digital device, pursuant to Part 15 of the
...

lang:en **score:39** filesize: 1.99 M page_count: 34 document date: 2020-03-13




[\[pdf\]](#) User Manual

ce820 ce920 um w book christinechen ATEN CE820 ATA E KVM extender Transmitter receiver user manual 2 MB mmo 108517479 1701212471 7231 20145 objects iceocat biz |||

HDBaseT 2.0 KVM Extender **CE820** / CE920 User Manual www.aten.com **CE820** / CE920 User Manual Preface EMC Information FEDERAL COMMUNICATIONS COMMISSION INTERFERENCE STATEMENT: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the

...
lang:en score:37 filesize: 2.3 M page_count: 34 document date: 2018-08-03




[\[pdf\]](#) User Manual

ce820 ce920 um w book iansun CE820 User ManualKit Extensor KVM 100m Conector HDMI HDBaseT™ Resolución 4K USB 2 Audio Estéreo Distribuidores de SyscomCE820 Manualftp3 syscom mx usuarios luis vargas ATEN Manual ManualDownloadKit SyscomATEN CE820L HDBaseT Extender ohne Ethernet Port Lokal only SECOMP Electronic Components GmbHCE820 Manual14017360 en manu 2023ftp3 Manualsecomp at media s14 14017360 2023 ManualDownloadDownloadKit GmbHATEN Manual14017272 202314017360 14017272 2023secomp ManualDownloadDownloadDownloadKit CE920 DP Ehternet 202314017273 14017273 ||| ||| CE820 / CE920 HDBaseT 2.0 KVM Extender User Manual CE820 / CE920 User Manual Compliance Statements FEDERAL COMMUNICATIONS COMMISSION INTERFERENCE STATEMENT This equipment has been tested and found to comply with the limits for a Class A dig ||| CE820 / CE920 HDBaseT 2.0 KVM Extender User Manual CE820 / CE920 User Manual Compliance Statements FEDERAL COMMUNICATIONS COMMISSION INTERFERENCE STATEMENT This equipment has been tested and found to comply with the limits for a Class A dig ||| CE820 / CE920 HDBaseT 2.0 KVM Extender User Manual CE820 / CE920 User Manual Compliance Statements FEDERAL COMMUNICATIONS COMMISSION INTERFERENCE STATEMENT This equipment has been tested and found to comply with the limits for a Class A dig

CE820 / CE920 HDBaseT 2.0 KVM Extender User Manual **CE820** / CE920 User Manual Compliance Statements FEDERAL COMMUNICATIONS COMMISSION INTERFERENCE STATEMENT This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These l...

lang:en score:36 filesize: 2.63 M page_count: 42 document date: 2023-06-20



[\[pdf\]](#) Quick Start Guide Instructions Specifications Documentation Guide

ce820 ata kvm extender qsg indd 1 23 MB USB HDMI HDBaseT™ 2 0 KVM 4K@100m CE820 ATEN www.aten.com oss cn beijing aliyuncs product quick start guide |||

CE820 USB HDMI HDBaseT 2.0 KVM Extender Quick Start Guide Copyright 2022 ATEN International Co. Ltd. ATEN and the ATEN logo are registered trademarks of ATEN International Co., Ltd. All rights reserved. All other trademarks are the property of their respective owners. Part No. PAPE-1223-J91G Pri...

lang:en score:36 filesize: 1.23 M page_count: 2 document date: 2022-03-08



[\[pdf\]](#) User Manual

56 Y Hewlett Packard CE820 CE920 Japanese 20180803 678 05 KB USB DisplayPort HDBaseT 2 0

KVM 4K@100m ATEN KVM Japan assets aten product manual jp |||

CE820/CE920 ATEN CE820/CE920 ATEN TEL 03-5615-5811 MAIL :support

atenjapan.jp 2018 8 3 ATEN International ATEN International i ATEN 1 2 1 RMA 3 ii /

30 31 3 3 CL LCD 30 31 2 3 1 2 1 2 1... 30 ...

lang:i-klngon **score:36** filesize: 678.05 K page_count: 41 document date: 2019-12-05



[\[pdf\]](#) User Manual

ce820 ce920 um w 2022 01 11 kr 886 62 KB USB DisplayPort HDBaseT™ 2 0 KVM 4K@100 m CE920


ATEN Korea assets aten product manual manual |||

ATEN VanCryst™ CE820 / CE920 USB HDMI HDBaseT™ 2.0 KVM CE820 /

CE920 User Manual FCC 15 Class A . . , . . FCC 15 . 2 .: 1 2 . FCC . . Achtung Der

Gebrauch dieses ...

lang:tl **score:36** filesize: 886.62 K page_count: 36 document date: 2022-03-30



[\[pdf\]](#) User Manual

ce820 ce920 um w book iansun ATEN CE920R ATA E KVM extender Receiver user manual 2 MB mmo

118973643 1739357932 5776 3312592 objects icecat biz |||

CE820 / CE920 HDBaseT 2.0 KVM Extender User Manual CE820 / CE920 User

Manual Compliance Statements FEDERAL COMMUNICATIONS COMMISSION

INTERFERENCE STATEMENT This equipment has been tested and found to comply

with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules.

These I...

lang:en **score:35** filesize: 2.32 M page_count: 40 document date: 2022-06-28



[pdf] User Manual

ce820 ce920 um w book iansun HDBaseT 2 0 KVM Extender CE820 CE920 User ATEN microphone and speakers into their respective audio ports on the CE920R Local PC CE920L Rear View 5 10 6 7 8 13 4 Internet LAN 9 1 11 2020 07 16 assets aten product manual

HDBaseT 2.0 KVM Extender **CE820** / CE920 User Manual www.aten.com **CE820** / CE920 User Manual Preface EMC Information FEDERAL COMMUNICATIONS COMMISSION INTERFERENCE STATEMENT: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the ...

lang:en score:35 filesize: 2.57 M page_count: 33 document date: 2020-09-03



[pdf] User Manual

ce820 book lillianyng USB HDMI HDBaseT 2 0 KVM Extender CE820 User Manual vii About this This is provided to help you get the most from your system It covers all aspects of installation config uration and operation An overview information found in manual below Chapter 1 Introduction introduces Its purpose um w 2018 05 02 assets aten product May · Etilize ii EMC Information FEDERAL COMMUNICATIONS COMMISSION INTERFERENCE STATEMENT equipment has been tested

USB HDMI HDBaseT 2.0 KVM Extender **CE820** User Manual www.aten.com **CE820** User Manual EMC Information FEDERAL COMMUNICATIONS COMMISSION INTERFERENCE STATEMENT: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These ...

lang:en score:34 filesize: 1.22 M page_count: 28 document date: 2018-05-02



[pdf]

CE820 ce820 aten pl products kvm ekstendery p 1

CE820 Ekstender KVM USB HDMI HDBaseTTM 2.0 4K 100 m Ekstender KVM ATEN **CE820** USB HDMI HDBaseT TM 2.0 lczy najnowsze technologie HDBaseT TM 2.0, zapewniaj sygnał video 4K HDMI, stereo audio, USB, Ethernet i RS-232 do 100 metrów za pomocą pojedynczego kabla Cat6 / 2L-2910 Cat 6. HDBaseT TM 2.0 gwara...

lang:pl score:31 filesize: 344.87 K page_count: 3 document date: 2021-09-11

[illegible]





























































[\[pdf\]](#) User Manual

CE820 ce820 aten la pt products kvm extenders p 1

CE820 Extenso KVM USB HDMI HDBaseTTM 2.0 4K a 100 m A extenso KVM USB HDMI HDBaseTTM 2.0 ATEN **CE820** integra as mais recentes tecnologias HDBaseTTM 2.0 para transmitir sinais 4K HDMI video, audio estereo, USB, Ethernet, e RS-232 at 100 metros usando um s cabo Cat 6/2L-2910 Cat 6. HDBaseTTM 2.0 garant...

lang:es score:30 filesize: 344.42 K page_count: 3 document date: 2021-09-19

[\[pdf\]](#) Datasheet

Aten CE820 Extender Datasheet Ingress co uk ATEN USB HDMI HDBaseT 2 0 KVM ce820 extender ds docs xenex NETWORKING |||

VanCryst™ Professional A/V Solutions USB HDMI HDBaseTTM 2.0 KVM Extender
4K 100 m **CE820** The ATEN **CE820** USB HDMI HDBaseTTM 2.0 KVM Extender
integrates the latest HDBaseTTM 2.0 technologies to deliver 4K HDMI video, stereo
audio, USB, Ethernet, and RS-232 signals up to 100 meters using single Cat...
lang:en score:30 filesize: 1.27 M page count: 1 document date: 2022-01-20



[\[pdf\]](#)

CE820 USB HDMI HDBaseT™ 2.0 KVM Extender 4K@100 m The ATEN integrates the latest HDBase
ce820 aten us en products kvm extenders p 1 |||

CE820 USB HDMI HDBaseTTM 2.0 KVM Extender 4K 100 m The ATEN **CE820** USB HDMI HDBaseTTM 2.0 KVM Extender integrates the latest HDBaseTTM 2.0 technologies to deliver 4K HDMI video, stereo audio, USB, Ethernet, and RS-232 signals up to 100 meters using single Cat6 / 2L-2910 Cat 6 cable. The HDBaseTTM

lang:en score:30 filesize: 309.67 K page_count: 3 document date: 2022-06-26

[\[pdf\]](#)

ce820 extender ds kr v06 indd 1 06 MB USB HDMI HDBaseT™ 2 0 KVM 4K@100 m CE820 ATEN
Korea assets aten product spec sheet KR |||

Simply Better Connections USB HDMI HDBaseTTM 2.0 KVM 4K 100 m **CE820**
CE820 HDBaseT 2.0 Cat 6/2L-2910 Cat 6 4K HDMI , , USB, * RS-232 100m .
 HDBaseT 2.0 Full HD 1080p 150m . , . : **CE820-AT CE820-ATA** . Rack Mountable
 Ethernet Channe...

lang:en score:30 filesize: 1.06 M page_count: 3 document date: 2022-09-21

[\[pdf\]](#)

CE820 KVM Extenders ATEN USB HDMI HDBaseT™ 2.0 Extender 4K@100 m The integrates the latest technologies to deliver 4K video stereo audio Ethernet and ce820 aten global en products kvm extenders

CE820 USB HDMI HDBaseTTM 2.0 KVM Extender 4K 100 m The ATEN **CE820** USB HDMI HDBaseTTM 2.0 KVM Extender integrates the latest HDBaseTTM 2.0 technologies to deliver 4K HDMI video, stereo audio, USB, Ethernet, and RS-232 signals up to 100 meters using single Cat6 / 2L-2910 Cat 6 cable. The HDBaseTTM ...

lang:en score:29 filesize: 312.67 K page_count: 3 document date: 2022-05-02

[illegible][illegible][illegible]

[\[pdf\]](#)

CE820 ce820 aten tw zh products kvm kvm p 1

CE820 USB HDMI HDBaseTTM 2.0 KVM 4K 100 m ATEN **CE820** USB HDMI HDBaseTTM 2.0 KVM HDBaseTTM 2.0 Cat6 2L-2910 Cat64K HDMI USBRS-232 100 HDBaseTTM 2.0 **CE820** 1080P 150 **CE820** HDBaseTTM 2.0 Cat6 / 6a cable / 2L-2910 Cat6 cable USBRS-232 HDBaseTTMLED EDID Buffer HDMI 3D, , 1080P, 4K HDCP 2...

lang:tl score:29 filesize: 373.79 K page_count: 3 document date: 2021-09-19

[\[pdf\]](#)

ce820 extender ds kr v04 indd USB HDMI HDBaseT™ 2 0 KVM 4K@100 m ATEN CE820 HDBaseT™
Cat6 2L 2910 Cat 6 assets aten product spec sheet KR |||

Simply Better Connections USB HDMI HDBaseTTM 2.0 KVM 4K 100 m **CE820** ATEN
CE820 USB HDMI HDBaseT TM 2.0 KVM HDBaseT TM 2.0 Cat6 / 2L-2910 Cat 6
 100m 4K HDMI , , USB, RS- HDMI USB **CE820L** PC RS-232 232 . HDBaseT TM 2.0
 150m full HD 1080p . H...


lang:tl score:29 filesize: 780.43 K page_count: 1 document date: 2022-03-11

[\[pdf\]](#) Specifications

CE820 Aten USB HDMI HDBaseT 2 0 RS 232 Audio KVM Extender über CATx 1 83 mb Bellequip ce820
usb hdmi hdbaset 20 rs audio kvm extender bellequip at upload files hersteller aten |||

www.bellequip.at VanCryst™ Professional A/V Solutions USB HDMI HDBaseTTM 2.0 KVM Extender 4K 100 m **CE820** The ATEN **CE820** USB HDMI HDBaseTTM 2.0 KVM Extender integrates the latest HDBaseTTM 2.0 technologies to deliver 4K HDMI video, stereo audio, USB, Ethernet, and RS-232 signals up to 100 meter...

lang:en score:29 filesize: 1.83 M page_count: 1 document date: 2019-01-09



[pdf] Datasheet

ce820 extender ds en v06 indd Datasheet CE820CE820 Aten USB HDMI over CAT 6 KVM Extender 100m RSA700000011126508docs rs online 4f06 A700000011126508 SpecCE820 RSKit Extensor Conector HDBaseT™ Resolución 4K 2 Audio Estéreo Distribuidores de SyscomCE820 Specdocs A700000011126508ftp3 syscom mx usuarios luis vargas ATEN CE820 Spec ||| ||| Simply Better Connections USB HDMI HDBaseTTM 2.0 KVM Extender 4K 100 m CE820 The ATEN CE820 USB HDMI HDBaseTTM 2.0 KVM Extender integrates the latest HDBaseT 2.0 technologies to deliver 4K HDMI video, stereo audio, USB, Ethernet*, and RS-23

Simply Better Connections USB HDMI HDBaseTTM 2.0 KVM Extender 4K 100 m **CE820** The ATEN **CE820** USB HDMI HDBaseTTM 2.0 KVM Extender integrates the latest HDBaseT 2.0 technologies to deliver 4K HDMI video, stereo audio, USB, Ethernet*, and RS-232 signals up to 100 m using single Cat 6 / 2L-2910 Cat ...

lang:en **score:29** filesize: 1.04 M page_count: 3 document date: 2022-08-31

[pdf]

ce820 ver04j 549 32 KB USB HDMI HDBaseT 2 0 KVM 4K@100 m CE820 ATEN KVM Japan assets aten product spec sheet JP |||

CE820 USB HDMI HDBaseT 2.0 KVM 4K 100 m **CE820** USB HDMI HDBaseT 2.0 KVM HDBaseT 2.01Cat6/2L-2910 Cat 6 100m4K30p HDMIUSBRs-232C HDBaseT 2.0 HD1080p150m USB HDMI HDBaseT 2.0 KVM **CE820L** PC /LAN **CE820R** **CE820L** USB Cat 5e/6/6a HDMI KVM RS-232 **CE820R** HDBaseT 2.0 - Cat6/6...

lang:tl **score:29** filesize: 549.32 K page_count: 2 document date: 2021-07-06

[pdf]

ce820 extender ds en v04 indd Download ATEN CE820 USB HDMI HDBaseT 2 0 KVM Extender ohne Ethernet Port SECOMP GmbH 14017272 data 2022 secomp de i2cmsdata s14 |||

Simply Better Connections USB HDMI HDBaseTTM 2.0 KVM Extender 4K 100 m **CE820** The ATEN **CE820** USB HDMI HDBaseTTM 2.0 KVM Extender **CE820L** Rear integrates the latest HDBaseT 2.0 technologies to deliver 4K HDMI video, stereo audio, USB, Ethernet, and RS-232 signals Power Ethernet HDMI USB ...

lang:en **score:28** filesize: 760.74 K page_count: 1 document date: 2022-03-08

[illegible]

[\[pdf\]](#) Datasheet

ce820_extender_ds_en_v03 indd USB HDMI HDBaseT™ 2.0 KVM Extender VanCryst™ Professional A
V Solutions Specifications Features The ATEN CE820 integrates the latest technologies to deliver 4K
ce820_extender_ds_en assets aten product spec_sheet CE820-AT-G_PDS_EN attachments content4us
datasheets

VanCryst™ Professional A/V Solutions USB HDMI HDBaseTTM 2.0 KVM Extender
4K 100 m **CE820** The ATEN **CE820** USB HDMI HDBaseTTM 2.0 KVM Extender
integrates the latest HDBaseTTM 2.0 technologies to deliver 4K HDMI video, stereo
audio, USB, Ethernet, and RS-232 signals up to 100 meters using single Cat...
lang:en score:28 filesize: 1.27 M page_count: 1 document date: 2020-08-06

[illegible]

[\[pdf\]](#)

CE820 ATEN 2022 04 21 — USB HDMI HDBaseT 2 0 KVM HDBaseT 0 1 Cat6 2L 2910

Cat 6 ce820 aten jp ja products kvm kvm p 1 |||

CE820 USB HDMI HDBaseT 2.0 KVM 4K 100 m 20224 **CE820** USB HDMI HDBaseT 2.0 KVM HDBaseT 2.01Cat6 / 2L-2910 Cat 6 100m4K30p HDMIUSBRs-232C HDBaseT 2.0 HD1080p150m USB HDMI HDBaseT 2.0 KVM Shop ATEN amazon 20224 HDBaseT 2.0 - Cat6 / 6a/ 2L-2910 Cat 6USBRs-232C - - HDBaseTLED EDID HDMI ...

lang:tl score:28 filesize: 366.01 K page_count: 4 document date: 2022-06-26



[pdf] User Manual

ce820 extender ds en v06 indd docId CA8C7E0710D982C52806BF90B3E068B0 aten hdmi hdbaset
cat6kvm 100 m datenblatt 1 media bechtle asrc 180712 1c4b3d4ee288fc9434f5175bf56070570 c3
a862569534f54dc896a30c10ac05bfb3 |||

Einfach bessere Verbindungen USB HDMI HDBaseTTM 2.0 KVM Extender 4K 100 m
CE820 Der ATEN **CE820** USB HDMI HDBaseTTM 2.0 KVM Extender integriert die
neuesten HDBaseT 2.0 Technologien, um 4K-HDMI-Video-, Stereo-Audio-, USB-,
Ethernet*- und RS-232-Signale bis zu 100 m mit einem einzigen Cat 6 / 2L-291...
lang:de **score:27** filesize: 355.33 K page_count: 4 document date: 2023-10-02



[pdf] Specifications

ce820 extender ds en v02 indd USB HDMI HDBaseT™ 2 0 KVM Extender VanCryst™ Professional A V
Solutions Specifi cations Features The ATEN CE820 integrates the latest technologies to deliver 4K
deltaco se sites cdn InformationDocumentsLibrary |||
VanCrystTM Professional A/V Solutions USB HDMI HDBaseTTM 2.0 KVM Extender
4K 100 m **CE820** The ATEN **CE820** USB HDMI HDBaseTTM 2.0 KVM Extender
integrates the latest HDBaseTTM 2.0 technologies to deliver 4K HDMI video, stereo
audio, USB, Ethernet, and RS-232 signals up to 100 meters using single Cat...
lang:en **score:27** filesize: 1.3 M page_count: 1 document date: 2018-09-03



[pdf] Datasheet Borchure

ce820 extender ds en v06 indd ATEN CE820R AT U KVM Receiver Product Brochure Datasheet 1 0 MB
mmo 65536171 1678727013 4883 12478 objects icecat biz |||
Simply Better Connections USB HDMI HDBaseTTM 2.0 KVM Extender 4K 100 m
CE820 The ATEN **CE820** USB HDMI HDBaseTTM 2.0 KVM Extender integrates the
latest HDBaseT 2.0 technologies to deliver 4K HDMI video, stereo audio, USB,
Ethernet*, and RS-232 signals up to 100 m using single Cat 6 / 2L-2910 Cat ...
lang:en **score:27** filesize: 1.04 M page_count: 3 document date: 2022-08-31

ATEN

Simply Better Connections

CE820

USB HDMI HDBaseT™ 2.0 KVM Extender (4K@100 m)

The ATEN CE820 USB HDMI HDBaseT™ 2.0 KVM Extender integrates the latest HDBaseT™ 2.0 technologies to deliver 4K HDMI video, stereo audio, USB, Ethernet, and RS-232 signals up to 100 meters using single Cat6 / 2L-2910 Cat 6 cable. The HDBaseT™ 2.0 guarantees the best image reproduction on the display as well as makes the long reach extending the viewing for 1080P signals up to 150 meters. With an easy cable installation supporting various signals, the CE820 is ideal for applications where compressed video access is required, such as transportation control centers, medical facilities, industrial warehouses, and extended workstations.

4K HDBT HDMI

Features

- Supports HDBaseT™ 2.0 technology
- Extends video, audio, USB, RS-232, and Ethernet signals via a single Cat6 / 6e cable (2L-2910 Cat 6 cable)
- Enhanced bit error detection and correction to resist signal interference during high quality video transmission
- Signal detection and EMI mitigation for HDBaseT™ signal transmission over twisted pair
- CEC (HDMI-CEC) for remote control and the highest quality display
- HDMI (SD, Deep Color, HDR, HDCP 2.2) Compatible
- 4K@60Hz video output
- HDBaseT™ Standard mode up to 4K @ 60Hz in Cat 6 / 6e (2L-2910)
- HDBaseT™ Long Reach mode up to 1080P @ 60Hz
- Long Reach™ (Long Reach™) - Supports HDBaseT™ Standard and Long Reach mode in a snap
- Supports individual 2 channel stereo audio and USB 2.0 full speed ports
- Supports E-serial function via single transmission through RS-232 2 channel
- Built-in BEV / 150V ESD protection (Contact voltage 80V, Air voltage 150V)

* The computer has to support Wake up Ring for this function to work

Specifications	
Functions	CE820L, CE820R
Connectors	
Console Ports	N/A, 1 x HDMI Female (Rear)

[pdf]

CE820 USB HDMI HDBaseT™ 2.0 KVM Extender 4K@100 m The ATEN integrates the latest HDBase
552971 stirriverstorageprod blob core windows net images Aten AT G |||

CE820 USB HDMI HDBaseTTM 2.0 KVM Extender 4K 100 m The ATEN **CE820 USB HDMI HDBaseTTM 2.0 KVM Extender** integrates the latest HDBaseTTM 2.0 technologies to deliver 4K HDMI video, stereo audio, USB, Ethernet, and RS-232 signals up to 100 meters using single Cat6 / 2L-2910 Cat 6 cable. The HDBaseTTM

...

lang:en **score:27** filesize: 344.21 K page_count: 3 document date: 2021-08-05

ATEN

SCIO and S&B Solutions

CE820

USB HDMI HDBaseT 2.0 KVM エクステンダー (4K@100 m)

CE820 USB HDMI HDBaseT 2.0 KVM エクステンダーは最新のHDBaseT 2.0規格を統合しており、1本のCat6/2L-2910 Cat 6ケーブルで最大100m/328ftの距離で、4K HDMIビデオ、ステレオオーディオ、USB、イーサネット、RS-232C信号を伝送します。HDBaseT 2.0は、高品質の映像伝送を確保し、7.4/14/1080p150mの信号を最大100mまで伝送可能で、

またさまざまな信号に対応しているUSB HDMI HDBaseT 2.0 KVM エクステンダーは、放送管理センター、医療施設、倉庫、遠隔地ワークステーションなどリモートワーク環境を必要とする場面に最適です。

構成図

特長

- HDBaseT 2.0テクノロジー対応
- 単一のCat6ケーブル/2L-2910 Cat 6ケーブルを用いて、ビデオ、オーディオ、HDMI、RS-232C、およびイーサネット信号を伝送可能（ケーブルの規格および長さにより、伝送距離に制限があります）
- 高品質の映像伝送を確保し、7.4/14/1080p150mの信号を最大100mまで伝送可能
- ESD（静電放電）保護機能と高品質な映像伝送を実現
- HDMI (SD, Deep Color, HDR, HDCP 2.2) 互換性
- 4K@60Hzビデオ出力
- HDBaseT Standardモードで最大解像度 4K30p/100m / Cat 6e/2L-2910
- HDBaseT Long Reachモードで最大解像度 1080p / 150m
- Long Reach™ (Long Reach™) - HDBaseT StandardモードとLong Reachモードの切り替えが簡単
- USB 2.0 高速ポート 2ポート（フルスピード）
- 2x RS-232C フルスピードポート（フルスピード）
- RS-232C フルスピードポート（フルスピード）
- RS-232C フルスピードポート（フルスピード）
- RS-232C フルスピードポート（フルスピード）

[pdf]

CE820 ATEN prieš 1 dieną — 100m 4K30p HDMI USB RS 232C HDBaseT 2 0
ce820 ver05j assets aten product spec sheet JP |||

CE820 USB HDMI HDBaseT 2.0 KVM 4K 100 m **CE820 USB HDMI HDBaseT 2.0 KVM HDBaseT 2.01Cat6/2L-2910 Cat 6 100m4K30p HDMIUSBRs-232C HDBaseT 2.0 HD1080p150m USB HDMI HDBaseT 2.0 KVM** **CE820L PC /LAN** **CE820R** **CE820L USB Cat 5e/6/6a HDMI KVM RS-232** **CE820R HDBaseT 2.0 - Cat6/6...**

lang:tl **score:27** filesize: 552.94 K page_count: 2 document date: 2022-07-12

[pdf]

ce820 ce920 um w book iansun Download ATEN CE920L USB DP HDBaseT 2 0 KVM Extender zonder internetpoort Alleen lokaal SECOMP Nederland GmbH 14017362 en manu 2023 secomp nl media s14 |||
CE820 / CE920 HDBaseT 2.0 KVM Extender User Manual **CE820 / CE920 User Manual Compliance Statements FEDERAL COMMUNICATIONS COMMISSION INTERFERENCE STATEMENT** This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These I...


lang:en **score:27** filesize: 2.63 M page_count: 42 document date: 2023-06-20

ATEN

Simply Better Connections

CE820 / CE920

HDBaseT 2.0 KVM Extender User Manual




[\[pdf\]](#) User Manual

ce820 ce920 um w book iansun Download ATEN CE820L USB HDMI HDBaseT 2 0 KVM Extender zonder Ethernet poort Alleen lokaal SECOMP Nederland GmbH 14017360 en manu 2023 secomp nl media s14 |||

CE820 / CE920 HDBaseT 2.0 KVM Extender User Manual **CE820** / CE920 User Manual Compliance Statements FEDERAL COMMUNICATIONS COMMISSION INTERFERENCE STATEMENT This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These I...

lang:en **score:27** filesize: 2.6 M page_count: 42 document date: 2023-06-20



[\[pdf\]](#) Quick Start Guide Instructions Specifications Documentation Guide

ce820 kvm extender qsg indd concepts gmbh A Revisione Hardware B Installazione dell hardware Funzionamento Revisión del Instalación Funcionami aten quickstartguide de |||

A Hardware Review **CE820L** Front View 1 **CE820L** Rear View 23 ATEN VanCrystTM **CE820** USB HDMI HDBaseT 2.0 KVM Extender Quick Start Guide Copyright 2017 ATEN International Co., Ltd. ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd. All rights reserved. All other trademarks are the...

lang:en **score:27** filesize: 1.79 M page_count: 2 document date: 2017-11-17



[\[pdf\]](#) User Manual Datasheet

Product Data Sheet Generator SECOMP %product title% Conrad Electronic Suisse fiche technique 2341660 aten ce820 extendeur kvm asset conrad media10 add 160267 c1 de 802645488DS00 |||

ATEN **CE820** USB HDMI HDBaseT 2.0 KVM Extender Artikelnummer Hersteller Hersteller-Art.-Nr. EAN Einzelstck 14.01.6978 ATEN **CE820** 4719264646294 USB HDMI HDBaseT 2.0 KVM Extender 4K bei 100 m Der ATEN **CE820** USB HDMI HDBaseT 2.0 KVM Extender integriert die neuesten HDBaseT 2.0 Technologien, um 4K...

lang:de **score:26** filesize: 49.87 K page_count: 3 document date: 2019-01-30

[illegible][illegible]

ATEC C820 Prolongateur KVM USB HDMI HDBaseT 2.0

Numéro d'article 14.001.722

Constructeur ATEN

Référence constructeur C820-ATA-G

EAN (prix unique) 474069341823



The image shows the ATEC C820 KVM extender. It is a black, rectangular device with a carrying handle on top. The front panel features several ports: a USB-A port, a USB-B port, an HDMI input, an HDMI output, and an RJ45 port for HDBaseT. The ATEN logo is visible on the top right of the device.

Système d'extension KVM USB HDMI HDBaseT™ 2.0 (4K à 100 m)

Le système d'extension KVM USB HDMI HDBaseT™ 2.0 C820 d'ATEN intègre les dernières technologies HDBaseT™ 2.0 pour fournir des signaux vidéo 4K/HDMI, audio stéréo, USB, Ethernet et RS-232 jusqu'à 100 mètres à l'aide d'un seul câble Cat 6/21-2910 Cat 6. HDBaseT™ 2.0 garantit la transmission la plus fiable sur le marché ainsi que la capacité à longue portée qui étend les signaux Full HD 1080P jusqu'à 150 mètres. Avec une installation de câble facile prenant en charge divers signaux, le C820 est idéal pour les applications où l'accès à distance présente est nécessaire – comme les centres de contrôle des transports, les structures médicales, les entrepôts industriels et les postes de travail étendus.

- Prend en charge la technologie HDBaseT™ 2.0
- Étend les signaux vidéo, audio, USB, RS-232 et Ethernet via un seul câble Cat 6/6a/2L-2910 Cat 6
- Détection d'erreur de bits améliorée et correction pour résister aux interférences de signal lors de transmissions vidéo de haute qualité
- Fonctionnalité de LED et indication par diode pour la transmission du signal HDBaseT™ sur l'unité distante
- Tampon EDID pour un démarrage facile et l'affichage de la plus haute qualité
- HDMI 1.3b, Deep Color, 1080P, 4K, compatible HDCP 2.2
- Qualité supérieure vidéo sur longue distance
- Mode HDBaseT™ standard jusqu'à 4K à 100 m (Cat 6/6a / 2L-2910)
- Mode HDBaseT™ longue portée jusqu'à 1080P à 150 m
- Commutateur de mode longue portée – commute entre les modes HDBaseT™ standard et longue portée en un cli d'œil

[\[pdf\]](#) Specifications Datasheet

ce820 extender ds en v02 indd kvm concepts gmbh USB HDMI HDBaseT™ 2 0 KVM Extender 4K@100
m aten datasheet de |||

VanCryst™ Professional A/V Solutions USB HDMI HDBaseTTM 2.0 KVM Extender
4K 100 m **CE820** The ATEN **CE820** USB HDMI HDBaseTTM 2.0 KVM Extender
integrates the latest HDBaseTTM 2.0 technologies to deliver 4K HDMI video, stereo
audio, USB, Ethernet, and RS-232 signals up to 100 meters using single Cat...
lang:en score:26 filesize: 1.28 M page_count: 1 document date: 2018-07-06

[\[pdf\]](#)

ce820 extender ds tc v04 indd 1 44 MB USB DisplayPort HDBaseT™ 2 0 KVM 4K@100 CE920R
 ATEN KVM Taiwan assets aten product spec sheet |||

Simply Better Connections USB HDMI HDBaseTTM 2.0 KVM 4K 100 m **CE820** ATEN
CE820 USB HDMI HDBaseT TM 2.0 KVM HDBaseT 2.0 Cat 6 2L-2910 Cat 6 4K
HDMI USB RS-232 100 HDBaseT 2.0 **CE820** 1080P 150 **CE820** Power Ethernet
HDMI USB Audio **CE820**L PC RS-232 Power Adapter HDBaseT Key...
lang:en score:26 filesize: 984.68 K page_count: 1 document date: 2022-03-08

[\[pdf\]](#) Datasheet

Product Data Sheet Generator SECOMP Télécharger ATEN CE820 Prolongateur KVM USB HDMI
HDBaseT 2 0 France 14017272 fr epim data secomp i2cmsdata xepim 903 1401 |||

ATEN **CE820** Prolongateur KVM USB HDMI HDBaseT 2.0 Numro d article
 Constructeur Rfrence constructeur EAN pice unique 14.01.7272 ATEN **CE820**-ATA-G
 4710469341823 Systeme d extension KVM USB HDMI HDBaseTTM 2.0 4K 100 m Le
 systeme d extension KVM USB HDMI HDBaseTTM 2.0 **CE820** d ATEN intgre les
 dernire...

lang:fr score:26 filesize: 47.33 K page_count: 2 document date: 2022-05-09

Accessories

ATEN

ATEN C820-ATA-G KVM-Extender Sender und Empfänger

Modell: ATEN

Artikel-Code: ATEN-G-ATA

Produktbeschreibung: ATEN-G-ATA

ATEN C820-ATA-G, Top-Sender und Empfänger, Übertragungsanaloges, Kompatibel, Maximal 1500m, Übertragungsleistung: 10W, 150m, 10m, 5m, 2m, 1m, 0,5m, 0,2m, 0,1m, 0,05m, 0,02m, 0,01m, 0,005m, 0,002m, 0,001m, 0,0005m, 0,0002m, 0,0001m, 0,00005m, 0,00002m, 0,00001m, 0,000005m, 0,000002m, 0,000001m, 0,0000005m, 0,0000002m, 0,0000001m, 0,00000005m, 0,00000002m, 0,00000001m, 0,000000005m, 0,000000002m, 0,000000001m, 0,0000000005m, 0,0000000002m, 0,0000000001m, 0,00000000005m, 0,00000000002m, 0,00000000001m, 0,000000000005m, 0,000000000002m, 0,000000000001m, 0,0000000000005m, 0,0000000000002m, 0,0000000000001m, 0,00000000000005m, 0,00000000000002m, 0,00000000000001m, 0,000000000000005m, 0,000000000000002m, 0,000000000000001m, 0,0000000000000005m, 0,0000000000000002m, 0,0000000000000001m, 0,00000000000000005m, 0,00000000000000002m, 0,00000000000000001m, 0,000000000000000005m, 0,000000000000000002m, 0,000000000000000001m, 0,0000000000000000005m, 0,0000000000000000002m, 0,0000000000000000001m, 0,00000000000000000005m, 0,00000000000000000002m, 0,00000000000000000001m, 0,000000000000000000005m, 0,000000000000000000002m, 0,000000000000000000001m, 0,0000000000000000000005m, 0,0000000000000000000002m, 0,0000000000000000000001m, 0,00000000000000000000005m, 0,00000000000000000000002m, 0,00000000000000000000001m, 0,000000000000000000000005m, 0,000000000000000000000002m, 0,000000000000000000000001m, 0,0000000000000000000000005m, 0,0000000000000000000000002m, 0,0000000000000000000000001m, 0,00000000000000000000000005m, 0,00000000000000000000000002m, 0,00000000000000000000000001m, 0,000000000000000000000000005m, 0,000000000000000000000000002m, 0,000000000000000000000000001m, 0,0000000000000000000000000005m, 0,0000000000000000000000000002m, 0,0000000000000000000000000001m, 0,00000000000000000000000000005m, 0,00000000000000000000000000002m, 0,00000000000000000000000000001m, 0,000000000000000000000000000005m, 0,000000000000000000000000000002m, 0,000000000000000000000000000001m, 0,0000000000000000000000000000005m, 0,0000000000000000000000000000002m, 0,0000000000000000000000000000001m, 0,00000000000000000000000000000005m, 0,00000000000000000000000000000002m, 0,00000000000000000000000000000001m, 0,000000000000000000000000000000005m, 0,000000000000000000000000000000002m, 0,000000000000000000000000000000001m, 0,0000000000000000000000000000000005m, 0,0000000000000000000000000000000002m, 0,0000000000000000000000000000000001m, 0,00000000000000000000000000000000005m, 0,00000000000000000000000000000000002m, 0,00000000000000000000000000000000001m, 0,000000000000000000000000000000000005m, 0,000000000000000000000000000000000002m, 0,000000000000000000000000000000000001m, 0,0000000000000000000000000000000000005m, 0,0000000000000000000000000000000000002m, 0,0000000000000000000000000000000000001m, 0,00000000000000000000000000000000000005m, 0,00000000000000000000000000000000000002m, 0,00000000000000000000000000000000000001m, 0,000000000000000000000000000000000000005m, 0,000000000000000000000000000000000000002m, 0,000000000000000000000000000000000000001m, 0,0000000000000000000000000000000000000005m, 0,0000000000000000000000000000000000000002m, 0,0000000000000000000000000000000000000001m, 0,005m, 0,002m, 0,001m, 0,0005m, 0,0002m, 0,0001m, 0,005m, 0,002m, 0,001m, 0,0005m, 0,0002m, 0,0001m, 0,005m,

[illegible][illegible]

[\[pdf\]](#)

Herunterladen Computing Software Peripherie Switchboxen Extender Aten CE820 KVM HDMI Ext USB
NewStore GmbH Multimedia Support index dispatch attachments getfile attachment id 123869 newstore
ch |||

ATEN **CE820**-ATA-G KVM-Extender Sender und Empfänger Marke : ATEN
 Produktname : **CE820**-ATA-G Artikel-Code: **CE820**-ATA-G ATEN **CE820**-ATA-G. Typ:
 Sender und Empfänger, bertragungstechnik: Kabelgebunden, Maximal mögliche
 Übertragungstrecke: 150 m. Transmitter-Video-Anschlusstyp: HDMI, Transmitter
 lokaler Vi...

lang:de score:26 filesize: 372.44 K page_count: 2 document date: 2024-07-07

[\[pdf\]](#)

Herunterladen Computing Software Peripherie Switchboxen Extender Aten CE820 KVM HDMI Ext USB
NewStore GmbH Multimedia Support index dispatch attachments getfile attachment id 98565 newstore.ch
|||

ATEN **CE820**-ATA-G KVM-Extender Sender und Empfänger Marke : ATEN
 Produktname : **CE820**-ATA-G Artikel-Code: **CE820**-ATA-G ATEN **CE820**-ATA-G. Typ:
 Sender und Empfänger, bertragungstechnik: Kabelgebunden, Maximal mögliche
 Übertragungstrecke: 150 m. Transmitter-Video-Anschlusstyp: HDMI, Transmitter
 lokaler Vi...

lang:de score:26 filesize: 372.44 K page_count: 2 document date: 2024-07-09

[\[pdf\]](#)

Herunterladen Computing Software Peripherie Switchboxen Extender Aten CE820 KVM HDMI Ext USB
NewStore GmbH Multimedia Support index dispatch attachments getfile attachment id 173839 newstore
ch |||

ATEN **CE820**-ATA-G KVM-Extender Sender und Empfänger Marke : ATEN
 Produktname : **CE820**-ATA-G Artikel-Code: **CE820**-ATA-G ATEN **CE820**-ATA-G. Typ:
 Sender und Empfänger, bertragungstechnik: Kabelgebunden, Maximal mgliche
 bertragungsstrecke: 150 m. Transmitter-Video-Anschlusstyp: HDMI, Transmitter
 lokaler Vi...

lang:de score:26 filesize: 372.44 K page_count: 2 document date: 2024-07-08

ATEN

ATEN CE820-ATA-G KVM-Extender Sender und Empfänger

Marke : ATEN

Artikel-Code : CE820-ATA-G

Produktname : CE820-ATA-G

ATEN CE820-ATA-G, Typ: Sender und Empfänger, Übertragungstechnik: Kabelgebunden, Maximal mögliche Übertragungsstrecke: 150 m, Transmitter-Video-Anschlusstyp: HDMI, Transmitter lokaler Video-Anschlusstyp: HDMI, Transmitter lokaler Tastatur-/Maus-Anschlusstyp: USB, Empfänger lokaler Video-Anschlusstyp: HDMI, Empfänger lokaler Tastatur-/Maus-Anschlusstyp: USB, Remote-Ausgangsspannung: 5 V, Stromverbrauch (Sender) (max.): 1,27 W, Stromverbrauch (Empfänger) (max.): 1,27 W, Breite des Senders: 18,2 cm, Tiefe des Senders: 12,2 cm, Höhe des Senders: 2,87 cm

Merkmale		Empfänger	
Typ	Sender und Empfänger	Anzahl RJ-45-Anschlüsse	1
Übertragungstechnik	Kabelgebunden	Übertragungsrate	10/100/1000
Maximal mögliche Übertragungsstrecke	150 m	Anzahl USB 2.0-Anschlüsse	4
Unterstützte Videoformate	CVbs, CVbs, CVbs	PC-Audio-Eingang	✓
Audio-Eingang	✓	PC-Audio-Eingang	✓
Auflösung (maximal, digital)	4096 x 2304 Pixel	Stromverbrauch (Sender) (max.)	1,27 W
Protokolle	USB	Stromverbrauch (Empfänger) (max.)	1,27 W
Material	Metall	Stromverbrauch (Empfänger) (max.)	1,27 W
LED-Anzeige	LED, Leuchtzeit, Video	Stromverbrauch (Empfänger) (max.)	1,27 W

Sender		Empfänger	
Transmitter-Video-Anschlusstyp	HDMI	Stromverbrauch (Empfänger) (max.)	1,27 W
Lokaler Video-Anschlusstyp	✓	Stromverbrauch (Empfänger) (max.)	1,27 W
Transmitter-Video-Video	✓	Stromverbrauch (Empfänger) (max.)	1,27 W
Transmitter-Video-Tastatur-/Maus	✓	Stromverbrauch (Empfänger) (max.)	1,27 W
Transmitter-Video-Tastatur-/Maus	✓	Stromverbrauch (Empfänger) (max.)	1,27 W
Anzahl RJ-45-Anschlüsse (Gesamt)	1	Stromverbrauch (Empfänger) (max.)	1,27 W

Empfänger		Empfänger	
Empfänger-Video-Anschlusstyp	HDMI	Stromverbrauch (Empfänger) (max.)	1,27 W
Empfänger-Video-Tastatur-/Maus	✓	Stromverbrauch (Empfänger) (max.)	1,27 W
Empfänger-Video-Tastatur-/Maus	✓	Stromverbrauch (Empfänger) (max.)	1,27 W
Anzahl RJ-45-Anschlüsse (Gesamt)	1	Stromverbrauch (Empfänger) (max.)	1,27 W

Publication date: 08/24, 2024. Photo or copies of information are only valid on the printed Publication date.

[\[pdf\]](#)

Herunterladen Computing Software Peripherie Switchboxen Extender Aten CE820 KVM HDMI Ext USB NewStore GmbH Multimedia Support index dispatch attachments getfile attachment id 247421 newstore ch |||

ATEN **CE820-ATA-G** KVM-Extender Sender und Empfänger Marke : ATEN
Produktname : **CE820-ATA-G** Artikel-Code: **CE820-ATA-G** ATEN **CE820-ATA-G**. Typ: Sender und Empfänger, bertragungstechnik: Kabelgebunden, Maximal mgliche bertragungsstrecke: 150 m. Transmitter-Video-Anschlusstyp: HDMI, Transmitter lokaler Vi...

lang:de score:26 filesize: 372.44 K page_count: 2 document date: 2024-07-08

ATEN

ATEN CE820-ATA-G KVM-Extender Sender und Empfänger

Marke : ATEN

Artikel-Code : CE820-ATA-G

Produktname : CE820-ATA-G

ATEN CE820-ATA-G, Typ: Sender und Empfänger, Übertragungstechnik: Kabelgebunden, Maximal mögliche Übertragungsstrecke: 150 m, Transmitter-Video-Anschlusstyp: HDMI, Transmitter lokaler Video-Anschlusstyp: HDMI, Transmitter lokaler Tastatur-/Maus-Anschlusstyp: USB, Empfänger lokaler Video-Anschlusstyp: HDMI, Empfänger lokaler Tastatur-/Maus-Anschlusstyp: USB, Remote-Ausgangsspannung: 5 V, Stromverbrauch (Sender) (max.): 1,27 W, Stromverbrauch (Empfänger) (max.): 1,27 W, Breite des Senders: 18,2 cm, Tiefe des Senders: 12,2 cm, Höhe des Senders: 2,87 cm

Merkmale		Empfänger	
Typ	Sender und Empfänger	Anzahl RJ-45-Anschlüsse	1
Übertragungstechnik	Kabelgebunden	Übertragungsrate	10/100/1000
Maximal mögliche Übertragungsstrecke	150 m	Anzahl USB 2.0-Anschlüsse	4
Unterstützte Videoformate	CVbs, CVbs, CVbs	PC-Audio-Eingang	✓
Audio-Eingang	✓	PC-Audio-Eingang	✓
Auflösung (maximal, digital)	4096 x 2304 Pixel	Stromverbrauch (Sender) (max.)	1,27 W
Protokolle	USB	Stromverbrauch (Empfänger) (max.)	1,27 W
Material	Metall	Stromverbrauch (Empfänger) (max.)	1,27 W
LED-Anzeige	LED, Leuchtzeit, Video	Stromverbrauch (Empfänger) (max.)	1,27 W

Sender		Empfänger	
Transmitter-Video-Anschlusstyp	HDMI	Stromverbrauch (Empfänger) (max.)	1,27 W
Lokaler Video-Anschlusstyp	✓	Stromverbrauch (Empfänger) (max.)	1,27 W
Transmitter-Video-Video	✓	Stromverbrauch (Empfänger) (max.)	1,27 W
Transmitter-Video-Tastatur-/Maus	✓	Stromverbrauch (Empfänger) (max.)	1,27 W
Transmitter-Video-Tastatur-/Maus	✓	Stromverbrauch (Empfänger) (max.)	1,27 W
Anzahl RJ-45-Anschlüsse (Gesamt)	1	Stromverbrauch (Empfänger) (max.)	1,27 W

Empfänger		Empfänger	
Empfänger-Video-Anschlusstyp	HDMI	Stromverbrauch (Empfänger) (max.)	1,27 W
Empfänger-Video-Tastatur-/Maus	✓	Stromverbrauch (Empfänger) (max.)	1,27 W
Empfänger-Video-Tastatur-/Maus	✓	Stromverbrauch (Empfänger) (max.)	1,27 W
Anzahl RJ-45-Anschlüsse (Gesamt)	1	Stromverbrauch (Empfänger) (max.)	1,27 W

Publication date: 08/24, 2024. Photo or copies of information are only valid on the printed Publication date.

[\[pdf\]](#)

Herunterladen Computing Software Peripherie Switchboxen Extender Aten CE820 KVM HDMI Ext USB NewStore GmbH Multimedia Support index dispatch attachments getfile attachment id 120745 newstore ch |||

ATEN **CE820-ATA-G** KVM-Extender Sender und Empfänger Marke : ATEN
Produktname : **CE820-ATA-G** Artikel-Code: **CE820-ATA-G** ATEN **CE820-ATA-G**. Typ: Sender und Empfänger, bertragungstechnik: Kabelgebunden, Maximal mgliche bertragungsstrecke: 150 m. Transmitter-Video-Anschlusstyp: HDMI, Transmitter lokaler Vi...

lang:de score:26 filesize: 372.44 K page_count: 2 document date: 2024-07-08

ATEN

ATEN CE820-ATA-G KVM-Extender Sender und Empfänger

Marke : ATEN

Artikel-Code : CE820-ATA-G

Produktname : CE820-ATA-G

ATEN CE820-ATA-G, Typ: Sender und Empfänger, Übertragungstechnik: Kabelgebunden, Maximal mögliche Übertragungsstrecke: 150 m, Transmitter-Video-Anschlusstyp: HDMI, Transmitter lokaler Video-Anschlusstyp: HDMI, Transmitter lokaler Tastatur-/Maus-Anschlusstyp: USB, Empfänger lokaler Video-Anschlusstyp: HDMI, Empfänger lokaler Tastatur-/Maus-Anschlusstyp: USB, Remote-Ausgangsspannung: 5 V, Stromverbrauch (Sender) (max.): 1,27 W, Stromverbrauch (Empfänger) (max.): 1,27 W, Breite des Senders: 18,2 cm, Tiefe des Senders: 12,2 cm, Höhe des Senders: 2,87 cm

Merkmale		Empfänger	
Typ	Sender und Empfänger	Anzahl RJ-45-Anschlüsse	1
Übertragungstechnik	Kabelgebunden	Übertragungsrate	10/100/1000
Maximal mögliche Übertragungsstrecke	150 m	Anzahl USB 2.0-Anschlüsse	4
Unterstützte Videoformate	CVbs, CVbs, CVbs	PC-Audio-Eingang	✓
Audio-Eingang	✓	PC-Audio-Eingang	✓
Auflösung (maximal, digital)	4096 x 2304 Pixel	Stromverbrauch (Sender) (max.)	1,27 W
Protokolle	USB	Stromverbrauch (Empfänger) (max.)	1,27 W
Material	Metall	Stromverbrauch (Empfänger) (max.)	1,27 W
LED-Anzeige	LED, Leuchtzeit, Video	Stromverbrauch (Empfänger) (max.)	1,27 W

Sender		Empfänger	
Transmitter-Video-Anschlusstyp	HDMI	Stromverbrauch (Empfänger) (max.)	1,27 W
Lokaler Video-Anschlusstyp	✓	Stromverbrauch (Empfänger) (max.)	1,27 W
Transmitter-Video-Video	✓	Stromverbrauch (Empfänger) (max.)	1,27 W
Transmitter-Video-Tastatur-/Maus	✓	Stromverbrauch (Empfänger) (max.)	1,27 W
Transmitter-Video-Tastatur-/Maus	✓	Stromverbrauch (Empfänger) (max.)	1,27 W
Anzahl RJ-45-Anschlüsse (Gesamt)	1	Stromverbrauch (Empfänger) (max.)	1,27 W

Empfänger		Empfänger	
Empfänger-Video-Anschlusstyp	HDMI	Stromverbrauch (Empfänger) (max.)	1,27 W
Empfänger-Video-Tastatur-/Maus	✓	Stromverbrauch (Empfänger) (max.)	1,27 W
Empfänger-Video-Tastatur-/Maus	✓	Stromverbrauch (Empfänger) (max.)	1,27 W
Anzahl RJ-45-Anschlüsse (Gesamt)	1	Stromverbrauch (Empfänger) (max.)	1,27 W

Publication date: 08/24, 2024. Photo or copies of information are only valid on the printed Publication date.

[\[pdf\]](#)

Herunterladen Computing Software Peripherie Switchboxen Extender Aten CE820 KVM HDMI Ext USB NewStore GmbH Multimedia Support index dispatch attachments getfile attachment id 111965 newstore ch |||

ATEN **CE820-ATA-G** KVM-Extender Sender und Empfänger Marke : ATEN
Produktname : **CE820-ATA-G** Artikel-Code: **CE820-ATA-G** ATEN **CE820-ATA-G**. Typ: Sender und Empfänger, bertragungstechnik: Kabelgebunden, Maximal mgliche bertragungsstrecke: 150 m. Transmitter-Video-Anschlusstyp: HDMI, Transmitter lokaler Vi...

lang:de score:26 filesize: 372.44 K page_count: 2 document date: 2024-07-08

[illegible]

[\[pdf\]](#)

Herunterladen Computing Software Peripherie Switchboxen Extender Aten CE820 KVM HDMI Ext USB
NewStore GmbH Multimedia Support index dispatch attachments getfile attachment id 176679 newstore
ch |||

ATEN CE820-ATA-G KVM-Extender Sender und Empfänger Marke : ATEN
 Produktname : **CE820-ATA-G** Artikel-Code: **CE820-ATA-G** ATEN **CE820-ATA-G**. Typ:
 Sender und Empfänger, bertragungstechnik: Kabelgebunden, Maximal mögliche
 Übertragungsstrecke: 150 m. Transmitter-Video-Anschlusstyp: HDMI, Transmitter
 lokaler Vi...

lang:de score:26 filesize: 372.44 K page_count: 2 document date: 2024-07-08