

TFA 60.4517.54

TFA Dostmann 60.4517.54 Radio Wall Clock XXL User Manual

Model: 60.4517.54 | Brand: TFA

1. INTRODUCTION

This manual provides detailed instructions for the setup, operation, and maintenance of your TFA Dostmann 60.4517.54 Radio Wall Clock XXL. This radio-controlled clock features an extra-large display for clear readability, showing time, date, day of the week, indoor temperature, and humidity. Its automatic time synchronization ensures accuracy and convenience.

2. SAFETY INFORMATION

- Read this instruction manual carefully before using the device.
- Keep this manual for future reference.
- Do not expose the device to extreme temperatures, vibrations, or shocks.
- Avoid direct sunlight and moisture.
- Do not attempt to repair or modify the device yourself. Contact qualified personnel for service.
- Dispose of batteries according to local regulations. Do not mix old and new batteries or different types of batteries.

3. PACKAGE CONTENTS

Please check that all components are present and undamaged:

- TFA Dostmann 60.4517.54 Radio Wall Clock XXL
- Instruction Manual

Note: 4 x 1.5V AA batteries are required and are not included in the package.

4. PRODUCT OVERVIEW

The TFA Dostmann 60.4517.54 Radio Wall Clock features a clear, large digital display and intuitive controls.

4.1 Display Elements

The display shows the following information:

- **Time:** Large digital display (hours, minutes, seconds).
- **Radio Signal Icon:** Indicates reception status of the DCF77 signal.
- **Temperature:** Indoor temperature in Celsius or Fahrenheit.
- **Day of the Week:** Fully written out, adjustable in 10 languages.
- **Date:** Day and month.
- **Humidity:** Indoor relative humidity percentage.
- **Alarm Icon:** Indicates if the alarm is active.


4.2 Control Buttons

The control buttons are typically located on the side or back of the unit:

- **MODE:** To switch between display modes or enter settings.
- **SNOOZE:** To activate the snooze function when the alarm sounds.
- **ALARM:** To set or activate/deactivate the alarm.
- **UP/DOWN Arrows:** For adjusting values in settings.



Front view of the TFA Dostmann Radio Wall Clock, showing the large digital display with time, date, day of the week, temperature, and humidity.



230 mm

368 mm

Side view of the TFA Dostmann Radio Wall Clock with dimensions indicated: 368 mm width and 230 mm height.

5. SETUP

5.1 Battery Installation

1. Open the battery compartment cover on the back of the device.
2. Insert 4 new 1.5V AA batteries, ensuring correct polarity (+/-).
3. Close the battery compartment cover securely.

5.2 Initial Setup and Radio Signal Reception

After inserting the batteries, the clock will automatically begin searching for the DCF77 radio signal. This process may take several minutes. During this time, the radio signal icon will flash.

- Place the clock near a window for optimal signal reception.

- Avoid placing it near electronic devices that may cause interference (e.g., TVs, computers).
- Once the signal is successfully received, the time and date will be set automatically, and the radio signal icon will appear solid.
- The clock automatically adjusts for daylight saving time (summer/winter time).

5.3 Mounting

The clock can be either hung on a wall or placed on a tabletop.

- **Wall Mounting:** Use a suitable screw (not included) in a wall stud or with an appropriate wall anchor. Hang the clock using the designated slot on the back.
- **Tabletop Placement:** Extend the integrated stand (if available) on the back of the clock to place it on a flat surface.



The TFA Dostmann Radio Wall Clock mounted on a wall in a living room setting, demonstrating its large size and readability.

6. OPERATING INSTRUCTIONS

6.1 Manual Time and Date Setting (if radio signal is unavailable)

If the radio signal cannot be received, you can set the time and date manually:

1. Press and hold the **MODE** button for a few seconds to enter setting mode.
2. Use the **UP/DOWN** buttons to adjust the flashing value (e.g., hour, minute, year, month, day).
3. Press **MODE** again to confirm the setting and move to the next value.
4. Exit setting mode by pressing **MODE** repeatedly until the normal display returns, or wait for a few seconds for it to exit automatically.

6.2 Setting the Day of the Week Language

The day of the week can be displayed in 10 languages:

- German, French, Italian, Spanish, Danish, Dutch, Czech, Polish, Swedish, and English.
- Refer to the specific language setting instructions in the detailed manual (usually by pressing a dedicated language button or cycling through options in setting mode).

6.3 Alarm Function with Snooze

1. Press the **ALARM** button to view the alarm time.
2. Press and hold the **ALARM** button to enter alarm setting mode.
3. Use the **UP/DOWN** buttons to set the desired alarm hour and minute.
4. Press **ALARM** again to confirm and activate/deactivate the alarm. An alarm icon will appear when active.
5. When the alarm sounds, press the **SNOOZE** button to temporarily silence it. The alarm will sound again after a few minutes.
6. To stop the alarm completely, press any other button (e.g., **ALARM** or **MODE**).

6.4 Temperature Unit Selection

You can switch between Celsius (°C) and Fahrenheit (°F) for temperature display.

- Typically, there is a dedicated button or a setting option within the **MODE** menu to change the temperature unit. Consult the full manual for exact steps.

7. MAINTENANCE

7.1 Cleaning

- Clean the device with a soft, damp cloth.
- Do not use abrasive cleaners or solvents.
- Ensure no moisture enters the device.

7.2 Battery Replacement

- When the display becomes dim or the clock functions erratically, replace all 4 AA batteries.
- Follow the battery installation steps (Section 5.1).
- After replacing batteries, the clock will re-initiate the radio signal search.

8. TROUBLESHOOTING

Problem	Possible Cause	Solution
No display or dim display	Batteries are low or incorrectly inserted.	Replace batteries with new ones, ensuring correct polarity.
Time is incorrect or not setting automatically	Poor DCF77 radio signal reception.	Move the clock to a location with better signal reception (e.g., near a window, away from electronic interference). Perform a manual signal search if available.
Temperature/Humidity readings seem inaccurate	Device is placed in an area with extreme conditions or direct sunlight.	Relocate the clock to a stable indoor environment, away from heat sources, direct sunlight, or drafts. Allow time for readings to stabilize.
Alarm does not sound	Alarm is not activated or set incorrectly.	Check alarm settings and ensure the alarm icon is displayed.

9. SPECIFICATIONS

- **Model:** 60.4517.54
- **Brand:** TFA Dostmann
- **Display Type:** Digital
- **Special Features:** Atomic (Radio-controlled), Large Display, Calendar Display, Temperature Display, Humidity Display, Alarm Clock, Multilingual Day of Week
- **Product Dimensions:** L 368 x B 29 (88) x H 230 mm (approx. 14.41"W x 9.06"H)
- **Power Source:** Battery Powered (4 x 1.5V AA batteries, not included)
- **Measuring Range Temperature:** -10°C to +50°C (+14°F to +122°F)
- **Humidity Measurement Range:** 20% to 99% RH
- **Material:** Plastic
- **Mounting Type:** For hanging or standing (Tabletop)
- **Item Weight:** 881 grams (approx. 1.94 pounds)

10. WARRANTY AND SUPPORT

TFA Dostmann products are manufactured with quality and reliability in mind. For specific warranty information, please refer to the warranty card included with your purchase or visit the official TFA Dostmann website. If you encounter any issues or require technical assistance, please contact the retailer where you purchased the product or the TFA Dostmann customer support directly.

For further assistance, you may visit the [TFA Dostmann official website](#).

	TFA 60.4525 Radio-Controlled Clock with Indoor Climate - User Manual User manual for the TFA 60.4525 radio-controlled clock, providing instructions on setup, operation, features, troubleshooting, and technical specifications. Displays time, indoor temperature, and humidity.
	Bedienungsanleitung TFA 60.2025.01 Digitaler Wecker mit LED-Anzeige Umfassende Bedienungsanleitung für den TFA 60.2025.01 Digitalen Wecker. Erfahren Sie alles über Einrichtung, Funktionen wie Zeit- und Alarm-Einstellung, Displaymodi, Sicherheitshinweise und Wartung. Ideal für Nutzer, die das Maximum aus ihrem TFA Wecker herausholen möchten.
	TFA 30.5033 Digital Thermo-Hygrometer: User Manual and Features This document provides comprehensive instructions for the TFA 30.5033 Digital Thermo-Hygrometer. It covers device features, setup, operation, safety precautions, troubleshooting, and technical specifications, ensuring optimal use for monitoring indoor temperature and humidity.
	TFA VIEW SHOW Projection Alarm Clock with Wi-Fi - User Manual and Setup Guide User manual and quick setup guide for the TFA VIEW SHOW Projection Alarm Clock with Wi-Fi. Learn about setup, app integration, features, specifications, and safety instructions.
	TFA 60.3520.xx Radio-Controlled Wall Clock Instruction Manual User manual and specifications for the TFA 60.3520.xx radio-controlled wall clock, including setup, operation, troubleshooting, and safety information.
	TFA Marbella Wireless Pool Thermometer 30.3066 User Manual Comprehensive user manual for the TFA Marbella wireless pool thermometer (model 30.3066). Learn about setup, operation, features, and troubleshooting for accurate pool temperature monitoring.


Documents - TFA – 60.4517.54



[TFA Katalog 2022-2023: Messgeräte für Wetter, Raumklima und Zeit](#)

Entdecken Sie den TFA Katalog 2022-2023 mit einer breiten Palette an Messgeräten, darunter Wetterstationen, Thermometer, Hygrometer und Uhren. Erfahren Sie mehr über TFA Dostmanns innovative Produkte für Wetter, Raumklima und Zeit.

lang:en score:30 filesize: 19.74 M page_count: 240 document date: 2022-08-23




[pdf]

Gandi TFA Dostmann 60 4517 54 Rádiójel vezérlésű Falióra 368 mm x 230 29 Ezüst Nagy kijelző Conrad hasznalati utmutato 1763314 tfa dostmann 60451754 radiojel vezerlesu falióra ezuest nagy kijelzo asset conrad media10 add 160267 c1 pl 001763314ML01 ||| INSTRUKCJA OBSŁUGI www.conrad.pl Nr produktu 001763314 Zegar cienny cyfrowy TFA **60.4517.54** Sterowany radiowo, SxWxG 368 x 230 x 29 mm Strona 1 z 10 Dystrybucja Conrad Electronic Sp. z o.o., ul. Knianina 12, 31-637 Krakw, Polska Copyright Conrad Electronic 2012, Kopiowanie, rozpowszechnianie, z... lang:pl score:23 filesize: 710.85 K page_count: 10 document date: 2019-07-02

[pdf]

Microsoft Word 1763314 DCF hodiny Frantisek Docekal Dostmann 60 4517 54 Obj 6 176 33 14Hodiny nyní vyhledávají signál a na displeji bliká jeho symbol Pokud je po 3 10 minutách úspěšně nalezen zobrazí se rádiem řízený navod obsluhu bezpecnostne pokyny tfa dostmann 60451754 dcf nastenne 368 mm x 230 29 strieborna velkasset conrad media10 add 160267 c1 gl 001763314ML00 navod velky displej ||| DCF hodiny Dostmann **60.4517.54** Obj. .: 176 33 14 V en z kazn ku, d kujeme V m za Va i d v ru a za n kup DCF n st nn ch hodin TFA. Tento n vod k obsluze je sou st v robku. Obsahuje d le it pokyny k uveden v robku do provozu a k jeho obsluze. Jestli e v robek p ed t... lang:hr score:15 filesize: 1.08 M page_count: 3 document date: 2024-06-18



[pdf]

Návod k použití pro následující produkt y Patro czsignálu DCF zmizí a hodiny budou pracovat jako normální hodinový strojek viz ruční nastavení času kalendáře tento signál dekódují jej na přesný čas2753900 66348a58a2a775 53470938prilohy patro cz 000 002 753 2753900 53470938 ||| Nvod k použit pro nsledujc produkt y : Nstnn DCF hodiny TFA**60.4517.54** s teplomrem a vlhkomrem - velikost XL Prv si prohlzte nvod k použit pro vse uveden produkt ci produkty. Pedtm, nez zacnete jakkoliv produkt pouzvat, je teba si pecst nvod k použit, aby nedoslo ke zrann, pozru nebo poskozen produk... lang:hr score:15 filesize: 354.27 K page_count: 5 document date: 2021-03-02




[\[pdf\]](#) Catalog

2020 Inhalt Intro Martina TFA Katalog Catalogue 2021 tfa dostmann de media

Inhaltsverzeichnis Index Index Neue Produktlinie: VIEW WLAN-Wetterstationen In der aktuellen Zei ... touche ou de faon permanente avec adaptateur secteur en option 120 Eco Light Sensor XL DESIGN **60.4517.54** Funkuhr mit Raumklima besonders bersichtlich mit ausgeschriebenem Wochentag 10 Sprachen ...

lang:en **score:15** filesize: 19.24 M page_count: 248 document date: 2021-03-17



[\[pdf\]](#) Catalog

2024 Inhalt Intro Martina Untitled TFA Katalog Catalogue 2025 tfa dostmann de media |||

Inhaltsverzeichnis Index Index Liebe Kundinnen und Kunden, es freut mich sehr, Ihnen unseren neu ... en 8 langues et la date complte, fuseau horaire, temprature et humidit intrieures 116 XL DESIGN **60.4517.54** Funkuhr mit Raumklima besonders bersichtlich mit ausgeschriebenem Wochentag 10 Sprachen ...

lang:en **score:15** filesize: 16.76 M page_count: 248 document date: 2024-08-21



[\[pdf\]](#) User Manual Catalog

2022 Inhalt Intro Martina TFA Katalog Catalogue 2023 %%%Биметален термометър за минимална и максимална температура Арт №10 4001 BG Микросис Ко ООД tfa bg userfiles product files shared |||

Inhaltsverzeichnis Index Index Liebe Kundinnen und Kunden, an Krisen mangelt es derzeit leider n ... ine 8 langues , temprature intrieure, alarme avec fonction snooze, fuseau horaire 110 XL DESIGN **60.4517.54** Funkuhr mit Raumklima besonders bersichtlich mit ausgeschriebenem Wochentag 10 Sprachen ...

lang:en **score:14** filesize: 15.02 M page_count: 240 document date: 2024-01-08



[\[pdf\]](#) User Manual

2019 Inhalt Intro Martina TFA produkt katalog 2020 Impex Produkter Produkt impex no 04 |||

Inhaltsverzeichnis Index Index Neue Produktlinie GlasWerk Wir von TFA Dostmann
blicken mit Stolz ... entit rglables, alarme, grand cran, botier moderne avec cran LCD
au contraste lev, noir XL DESIGN **60.4517.54** Funkuhr mit Raumklima besonders
bersichtlich mit ausgeschriebenem Wochentag 10 Sprachen ...

lang:en **score:13** filesize: 19.31 M page_count: 252 document date: 2020-04-23



[TFA Dostmann Gesamtkatalog 2018/19: Wetterstationen und Messgeräte](#)

Entdecken Sie den TFA Dostmann Gesamtkatalog 2018/19 mit einer breiten Palette
an Wetterstationen, Funkthermometern, Thermo-Hygrometern und SmartHome-
Systemen zur Überwachung von Klima und Wetter.

lang:en **score:13** filesize: 18.67 M page_count: 252 document date: 2019-07-31