Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Kratos 67K-006

Kratos Commercial Freezer 67K-006

3-Solid Door Reach-In Unit Instruction Manual

Introduction
Safety Information
Setup
Operation
Maintenance
Troubleshooting
Specifications
Warranty & Support

1. Introduction

This manual provides essential information for the safe and efficient operation, installation, and maintenance of your Kratos Commercial Freezer, Model 67K-006. Please read these instructions thoroughly before installation and use. Retain this manual for future reference.
The Kratos 67K-006 is a 3-solid door reach-in commercial freezer designed for professional use, featuring a durable stainless steel exterior and interior, adjustable shelving, and an LED display for temperature monitoring.

2. Safety Information

Important: Always follow basic safety precautions when using electrical appliances to reduce the risk of fire, electrical shock, or injury.

- Ensure the unit is properly grounded.
- Do not operate the unit with a damaged power cord or plug.
- Keep ventilation openings clear of obstructions.
- Only qualified personnel should perform repairs or maintenance.
- Disconnect power before cleaning or servicing.
- This appliance is intended for commercial use only.

3. Setup and Installation

3.1 Unpacking

Carefully remove all packaging materials. Inspect the freezer for any shipping damage. Report any damage immediately to the carrier and supplier.

3.2 Location

Place the unit on a level, sturdy surface capable of supporting its weight when fully loaded. Ensure adequate clearance around the unit for proper ventilation. Avoid direct sunlight or heat sources.
The Kratos 67K-006 is a freestanding unit. Its dimensions are approximately 32.69"D x 82.75"W x 82.69"H.

3.3 Leveling and Casters

The unit is equipped with heavy-duty casters for mobility. Ensure all casters are locked once the unit is in its final position to prevent accidental movement.



Figure 1: Front view of the Kratos Commercial Freezer 67K-006. This image shows the overall design of the three-door stainless steel reach-in freezer.



Figure 2: Another front view of the Kratos Commercial Freezer 67K-006 with all three solid doors closed, highlighting the stainless steel finish.

3.4 Electrical Connection

Connect the unit to a dedicated electrical circuit with the correct voltage (230 Volts) and amperage as specified on the rating plate. Do not use extension cords.

4. Operating Instructions

4.1 Initial Startup

After installation, allow the freezer to sit for at least 2 hours before plugging it in. Once plugged in, the unit will begin cooling. Allow it to run for several hours to reach the desired temperature before loading with products.

4.2 Temperature Control

The Kratos 67K-006 features an LED digital display for monitoring and adjusting the internal temperature. Refer to the specific controller manual for detailed programming instructions. The auto defrost function helps maintain ideal temperatures and prevents ice buildup.



Figure 3: Interior view of the Kratos Commercial Freezer 67K-006 with all three doors open, showing the adjustable epoxy-coated shelves.

4.3 Shelving

The unit includes nine corrosion-resistant, epoxy-coated shelves, each capable of holding up to 89 lbs. These shelves are adjustable to accommodate various product sizes, including full-size sheet pans.



Figure 4: Close-up view of the heavy-duty, epoxy-coated shelving, designed for durability and corrosion resistance.

4.4 Loading the Freezer

Do not overload shelves. Ensure proper air circulation around products for efficient cooling. Avoid blocking the internal air vents.

4.5 Doors

The solid doors are designed for heavy commercial use and feature self-closing mechanisms to maintain internal temperatures. Ensure doors close completely after each use.

5. Maintenance

Regular maintenance ensures optimal performance and extends the lifespan of your freezer.

5.1 Cleaning the Interior

Disconnect power before cleaning. Use a mild soap and water solution to clean the interior surfaces and shelves. Rinse thoroughly with clean water and dry completely. Do not use abrasive cleaners or sharp objects.

5.2 Cleaning the Exterior

Wipe down the stainless steel exterior with a soft cloth and a non-abrasive stainless steel cleaner. Avoid harsh chemicals that could damage the finish.

5.3 Condenser Coil Cleaning

The condenser coil should be cleaned regularly (monthly or quarterly, depending on environment) to ensure efficient operation. Disconnect power. Use a brush or vacuum cleaner to remove dust and debris from the condenser fins. A

dirty condenser can lead to reduced cooling efficiency and increased energy consumption.

5.4 Gasket Maintenance

Inspect door gaskets regularly for cracks or tears. Clean gaskets with warm, soapy water. Ensure they form a tight seal when the doors are closed to prevent cold air loss.

6. Troubleshooting

Before contacting service, review the following common issues and solutions:

Problem	Possible Cause	Solution
Freezer not cooling	Power supply issue, thermostat setting, dirty condenser, door left open	Check power, adjust thermostat, clean condenser, ensure doors are closed.
Excessive noise	Unit not level, fan obstruction, loose components	Level the unit, check for obstructions, tighten any loose parts.
Ice buildup	Door gasket leak, frequent door opening, high humidity	Inspect/clean gaskets, minimize door openings, ensure proper ventilation.
Unit runs constantly	Dirty condenser, door gasket leak, high ambient temperature	Clean condenser, check door gaskets, ensure unit is in a suitable environment.

If problems persist after attempting these solutions, contact a qualified service technician.

7. Specifications

Feature	Detail
Brand	Kratos
Model Number	67K-006
Product Dimensions (D x W x H)	32.69" x 82.75" x 82.69"
Installation Type	Freestanding
Voltage	230 Volts
Defrost Type	Automatic
Door Material Type	Stainless Steel
Number of Shelves	9
Certification	UL

8. Product Media

8.1 Additional Images





Figure 5: Side view of the Kratos Commercial Freezer 67K-006, showing its depth and overall profile.



Figure 6: Rear view of the Kratos Commercial Freezer 67K-006, displaying the compressor and ventilation area.



Figure 7: Angled rear view of the Kratos Commercial Freezer 67K-006, providing another perspective of the back panel and components.

8.2 Official Product Videos

Kratos and Central Exclusive Three-Door Refrigeration Overview

Your browser does not support the video tag.

This video provides an overview of Kratos and Central Exclusive three-door refrigeration units, highlighting features such as the stainless steel exterior, interior LED lighting, self-closing doors, top-mounted compressor, and oversized evaporator/condenser for efficient cooling. While it may show a refrigerator, many features are common to the 67K-006 freezer model.

9. Warranty and Support

9.1 Warranty Information

The Kratos Commercial Freezer 67K-006 comes with a **two-year parts and labor warranty** and a **five-year compressor warranty**. This warranty covers defects in materials and workmanship under normal use and service. Please retain your proof of purchase for warranty claims.

9.2 Customer Support

For technical assistance, service requests, or warranty inquiries, please contact Kratos customer support. Refer to your purchase documentation for specific contact details or visit the official Kratos website.

© 2024 Kratos. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B07GZYRFBK

More documents and user manuals: **https://manuals.plus/**