MICRO CONNECTORS E08-001-SL5

Instruction Manual

MICRO CONNECTORS Ultra Slim CAT6 UTP RJ45 Patch Cables

Model: E08-001-SL5

Introduction

Thank you for choosing MICRO CONNECTORS Ultra Slim CAT6 UTP RJ45 Patch Cables. These cables are designed for high-performance networking in environments where space is at a premium. Their ultra-slim profile and durable construction ensure reliable data transmission and easy cable management. This manual provides essential information for the proper setup, operation, and maintenance of your new patch cables.

Product Overview

The MICRO CONNECTORS Ultra Slim CAT6 UTP RJ45 Patch Cables are engineered for efficiency and reliability. Key features include:

- **Ultra-Slim Design:** 3.0mm outer diameter for flexible routing and use in high-density environments.
- **High Performance:** Meets ANSI/TIA-568-C.2 standard for reliable Cat6 performance.
- **Quality Conductors:** Features 28AWG pure bare copper conductors for optimal signal integrity.
- **Durable Connectors:** 50U" Gold plated RJ45 connectors ensure excellent conductivity and corrosion resistance.
- **Snagless Molded Design:** Provides strain relief and protects the connector clip during installation and removal.



Image: A close-up view of two ultra-slim CAT6 UTP RJ45 patch cables, highlighting their compact design and the transparent connector housing.

Setup

Setting up your CAT6 patch cables is straightforward. Follow these steps for proper connection:

1. **Identify Ports:** Locate the RJ45 Ethernet ports on the devices you wish to connect (e.g., router, switch, computer, network printer).
2. **Insert First Connector:** Gently insert one end of the CAT6 patch cable into the RJ45 port of the first device until

you hear a click, indicating it is securely latched.

3. **Insert Second Connector:** Insert the other end of the cable into the RJ45 port of the second device, ensuring it also clicks into place.
4. **Verify Connection:** Most devices will have an LED indicator near the Ethernet port that illuminates or blinks when a successful network connection is established.
5. **Cable Management:** Utilize the slim profile of these cables for neat routing. Avoid sharp bends or kinks that could damage the cable.



Image: A detailed view of the RJ45 connector, showing the gold-plated contacts and the snagless boot design.

Operating

Once connected, the CAT6 patch cables operate passively to facilitate data transfer between your networked devices.

- **Data Transmission:** The cables support data transfer rates up to 1 Gigabit per second (Gbps), suitable for most home and office network applications.
- **Compatibility:** These cables are backward compatible with Cat5e and Cat5 standards, allowing them to be used with older network equipment, though performance will be limited by the lowest common denominator.
- **Plug and Play:** No software or drivers are required for the cables to function. They are designed for immediate use upon physical connection.



Image: The ultra-slim cable demonstrating its flexibility, allowing for easy routing and storage.

Maintenance

These CAT6 patch cables require minimal maintenance to ensure long-term performance.

- **Avoid Kinks and Sharp Bends:** While flexible, extreme bending or kinking can damage the internal conductors and reduce performance.
- **Keep Connectors Clean:** Periodically inspect the RJ45 connectors for dust or debris. Use a soft, dry cloth to gently clean them if necessary.
- **Proper Storage:** When not in use, store cables loosely coiled in a dry, cool place away from direct sunlight or extreme temperatures.
- **Handle with Care:** Always grasp the connector housing when plugging or unplugging the cable, rather than pulling on the cable itself, to prevent strain on the connection points.

Troubleshooting

If you encounter issues with your network connection, consider the following troubleshooting steps:

Problem	Possible Cause	Solution
No Network Connection	Cable not fully inserted; faulty cable; incorrect port.	Ensure both ends of the cable are securely clicked into their respective ports. Try a different port on the device. Test with another known-good cable if available.

Problem	Possible Cause	Solution
Slow Network Speed	Cable damage; network congestion; device limitations.	Inspect the cable for visible damage (kinks, cuts). Ensure your network devices (router, switch) support Gigabit Ethernet. Reduce network traffic if possible.
Intermittent Connection	Loose connection; interference; cable damage.	Reseat both ends of the cable. Ensure the cable is not running parallel to power lines or other sources of electromagnetic interference.

Specifications

Feature	Detail
Model Number	E08-001-SL5
Cable Type	CAT6 UTP Patch Cable
Conductor Gauge	28AWG Pure Bare Copper
Connector Type	RJ45, 50U" Gold Plated
Outer Diameter	3.0mm (Ultra Slim)
Data Transfer Rate	Up to 1 Gigabit Per Second (Gbps)
Standard Met	ANSI/TIA-568-C.2
Color	Gray
Package Quantity	5 Cables

Warranty and Support

For warranty information or technical support regarding your MICRO CONNECTORS Ultra Slim CAT6 UTP RJ45 Patch Cables, please refer to the official MICRO CONNECTORS website or contact their customer service directly.
Manufacturer: Micro Connectors, Inc.
Visit the MICRO CONNECTORS Store on Amazon

© 2024 MICRO CONNECTORS. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question