

Fujifilm X-T3 Body - Silver

Fujifilm X-T3 Mirrorless Digital Camera

INSTRUCTION MANUAL

Introduction

The Fujifilm X-T3 Mirrorless Digital Camera is a high-performance imaging device featuring an all-new back-illuminated 26.1MP X-Trans CMOS 4 sensor and X-Processor 4. It delivers superb image quality, dramatic autofocus performance, excellent tracking of fast-moving subjects, and blackout-free burst shooting. The X-T3 is also the first APS-C mirrorless camera capable of 4K/60P 10-bit recording, meeting the demands of professional videographers.

What's in the Box

- Camera Body
- Shoulder Strap
- Battery (NP-W126S)
- Charger
- Flash
- Strap Clips & Attaching Tool
- User Manual
- U.S.A. Warranty

Setup

To begin using your Fujifilm X-T3, ensure the battery is charged and inserted correctly. Open the battery/memory card compartment door located at the bottom of the camera body. Insert the NP-W126S battery with the correct orientation. The camera supports dual SDXC memory card slots for flexible storage options.



Image: Bottom view of the Fujifilm X-T3, highlighting the battery and memory card compartment door.





Image: Right side view of the Fujifilm X-T3 with the memory card compartment open, revealing two SD card slots.

Operating the Camera

The X-T3 features intuitive dial-based controls for key settings. The top plate includes dedicated dials for ISO, shutter speed, and exposure compensation, allowing for quick adjustments without navigating through menus. The rear of the camera features a tilting LCD touchscreen and a joystick for navigation and focus point selection.



Image: Top view of the Fujifilm X-T3, showing the physical dials for ISO, shutter speed, and exposure compensation.



Image: Rear view of the Fujifilm X-T3, displaying the tilting LCD screen, electronic viewfinder, and various control buttons.

Image and Video Features

The X-T3 is equipped with a 26.1MP X-Trans CMOS 4 sensor and X-Processor 4, enabling high-resolution stills and advanced video capabilities. It supports internal 4K/60P 4:2:0 10-bit recording and 4K/60P 4:2:2 10-bit HDMI output. The camera also features 16 film simulation modes, providing unique color profiles directly from the camera.

Video: [DPR Review Fujifilm X-T3 Overview](#). This video provides a comprehensive look at the camera's features and capabilities.

Autofocus System

The Fujifilm X-T3 boasts a 2.16M phase detection pixel system across its entire frame, with low light phase detection limits increased by 2 stops (from -1EV to -3EV) compared to its predecessor. This results in dramatic AF performance and excellent tracking of fast-moving subjects for both stills and video. The camera offers 425 autofocus points and supports Eye Detection AF for precise focusing on subjects' eyes.

Image Stabilization

The Fujifilm X-T3 body does not feature in-body image stabilization (IBIS). However, many Fujifilm X-mount lenses come with optical image stabilization (OIS) built-in, which effectively reduces camera shake for sharper images and smoother video footage. When using non-stabilized lenses, external stabilization solutions like gimbals or tripods may be necessary for critical handheld video.

Lens Compatibility

The X-T3 utilizes the Fujifilm X-mount, providing access to a wide range of high-quality Fujinon lenses. These lenses are known for their robust metal construction and excellent optical performance. The camera's design allows for seamless integration with X-mount lenses, ensuring optimal communication for autofocus and exposure. Adapters are available for using lenses from other manufacturers, though autofocus performance may vary.



Image: Front view of the Fujifilm X-T3 with an attached Fujinon XF lens, showcasing the camera's compact design.

Design and Ergonomics

The X-T3 features a classic, retro-inspired design with a durable metal body. Its ergonomic layout includes tactile dials for direct control over key shooting parameters, enhancing the user experience. The camera's compact size and comfortable grip make it suitable for extended shooting sessions. The tilting LCD screen offers flexibility for shooting from various angles.




Image: Internal view of the Fujifilm X-T3 camera body, highlighting its robust construction and internal layout.

Battery Life

The Fujifilm X-T3 uses the NP-W126S battery. While performance is strong, heavy video recording, especially in 4K/60P or with Boost Mode enabled, can significantly reduce battery life. It is recommended to carry spare batteries for extended shooting sessions.

Troubleshooting

For common issues, ensure your camera's firmware is up to date. Firmware updates often improve performance, add new features, and resolve bugs. Refer to the official Fujifilm support website for the latest firmware and installation instructions.

Video: Fujifilm X-T3 Mirrorless Digital Camera w/XF18-55mm Lens Kit - Silver. This video provides a general overview of the product, which may assist in troubleshooting.

Specifications

Model Name	X-T3 Body - Silver
Photo Sensor Resolution	26.1 MP
Video Resolution	4K DCI 2160p
Maximum Shutter Speed	8000 seconds
Screen Size	3 Inches
Battery Type	NP-W126S
Compatible Mountings	Fujifilm X
Item Weight	14.29 Ounces

Warranty and Support

For detailed warranty information and additional support resources, please refer to the official [Fujifilm X-T3 User Manual \(PDF\)](#).

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question