

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Baisun](#) /
- › [Baisun Fog Machine with LED Lights Instruction Manual](#)

Baisun TH-9H04-C2VZ

Baisun Fog Machine with LED Lights Instruction Manual

Model: TH-9H04-C2VZ

1. PRODUCT OVERVIEW

The Baisun Fog Machine with LED Lights is designed to produce uniform, unscented fog, enhanced by integrated LED lighting. This unit is suitable for various events and features both wired and wireless remote control options for convenient operation.

PRODUCT DETAILS



Figure 1: Product Details - Front and Back View

2. KEY FEATURES

- **Quick Heat-Up:** Initial heat-up time of 3 minutes, with a reheat time of 45 seconds.
- **Dual Remote Control:** Includes both wired and wireless remote controls for flexible operation.
- **Integrated LED Lights:** Combines fog production with LED lighting (Red, Green, Blue) to enhance atmospheric effects.
- **Durable Construction:** Features a metal outer casing for efficient heat dissipation and extended lifespan.
- **Fluid Capacity:** Equipped with a 250ml tank for sustained fog output.
- **Safety Certified:** Manufactured with FCC, CE, and RoHS certifications for safe operation.

3. SETUP INSTRUCTIONS

1. **Fill Fluid Tank:** Unscrew the cap of the fluid tank and carefully pour fog fluid (not included) into the tank. Ensure the metal nozzle is fully immersed in the fluid. Do not overfill.



Figure 2: Filling the Fog Fluid Tank

2. **Connect Power:** Connect the power cord to the fog machine and then plug it into a standard electrical outlet (AC110-130V).

APPLICATIONS



Figure 3: Connecting Power

3. **Connect Remote Control:** Plug the wired remote control into the designated port on the back of the machine. For wireless operation, ensure the wireless receiver is connected.
4. **Power On and Preheat:** Flip the power switch to the "ON" position. The machine will begin to heat up. The initial heat-up time is approximately 3-5 minutes. The machine is ready when the indicator light on the remote control illuminates (if applicable) or when fog can be produced.

Your browser does not support the video tag.

Video 1: Demonstration of the Baisun Fog Machine in a Halloween setting, showing fog output and LED lights. This video is provided by the seller, Baisun Direct.

4. OPERATING INSTRUCTIONS

1. **Produce Fog:** Once the machine has preheated, press and hold any button (R, G, B, or Fog) on the wireless remote control to produce fog. Continue holding the button for up to 25 seconds for continuous fog output. The LED lights will activate simultaneously with fog production.

STEPS FOR USAGE



Figure 4: Operating with Wireless Remote

- LED Light Control:** The LED lights (Red, Green, Blue) are integrated with the fog output. Pressing the corresponding color button on the remote will activate that color along with the fog.
- Reheating:** After continuous use, the machine may require reheating. The reheat time is approximately 45 seconds. Wait for the machine to reheat before attempting to produce more fog.

Your browser does not support the video tag.

Video 2: Demonstration of the Baisun Fog Machine (400W model) producing fog with various LED colors. This video is provided by the seller, Baisun Direct.

5. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your fog machine.

- Cleaning:** Periodically clean the exterior of the machine with a soft, dry cloth. Do not use abrasive cleaners or solvents.
- Fluid Tank:** After each use, if storing for an extended period, empty any remaining fog fluid from the tank to prevent clogging.
- Nozzle:** Ensure the fog nozzle remains clear of obstructions. If clogging occurs, consult the troubleshooting section.
- Storage:** Store the machine in a cool, dry place away from direct sunlight and extreme temperatures.

6. TROUBLESHOOTING

If you encounter issues with your Baisun Fog Machine, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
No fog output	<ul style="list-style-type: none">Machine not preheatedNo fog fluid in tankPower not connectedRemote control not functioningClogged nozzle	<ul style="list-style-type: none">Allow 3-5 minutes for initial preheating, or 45 seconds for reheating.Ensure tank is filled with appropriate fog fluid.Check power connections and ensure the power switch is ON.Verify remote control battery (if wireless) or connection (if wired).Turn off and unplug the machine. Carefully inspect and clean the nozzle if clogged.
Fog output is weak or inconsistent	<ul style="list-style-type: none">Insufficient preheatingLow fluid levelPartial nozzle clog	<ul style="list-style-type: none">Allow adequate preheating time.Refill fog fluid.Clean the nozzle as described above.
LED lights not working	<ul style="list-style-type: none">Lights only activate with fog outputFaulty LED component	<ul style="list-style-type: none">Ensure fog is being produced when attempting to activate lights.If problem persists, contact customer support.

7. SPECIFICATIONS

Attribute	Value
Model Number	TH-9H04-C2VZ
Wattage	400 watts
Item Weight	3.91 pounds
Product Dimensions	4.7 x 4.2 x 9.5 inches
Material Type	Metal
Color Name	3 LED Lights Black
Batteries (for remote)	1 AA battery required (included)
Battery Type	Silver Oxide

8. WARRANTY AND SUPPORT

Baisun offers the following support for this product:

- Quality Returns:** Return requests due to quality problems are accepted within 90 days of purchase.
- Warranty:** A 12-month warranty is provided on this product.
- Customer Service:** For any issues encountered during use, please contact Baisun customer

support.