

[Manuals.plus](#) /

› [AUTOMAN](#) /

› AUTOMAN Garden Hose Nozzle Instruction Manual

AUTOMAN NOZZLE

AUTOMAN Garden Hose Nozzle Instruction Manual

Model: NOZZLE

PRODUCT OVERVIEW

The AUTOMAN Garden Hose Nozzle is designed for versatile watering tasks, featuring a durable ABS and TPR construction. It offers 7 adjustable spray patterns to suit various needs, from delicate plant watering to powerful cleaning. The ergonomic design includes a slip-resistant grip and a labor-saving trigger lock for extended use.



Image 1: The AUTOMAN Garden Hose Nozzle, showcasing its dark green and black design.

SETUP INSTRUCTIONS

1. **Inspect the Nozzle:** Ensure the nozzle is free from any damage and that the pre-installed rubber washer is securely in place at the inlet connection. This washer is crucial for preventing leaks.
2. **Prepare the Hose:** Take your standard 3/4-inch Garden Hose Thread (GHT) garden hose. Ensure the end of the hose is clean and free of debris.
3. **Attach the Nozzle:** Screw the AUTOMAN Garden Hose Nozzle onto the threaded end of your garden hose. Turn clockwise until it is hand-tight. Avoid over-tightening, as this can damage the threads or the washer.
4. **Check for Leaks:** Turn on the water supply to the hose. Observe the connection point between the

nozzle and the hose for any leaks. If leaks occur, tighten slightly or re-seat the rubber washer.



Image 2: Detail of the nozzle's inlet connection, highlighting the rubber washer for a leak-proof seal.

OPERATING INSTRUCTIONS

Adjusting Spray Patterns

The AUTOMAN Garden Hose Nozzle features 7 adjustable watering patterns. To change the spray pattern, simply twist the nozzle head clockwise or counter-clockwise until the desired pattern aligns with the indicator.

- **Mist:** A fine, gentle spray ideal for delicate plants, seedlings, or cooling.
- **Jet:** A powerful, concentrated stream for cleaning tough dirt or reaching distant areas.
- **Shower:** A soft, wide spray suitable for general watering of plants and lawns.
- **Flat:** A broad, flat spray for efficient rinsing or covering larger areas.
- **Center:** A focused, medium-strength spray from the center, good for targeted watering.
- **Cone:** A conical spray pattern, gentle yet covering a wider area, suitable for flowers.
- **Full:** A strong, steady stream for filling buckets or heavy watering.



Image 3: Visual representation of the seven distinct spray patterns available on the nozzle.

Using the Trigger and Lock Bar

The nozzle features an ergonomic pistol grip trigger for comfortable operation. To activate water flow, squeeze the trigger. For continuous watering without constant pressure, engage the lock bar located at the top of the handle. Push the lock bar forward to keep the trigger compressed, and pull it back to release.

LEAKPROOF DESIGN

The nozzle itself is embedded one rubber washer



Rubber washer for leakproof experience

Image 4: Detailed view of the trigger and the integrated lock bar for hands-free operation.

MAINTENANCE

- **Cleaning:** Periodically clean the nozzle head to prevent mineral buildup or debris from obstructing the spray patterns. Use a soft brush and water.
- **Storage:** During colder months or when not in use for extended periods, disconnect the nozzle from the hose and store it in a dry, frost-free location to prevent damage.
- **Washer Replacement:** If you notice persistent leaks from the hose connection, inspect the rubber washer. Replace it if it appears worn or damaged.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Water leaking from hose connection	Loose connection, worn rubber washer	Tighten connection, replace rubber washer if necessary.
Irregular or weak spray pattern	Debris in nozzle head, low water pressure	Clean nozzle head, check water supply pressure.
Trigger stuck or difficult to press	Mineral buildup, damaged mechanism	Rinse with warm water, ensure lock bar is disengaged. If damaged, consider replacement.

SPECIFICATIONS

- **Brand:** AUTOMAN
- **Model:** NOZZLE
- **Material:** ABS & TPR
- **Item Dimensions (L x W x H):** 6 x 4 x 0.6 inches
- **Item Weight:** 4.2 ounces
- **Inlet Connection Size:** 0.75 Inches
- **Inlet Connection Type:** Threaded
- **Outlet Connection Type:** 3/4" Garden Hose Thread (GHT)
- **Number of Spray Patterns:** 7

OFFICIAL PRODUCT VIDEOS

No official product videos from the seller are available for embedding in this manual.

WARRANTY AND SUPPORT

AUTOMAN products are produced under strict quality inspection. For specific warranty information or support inquiries, please refer to the product packaging or contact AUTOMAN customer service directly. Your satisfaction is a top priority.

For further assistance, you may visit the official AUTOMAN Store on Amazon: [AUTOMAN Store](#)