

Moen 87557W

Moen Brecklyn Glacier White Kitchen Faucet with Pull-Out Sprayer Instruction Manual

Model: 87557W

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Moen Brecklyn Glacier White One-Handle Single-Hole Kitchen Faucet. Designed for both functionality and style, this faucet features a pull-out sprayer with Power Clean technology for enhanced performance. Please read this manual thoroughly before beginning installation or use to ensure proper function and longevity of your product.

2. IMPORTANT SAFETY INFORMATION

- Always turn off the main water supply before installing or performing any maintenance on the faucet.
- Wear safety glasses and gloves during installation to prevent injury.
- Ensure all connections are secure to prevent leaks. Do not overtighten.
- If you are unsure about any part of the installation process, consult a qualified plumber.
- Keep small parts away from children.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Kitchen Faucet Assembly
- Deck Plate (Escutcheon)
- Flexible Supply Lines with 3/8" Compression Fittings
- Instruction Manual

4. PRODUCT SPECIFICATIONS

Brand	Moen
Model Name	Brecklyn
Part Number	87557W

Color	Glacier White
Finish Type	White
Material	Stainless Steel, Metal Handle
Mounting Type	Deck Mount
Number of Handles	1
Hole Count	1 or 3 (with included deck plate)
Spout Design	Pull Out Sprayer
Spout Height	7.8 Inches
Spout Reach	8.25 Inches
Hose Length	59 Inches
Maximum Flow Rate	1.5 Gallons Per Minute
Item Weight	4.51 Pounds
Product Dimensions	9.25"D x 10.41"W x 10.16"H



Connection Size - **3/8"**

Maximum Deck Thickness - **2.50"**

1 or 3 Hole Installation

Figure 4.1: Moen Brecklyn Faucet Dimensions. This image illustrates the key measurements of the faucet, including its overall height and the reach of the spout.

5. INSTALLATION

Follow these steps for proper installation of your Moen Brecklyn kitchen faucet. Ensure the main water supply is turned off before proceeding.

5.1 Prepare the Sink Area

1. Clear the area around the sink.
2. If replacing an old faucet, remove it and clean the sink surface.
3. Determine if you will use the included deck plate for 3-hole installation or install directly into a single hole.



Figure 5.1: Installed Moen Brecklyn Faucet. This image shows the Glacier White faucet seamlessly integrated into a kitchen countertop with a double sink.

5.2 Install the Faucet Body

1. If using the deck plate, place it over the sink holes.
2. Insert the faucet body through the center hole (and deck plate if used).
3. From underneath the sink, secure the faucet with the provided mounting hardware. Ensure the faucet is oriented correctly.

5.3 Connect Supply Lines

1. Connect the flexible supply lines (3/8" compression fittings) from the faucet to your hot and cold water supply valves. Hand-tighten, then use a wrench for a quarter turn. Do not overtighten.

MOEN®

Duralock Quick Connect

Equipped with the Duralock quick connect system for easy installation, without the need for tools.




Figure 5.2: Duralock Quick Connect System. This image demonstrates the easy, tool-free connection of the faucet's supply lines using the Duralock system.

5.4 Connect Sprayer Hose and Weight

1. Connect the pull-out sprayer hose to the designated port under the faucet. The Duralock quick connect system simplifies this step.
2. Attach the weight to the sprayer hose at the indicated position to ensure smooth retraction of the pull-out sprayer.

Your browser does not support the video tag.

Video 5.1: Brecklyn Pullout Kitchen Faucet Overview. This video from Moen Incorporated demonstrates the features and functionality of the Brecklyn pull-out kitchen faucet, including its installation and spray modes.

5.5 Test the Faucet

1. Slowly turn on the main water supply.
2. Check all connections for leaks.
3. Operate the faucet handle and pull-out sprayer to ensure proper function and flow.

6. OPERATION

Your Moen Brecklyn faucet is designed for intuitive and efficient use.

6.1 Single-Handle Control

- **Water Flow:** Lift the handle to increase water flow; push down to decrease or turn off.
- **Temperature:** Move the handle to the left for hot water and to the right for cold water.

6.2 Pull-Out Sprayer with Reflex System

- The sprayer head can be easily pulled out from the spout for extended reach and flexibility.
- The Reflex system ensures smooth operation, easy hose movement, and secure docking of the sprayer head when not in use.



Figure 6.1: Pull-Out Sprayer Head. This image provides a detailed view of the sprayer head, highlighting its design and nozzles.

6.3 Power Clean Spray Technology

- Your faucet features two spray modes: an aerated stream for everyday tasks and a powerful Power Clean spray.
- Press the button on the sprayer head to switch between the aerated stream and the Power Clean spray. The Power Clean spray provides 50% more spray power compared to most faucets without it, making tough cleaning tasks easier.



Figure 6.2: Aerated Stream. This image shows the faucet delivering a standard, aerated water stream, suitable for general washing.



7. MAINTENANCE

Regular cleaning and maintenance will help preserve the finish and functionality of your Moen faucet.

7.1 Cleaning the Faucet

- Clean the faucet regularly with a mild liquid soap and a soft, damp cloth.
- Avoid using abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.
- Rinse thoroughly with clean water and dry with a soft cloth to prevent water spots.

7.2 Cleaning the Aerator

- If water flow decreases, the aerator may be clogged. Unscrew the aerator from the tip of the sprayer head.
- Rinse any debris from the aerator screen under running water.
- Reassemble the aerator by screwing it back onto the sprayer head.

8. TROUBLESHOOTING

If you encounter any issues with your faucet, refer to the common problems and solutions below.

8.1 Low Water Flow

- **Possible Cause:** Clogged aerator.
- **Solution:** Clean the aerator as described in Section 7.2.
- **Possible Cause:** Partially closed water supply valves.
- **Solution:** Ensure hot and cold water supply valves under the sink are fully open.

8.2 Leaks from Faucet Base

- **Possible Cause:** Loose mounting nut.
- **Solution:** Tighten the mounting nut from underneath the sink.
- **Possible Cause:** Worn O-rings or seals.
- **Solution:** Contact Moen customer support for replacement parts or professional assistance.

8.3 Sprayer Does Not Retract Properly

- **Possible Cause:** Sprayer hose weight is misplaced or obstructed.
- **Solution:** Check the position of the weight on the hose under the sink and ensure there are no obstructions preventing the hose from moving freely.







9. WARRANTY AND SUPPORT

Your Moen Brecklyn faucet is backed by Moen's Limited Lifetime Warranty, ensuring quality and durability. For complete warranty details, product registration, or technical support, please visit the official Moen website or contact their customer service department.

Online Support: www.moen.com

Customer Service: Refer to the Moen website for regional contact information.

Related Documents - 87557W

 <p>MOEN Specifications</p> <p>Single-Handle Pullout Kitchen Faucet</p> <p>Model 87557 Series</p> <p>CRITICAL DIMENSIONS</p>	<p>Moen Brecklyn Single-Handle Pullout Kitchen Faucet 87557 Series Specifications</p> <p>Detailed specifications for the Moen Brecklyn Single-Handle Pullout Kitchen Faucet, model series 87557, including features, operation, flow rate, standards, and warranty information.</p>
 <p>MOEN Specifications</p> <p>Single-Handle Pull-Down Kitchen Faucet</p> <p>Model 87808SRS</p> <p>CRITICAL DIMENSIONS</p>	<p>Moen Fieldstone 87808SRS Single Handle Pull-Down Kitchen Faucet Specifications</p> <p>Detailed specifications for the Moen Fieldstone 87808SRS Single Handle High Arc Pull Down Kitchen Faucet, including features, operation, flow rate, standards, warranty, and critical dimensions.</p>
 <p>MOEN ILLUSTRATED PARTS</p> <p>Single-Handle Pull-Out Kitchen Faucet</p> <p>Model 87056 Series</p> <p>CRITICAL DIMENSIONS</p>	<p>Moen Bokeh 87056 Series Single Handle Kitchen Pull Out Faucet Illustrated Parts List</p> <p>Illustrated parts list for the Moen Bokeh 87056 Series single handle kitchen pull out faucet, including kit numbers and finish options for replacement parts.</p>
 <p>MOEN</p> <p>ONE-HANDLE LAVATORY FAUCET</p> <p>MODELO UNO MANO LAVABO</p> <p>ROBET DE LAVABO A UNO MANO</p> <p>CRITICAL DIMENSIONS</p>	<p>Moen One-Handle Lavatory Faucet Installation Guide</p> <p>Official installation and product information for the Moen single-handle lavatory faucet (Model INS10577). Includes contact details for support, helpful tools for installation, and online registration.</p>
 <p>MOEN</p> <p>SINGLE-HANDLE PULLEDOWN KITCHEN FAUCET</p> <p>MODELO UNO MANO PULLDOWN</p> <p>ROBET DE LAVABO A UNO MANO PULLDOWN</p> <p>CRITICAL DIMENSIONS</p>	<p>Moen Single Handle Pulldown Kitchen Faucet Installation Guide (INS10105D)</p> <p>Official installation guide and product information for the Moen Single Handle Pulldown Kitchen Faucet, model INS10105D. Features multilingual support, step-by-step assembly instructions, parts lists, and troubleshooting tips.</p>
 <p>MOEN</p> <p>SINGLE-HANDLE PULLOUT KITCHEN FAUCET</p> <p>MODELO UNO MANO PULLOUT</p> <p>ROBET DE LAVABO A UNO MANO PULLOUT</p> <p>CRITICAL DIMENSIONS</p>	<p>Moen 7545 Series Single Handle Pullout Kitchen Faucet Installation and Care Guide</p> <p>Detailed installation, maintenance, and warranty guide for the Moen 7545 Series single handle pullout kitchen faucet. Includes parts identification, troubleshooting tips, and consumer information on lead content.</p>