

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [GreatPowerDirect](#) /

> [GreatPowerDirect Generic AC Adapter for Lepy LP-2024A+ Amplifier - User Manual](#)

GreatPowerDirect GPD080926-11218

GreatPowerDirect Generic AC Adapter User Manual

Model: GPD080926-11218

INTRODUCTION

This manual provides essential instructions for the safe and efficient use of your GreatPowerDirect Generic AC Adapter, model GPD080926-11218. This adapter is designed to provide power to compatible devices, specifically the Lepy LP-2024A+ Hi-Fi Stereo Class-T Digital Amplifier. Please read this manual thoroughly before use and retain it for future reference.

SAFETY INFORMATION

To ensure safe operation and prevent damage, observe the following precautions:

- Use only with devices that match the adapter's voltage and current specifications.
- Do not expose the adapter to water, moisture, or extreme temperatures.
- Avoid dropping or subjecting the adapter to strong impacts.
- Do not attempt to open or modify the adapter. There are no user-serviceable parts inside.
- Ensure the power outlet is easily accessible and unplug the adapter during electrical storms or when unused for long periods.
- Keep out of reach of children.

PACKAGE CONTENTS

Verify that all items are present in the package:

- 1 x GreatPowerDirect AC Adapter (Model: GPD080926-11218)
- 1 x AC Power Cord (for connecting to wall outlet)



Image: The GreatPowerDirect AC Adapter shown with its detachable AC power cord. The adapter unit is black and rectangular, connected to a barrel connector output cable, and the AC power cord has a standard US 2-prong plug.

SETUP

Follow these steps to connect your AC adapter:

1. **Connect the AC Power Cord:** Insert the female end of the AC power cord firmly into the input port on the AC adapter unit.
2. **Connect to Device:** Plug the barrel connector output cable from the AC adapter into the DC input jack of your Lepy LP-2024A+ Hi-Fi Stereo Class-T Digital Amplifier. Ensure a secure connection.
3. **Connect to Power Outlet:** Plug the male end of the AC power cord into a standard, grounded electrical wall outlet.
4. **Verify Power:** Once connected, your amplifier should receive power. Refer to your amplifier's manual for specific power indicator lights or startup procedures.



Image: Close-up of the GreatPowerDirect AC Adapter unit, showing the output cable with a barrel connector. The adapter's label with specifications is visible, indicating 'ABLEGRID' as a brand on the unit itself.

OPERATING

The AC adapter operates automatically once connected to a power source and a compatible device. It converts the AC wall current to the appropriate DC voltage required by your Lepy LP-2024A+ amplifier.

- Ensure the adapter is always connected to a stable power source.
- Do not overload the adapter by connecting it to devices requiring more power than its specified output.
- Disconnect the adapter from the wall outlet when not in use for extended periods to conserve energy and for safety.

MAINTENANCE

Proper care will extend the life of your AC adapter:

- **Cleaning:** Disconnect the adapter from all power sources before cleaning. Use a soft, dry cloth to wipe the exterior. Do not use liquid cleaners or solvents.
- **Storage:** Store the adapter in a cool, dry place away from direct sunlight and extreme temperatures. Avoid tightly coiling the cables to prevent damage.
- **Inspection:** Periodically inspect the cables and connectors for any signs of wear, fraying, or damage. If damage is observed, discontinue use immediately.

TROUBLESHOOTING

If you encounter issues with your AC adapter, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
No power to device	<ul style="list-style-type: none">◦ Adapter not properly connected◦ Wall outlet not functioning◦ Device issue	<ul style="list-style-type: none">◦ Ensure all connections are secure.◦ Test the wall outlet with another device.◦ Verify the device itself is working correctly with its original power source if available.
Adapter feels hot	<ul style="list-style-type: none">◦ Normal operation (slight warmth)◦ Overload or poor ventilation	<ul style="list-style-type: none">◦ A slight warmth is normal.◦ Ensure the adapter is in a well-ventilated area.◦ Confirm the connected device's power requirements do not exceed the adapter's output.◦ If excessively hot, disconnect immediately and contact support.
Intermittent power	<ul style="list-style-type: none">◦ Loose connection◦ Damaged cable/connector	<ul style="list-style-type: none">◦ Check all connections for tightness.◦ Inspect cables for visible damage. If damaged, discontinue use.

SPECIFICATIONS

Technical specifications for the GreatPowerDirect AC Adapter (Model: GPD080926-11218):

- **Model Number:** GPD080926-11218
- **Brand:** GreatPowerDirect
- **Input:** 100-240V AC, 50/60Hz (Typical for universal AC adapters; specific values not provided in product data)
- **Output:** (Specific output voltage/current not provided in product data; refer to adapter label for exact values)

- **Connector Type:** Barrel connector
- **Power Source:** Corded Electric
- **Item Weight:** 8 ounces
- **Certifications:** CE

Note: For precise input/output specifications, please refer to the label on the adapter unit itself.



Image: The GreatPowerDirect AC Adapter showing its top surface with the 'ABLEGRID' brand and detailed electrical specifications printed on the label.

WARRANTY AND SUPPORT

This product is covered by a standard manufacturer's warranty. For specific warranty terms and conditions, please refer to the documentation provided with your purchase or contact GreatPowerDirect customer support. If you experience any issues not covered in the troubleshooting section, please reach out to the seller or manufacturer for assistance.

