

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

- › [SALTO Systems](#) /
- › [SALTO KS Tag User Manual](#)

SALTO Systems KS-Tag

SALTO KS Tag User Manual

Model: KS-Tag

1. PRODUCT OVERVIEW

The SALTO KS Tag is a robust and reliable identification medium designed for seamless integration with SALTO KS and SALTO Clay access control systems. This tag provides a secure and convenient way to grant or deny access to authorized users.



Image 1: Front view of a single blue SALTO KS Tag. The tag is circular with the "SALTO KS" logo printed on its surface and features a durable metal keyring attachment at the top.

- **Identification Medium:** Specifically designed for all SALTO KS and SALTO Clay installations.
- **Durable Design:** Absolutely waterproof and built for longevity.
- **Batteryless Operation:** Requires no internal power source, ensuring maintenance-free use.
- **Original Product:** An authentic SALTO Systems product, guaranteeing compatibility and quality.
- **Versatile Use:** A single identification medium can be utilized across multiple KS/Clay systems.
- **Color Options:** Available in various colors including white, grey/silver, red, blue, and green. This specific product is blue.

2. SETUP

The SALTO KS Tag is a passive identification device and does not require any user-level setup or battery installation. Its functionality is managed entirely within the SALTO KS or SALTO Clay access control system.

2.1. Enrollment with the System

To enable the tag for access, it must be enrolled or registered with your SALTO KS or SALTO Clay system. This process is typically performed by a system administrator or authorized personnel.

- Administrator Access:** Ensure you have the necessary administrative credentials for your SALTO KS or SALTO Clay system.
- System Interface:** Log in to the SALTO KS web interface or the SALTO Clay application.
- Add User/Credential:** Navigate to the section for managing users and credentials.
- Present Tag:** Follow the on-screen instructions to present the SALTO KS Tag to a designated enrollment reader or the main system reader. The system will read the unique identifier of the tag.
- Assign Permissions:** Once the tag is recognized, assign the appropriate access permissions and schedules to the tag within the system.
- Save Changes:** Save the configuration to activate the tag.

For detailed instructions on enrolling credentials, please refer to the official SALTO KS or SALTO Clay system administration guide or contact your system administrator.

3. OPERATING INSTRUCTIONS

Using the SALTO KS Tag for access is straightforward once it has been properly enrolled in your access control system.

3.1. Gaining Access

- Locate Reader:** Approach the door or access point equipped with a SALTO KS or SALTO Clay reader.
- Present Tag:** Hold the SALTO KS Tag firmly and flat against the reader's surface. Ensure the tag is within close proximity to the reader.
- Wait for Indication:** The reader will typically provide a visual (e.g., green light) and/or audible (e.g., beep) indication when access is granted. If access is denied, a different indication (e.g., red light) will be shown.
- Open Door:** Once access is granted, the door will unlock, allowing you to open it.

Avoid bending or forcefully inserting the tag into any slots, as this is not required and may damage the tag.

4. MAINTENANCE

The SALTO KS Tag is designed for minimal maintenance due to its robust, batteryless, and waterproof construction.

4.1. Cleaning

- General Cleaning:** If the tag becomes dirty, wipe it with a soft, damp cloth.
- Avoid Harsh Chemicals:** Do not use abrasive cleaners, solvents, or harsh chemicals, as these may damage the tag's surface or internal components.

4.2. Storage

Store the tag in a cool, dry place when not in use. While durable, avoid exposing it to extreme temperatures or direct sunlight for prolonged periods.

4.3. Handling

Although the tag is robust, avoid excessive force, bending, or dropping it from significant heights to prevent potential damage.

5. TROUBLESHOOTING

If you encounter issues with your SALTO KS Tag, consider the following common troubleshooting steps:

- **Tag Not Recognized by Reader:**
 - **Proper Presentation:** Ensure the tag is held flat against the reader and within its effective reading range.
 - **Enrollment Status:** Verify with your system administrator that the tag is correctly enrolled and active in the SALTO KS/Clay system.
 - **Access Permissions:** Confirm that the tag has the necessary access permissions for the specific door or area you are trying to access.
 - **Reader Functionality:** Check if other valid tags work with the same reader. If not, the reader itself might have an issue.
- **Tag Lost or Stolen:**
 - **Report Immediately:** Contact your system administrator immediately to report a lost or stolen tag.
 - **Deactivate Tag:** The administrator can deactivate the lost tag in the SALTO KS/Clay system to prevent unauthorized access.
- **Physical Damage to Tag:**
 - If the tag is visibly damaged (e.g., cracked, severely bent), it may no longer function correctly. A replacement tag will be required.

For persistent issues or complex problems, please contact your SALTO KS/Clay system administrator or SALTO Systems support.

6. TECHNICAL SPECIFICATIONS

Below are the key technical specifications for the SALTO KS Tag:



Image 2: A collection of five SALTO KS Tags, showcasing the available color variations: white, blue, red, green, and grey/silver. Each tag has the "SALTO KS" logo and a metal keyring attachment.

Feature	Detail
Brand	SALTO Systems
Model / Part Number	KS-Tag
Color (This Product)	Blue
Available Colors	White, Grey/Silver, Red, Blue, Green
Batteries Included	No
Batteries Required	No
Waterproof	Yes

Feature	Detail
Number of Items	1
ASIN	B07HVYC2BP
First Available	September 30, 2018

7. WARRANTY AND SUPPORT

As an original SALTO Systems product, the SALTO KS Tag is manufactured to high-quality standards. Specific warranty terms may vary based on your region and point of purchase.

7.1. Warranty Information

For detailed warranty information, please refer to the documentation provided at the time of purchase or visit the official SALTO Systems website. Keep your proof of purchase for any warranty claims.

7.2. Technical Support

If you require technical assistance or have questions regarding the functionality or integration of your SALTO KS Tag, please contact your authorized SALTO Systems dealer, installer, or the SALTO Systems customer support directly. Contact information can typically be found on the official SALTO Systems website.

SALTO Systems Official Website: www.saltosystems.com

© 2024 SALTO Systems. All rights reserved.

This manual is for informational purposes only. Specifications are subject to change without notice.