

[Manuals.plus](#) /

› [Hyper Tough](#) /

› Hyper Tough 12-Inch LED Under Cabinet Light User Manual

Hyper Tough 815109028295

Hyper Tough 12-Inch LED Under Cabinet Light User Manual

Model: 815109028295

PRODUCT OVERVIEW

The Hyper Tough 12-Inch LED Under Cabinet Light is designed to provide efficient and bright illumination for various indoor spaces such as kitchens, garages, and workshops. This light features an integrated ON/OFF switch and is linkable, allowing multiple units to be connected for extended lighting solutions.




Image: Front view of the Hyper Tough 12-Inch LED Under Cabinet Light, showcasing its sleek, white design.

WHAT'S INCLUDED

Verify that all components are present before beginning installation:

- 12-Inch LED Under Cabinet Light
- 10-Inch Linking Cord
- 2 Mounting Brackets
- 2 Wood Screws
- Installation Instructions (printed sheet)



Image: All components laid out, including the LED light bar, linking cord, mounting brackets, wood screws, and a small instruction sheet.

SAFETY INFORMATION

WARNING: To reduce the risk of fire, electric shock, or injury to persons:

- Read all instructions before installation and use.
- Ensure power is OFF at the circuit breaker before installation or servicing.
- Do not install near heat sources or in wet locations. This product is for indoor use only.

- Do not attempt to modify or repair the light fixture. Refer all servicing to qualified personnel.
- Do not look directly into the LED light source when illuminated.

SETUP AND INSTALLATION

Follow these steps for proper installation of your LED under cabinet light:

1. Prepare the Installation Area

Choose a suitable location under a cabinet or shelf. Ensure the surface is clean, dry, and stable. Mark the desired mounting points for the brackets, ensuring they are aligned with the light fixture's mounting holes.




Image: Diagram showing the 12-inch length of the LED light and the 10-inch length of the linking cord, useful for planning installation space.

2. Mount the Brackets

Using the provided wood screws, securely attach the two mounting brackets to the marked locations. Ensure the brackets are firmly fastened to support the weight of the light fixture.

3. Attach the Light Fixture

Align the LED light fixture with the mounted brackets and snap it into place. The light should fit snugly and securely within the brackets.



Image: Top-down view of the LED light bar, showing the grooves for mounting brackets and the overall slim profile.

4. **Connect Power**

Plug the light fixture's power cord into a standard 120V AC outlet. If linking multiple lights, use the 10-inch linking cord to connect them. Ensure all connections are secure.



Image: Close-up of the end of the LED light showing the female connector for the linking cord, and the male end of the linking cord.

OPERATING INSTRUCTIONS

The Hyper Tough LED Under Cabinet Light is simple to operate:

- **Turning On/Off**

Locate the integrated ON/OFF switch on the side of the light fixture. Press the switch to turn the light ON or OFF.



Image: Close-up of one end of the LED light, clearly showing the push-button ON/OFF switch.

- **Linking Multiple Lights**

To create a continuous lighting solution, connect additional Hyper Tough 12-Inch LED Under Cabinet Lights using the provided 10-inch linking cords. Ensure the total wattage of linked lights does not exceed the recommended limit (check product packaging or specifications for details).

MAINTENANCE

To ensure the longevity and optimal performance of your LED light, follow these simple maintenance guidelines:

- **Cleaning**

Before cleaning, ensure the light is turned OFF and unplugged from the power source. Use a soft, dry, or slightly damp cloth to wipe the surface of the light. Do not use abrasive cleaners, solvents, or harsh chemicals, as these can damage the finish or electrical components.

- **Bulb Replacement**

This LED light fixture uses integrated LEDs that are designed for long-term use and are not user-replaceable. If the light stops functioning, the entire fixture may need to be replaced.

TROUBLESHOOTING

If you encounter issues with your Hyper Tough LED Under Cabinet Light, refer to the following common problems and

solutions:

Problem	Possible Cause	Solution
Light does not turn on.	Not plugged in securely. Power outlet is not active. ON/OFF switch is in the OFF position. Faulty light fixture.	Ensure the power cord is fully inserted into a working outlet. Test the outlet with another device. Check your circuit breaker. Press the ON/OFF switch to the ON position. If all else fails, the unit may be defective. Contact customer support.
Light flickers or dims.	Loose connection. Voltage fluctuations. Overloaded circuit (if linking multiple lights).	Check all power and linking cord connections. Ensure the power supply is stable. Reduce the number of linked lights or use a separate circuit.

SPECIFICATIONS

Feature	Detail
Brand	Hyper Tough
Model Number	815109028295
Product Dimensions	12"L x 1"W x 1.2"H
Wattage	7 watts (60W equivalent)
Lumens	700 lms
Color Temperature	5000K (Cool White/Daylight)
CRI	83
Dimmable	Non Dimmable
Switch Type	Push Button (ON/OFF)
Power Source	Corded Electric (120 Volts)
Installation Type	Surface Mount (Under Cabinet)
Indoor/Outdoor Usage	Indoor
Material	Wood
Item Weight	9.5 ounces
Efficiency	100lm/w
Included Components	Mounting Brackets, Wood Screws, Linking Cord

WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the contact details provided on the product packaging or visit the official Hyper Tough website. Keep your purchase receipt for warranty claims.

© 2023 Hyper Tough. All rights reserved.
For more information, visit [Hyper Tough Official Website](#)

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question